

PUBLICATIONS

JOURNAL ARTICLES

Abbott AL, Donnan GA. Does the 'high risk' patient with asymptomatic carotid stenosis really exist? *Eur J Vasc Endovasc Surg* 2008;35(5):524-33. Review.

Absetz P, Valve R, Oldenburg B, Heinonen H, Nissinen A, Fogelhom M, Ilvesmaki V, Talja M, Uutela A. Outcomes of diabetes prevention study partly achieved by lifestyle intervention. *Suomen Laakarilehti* 2008;22:2065-70.

Ackerly T, Gesoand M, Smith R. Radiotherapy DICOM packet sniffing. *Australas Phys Eng Sci Med* 2008;31(3):243-51.

ADVANCE Collaborative Group, Patel A, MacMahon S, Chalmers J, Neal B, Billot L, Woodward M, Marre M, Cooper M, Glasziou P, Grobbee D, Hamet P, Harrap S, Heller S, et al. Intensive blood glucose control and vascular outcomes in patients with Type 2 diabetes. *N Engl J Med* 2008;358(24):2560-72.

Affandi JS, Price P, Imran D, Yuniastuti E, Djauzi S, Cherry CL. Can we predict neuropathy risk before stavudine prescription in a resource-limited setting? *AIDS Res Hum Retroviruses* 2008;24(10):1281-4.

Agrotis A. Simvastatin, an inhibitor of epithelial-to-mesenchymal transition in experimental atherosclerotic renovascular disease? *J Hypertens* 2008;26(8):1553-5. Editorial.

Ahimastos AA, Dart AM, Kingwell BA. Angiotensin II blockade in Marfan's syndrome. *N Engl J Med* 2008;359(16):1732. author reply 1733-4.

Ahimastos AA, Dart AM, Lawler A, Blombery PA, Kingwell BA. Reduced arterial stiffness may contribute to angiotensin-converting enzyme inhibitor induced improvements in walking time in peripheral arterial disease patients. *J Hypertens* 2008;26(5):1037-42.

Ahrens I, Ellwanger C, Smith BK, Bassler N, Chen YC, Neudorfer I, Ludwig A, Bode C, Peter K. Selenium supplementation induces metalloproteinase-dependent L-selectin shedding from monocytes. *J Leukoc Biol* 2008;83(6):1091-8.

Ahrens I, Peter K. Humanizing mouse thrombi. *Nat Biotechnol* 2008;26(1):62-3. Review.

Ahrens I, Peter K. Therapeutic integrin inhibition: allosteric and activation-specific inhibition strategies may surpass the initial ligand-mimetic strategies. *Thromb Haemost* 2008;99(5):803-4. Comment.

Aitken C, Higgs P, Bowden S. Differences in the social networks of ethnic Vietnamese and non-Vietnamese injecting drug users and their implications for blood-borne virus transmission. *Epidemiol Infect* 2008;136(3):410-6.

Aitken C, Higgs P, Hellard M. Buprenorphine injection in Melbourne, Australia – an update. *Drug Alcohol Rev* 2008;27(2):197-9.

Aitken C, Power R, Dwyer R. A very low response rate in an online survey of medical practitioners. *Aust N Z J Public Health* 2008;32(3):288-9.

Aitken C, Tracy S, Revill P, Bharadwaj M, Bowden S, Winter R, Hellard M. Consecutive infections with different hepatitis C virus genotypes in an injecting drug user. *J Clin Virol* 2008;41(4):293-6.

Aitken C, Wain D, Lubman D, Hides L, Hellard M. Mental health screening among injecting drug users outside treatment settings – implications for research and health services. *Mental Health and Substance Use: Dual Diagnosis* 2008;1(2):99-103.

Aitken CK, Lewis J, Tracy SL, Spelman T, Bowden D S, Bharadwaj M, Drummer H, Hellard M. High incidence of hepatitis C virus reinfection in a cohort of injecting drug users. *Hepatology* 2008;48(6):1746-52.

Aitken LM, Currey J, Marshall AP, Elliott D. Discrimination of educational outcomes between differing levels of critical care programs by selected stakeholders in Australia: a mixed method approach. *Intensive Crit Care Nurs* 2008;24(2):68-77.

Ajani AE, Reid CM, Duffy SJ, Andrianopoulos N, Lefkovits J, Black A, New G, Lew R, Shaw JA, Yan BP, Gurvitch R, Al-Fiadh A, Brennan AL, Clark DJ. Outcomes after percutaneous coronary intervention in contemporary Australian practice: insights from a large multicentre registry. *Med J Aust* 2008;189(8):423-8.

Al Salmi I, Hoy WE, Kondalsamy-Chennakes S, Wang Z, Healy H, Shaw JE. Birth weight and stages of CKD: a case-control study in an Australian population. *Am J Kidney Dis* 2008;52(6):1070-8.

Al Salmi I, Hoy WE, Kondalsamy-Chennakesavan S, Wang Z, Gobe GC, Barr EL, Shaw JE. Disorders of glucose regulation in adults and birth weight: results from the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. *Diabetes Care* 2008;31(1):159-64.

Alberti KG, Zimmet PZ. Should we dump the metabolic syndrome? No. *BMJ* 2008;336(7645):641. Letter.

Alem L, Joseph M, Kethers S, Steele C, Wilkinson R. Information environments for supporting consistent registrar medical handover. *HIM J* 2008;37(1):9-25.

Allen K, Guy R, Leslie D, Goller J, Medland N, Roth N, Lewis J, Hellard M. The rise of infectious syphilis in Victoria and the impact of enhanced clinical testing. *Aust N Z J Public Health* 2008;32(1):38-42.

Allen KJ, Mifsud NA, Williamson R, Bertolino P, Hardikar W. Cell-mediated rejection results in allograft loss after liver cell transplantation. *Liver Transpl* 2008;14(5):688-94.

Amirahmadi F, Turnbull L, Du XJ, Graham RM, Woodcock EA. Heightened α_{1A} -adrenergic receptor activity suppresses ischaemia/reperfusion-induced $\text{Ins}(1,4,5)\text{P}_3$ generation in the mouse heart: a comparison with ischaemic preconditioning. *Clin Sci* 2008;114(2):157-64.

Anand K, Shah B, Gupta V, Khaparde K, Pau E, Menon GR, Kapoor SK. Risk factors for non-communicable disease in urban Haryana: a study using the STEPS approach. *Indian Heart J* 2008;60(1):9-18.

Anderson DJ, Richet H, Chen LF, Spelman DW, Hung YJ, Huang AT, Sexton DJ, Raoult D. Seasonal variation in *Klebsiella pneumoniae* bloodstream infection on 4 continents. *J Infect Dis* 2008;197(5):752-6.

Anderson J, Hoy J, Hillman R, Gittleson C, Hartel G, Medley G, Bassler R. Abnormal anal cytology in high-risk human papilloma virus infection in HIV-infected Australians. *Sex Transm Infect* 2008;84(2):94-6.

Anderson JFI, Saling MM, Srikanth VK, Thrift AG, Donnan GA. Individuals with first-ever clinical presentation of a lacunar infarction syndrome: Is there an increased likelihood of developing mild cognitive impairment in the first 12 months after stroke? *J Neuropsychol* 2008;2(2):373-385.

Andrew M, Parr JR, Stacey R, Rosenfeld JV, Hart Y, Pretorius P, Nijhawan S, Zaiwalla Z, McShane MA. Transcallosal resection of hypothalamic hamartoma for gelastic epilepsy. *Childs Nerv Syst* 2008;24(2):275-9.

- Andrew NE, Gabbe BJ, Wolfe R, Williamson OD, Richardson MD, Edwards ER, Cameron PA.** Twelve-month outcomes of serious orthopaedic sport and active recreation-related injuries admitted to Level 1 trauma centers in Melbourne, Australia. *Clin J Sport Med* 2008;18(5):387-93.
- Andrews RK, Berndt MC.** Microparticles facilitate neutrophil/platelet crosstalk. *Blood* 2008;112(6):2174-5.
- Andrews RK, Berndt MC.** Platelet adhesion: a game of catch and release. *J Clin Invest* 2008;118(9):3009-11.
- Anglesio MS, Arnold JM, George J, Tinker AV, Tothill R, Waddell N, Simms L, Locandro B, Fereday S, Traficante N, Russell P, Sharma R, Birrer MJ; AOGS Study Group, Defazio A, Chenevix-Trench G, Bowtell DD.** Mutation of ERBB2 provides a novel alternative mechanism for the ubiquitous activation of RAS-MAPK in ovarian serous low malignant potential tumors. *Mol Cancer Res* 2008;6(11):1678-90.
- Anpalahan M, Gibson SJ.** Geriatric syndromes as predictors of adverse outcomes of hospitalization. *Intern Med J* 2008;38(1):16-23.
- Apostolopoulos V, Yuriev E, Lazoura E, Yu M, Ramsland PA.** MHC and MHC-like molecules: Structural perspectives on the design of molecular vaccines. *Hum Vaccin* 2008;4(6):400-9.
- Arthur JF, Gardiner EE, Kenny D, Andrews RK, Berndt MC.** Platelet receptor redox regulation. *Platelets* 2008;19(1):1-8.
- Arulogun S, Prince M, Ng J, Lade S, Ryan G, Blewitt O, McCormack C.** Long-term outcomes of patients with advanced-stage cutaneous T-cell lymphoma and large cell transformation. *Blood* 2008;112(8):3082-7.
- ASDIAB Study Group, Thai AC, Mohan V, Khalid BA, Cockram CS, Pan CY, Zimmet P, Yeo JP.** Islet autoimmunity status in Asians with young-onset diabetes (12-40 years): association with clinical characteristics, beta cell function and cardio-metabolic risk factors. *Diabetes Res Clin Pract* 2008;80(2):224-30.
- Atkin JD, Farg MA, Walker AK, McLean C, Tomas D, Horne MK.** Endoplasmic reticulum stress and induction of the unfolded protein response in human sporadic amyotrophic lateral sclerosis. *Neurobiol Dis Neurobiol Dis* 2008;30(3):400-7.
- Azarpazhooh MR, Nicol MB, Donnan GA, Dewey HM, Sturm JW, Macdonell RA, Pearce DC, Thrift AG.** Patterns of stroke recurrence according to subtype of first stroke event: the North East Melbourne Stroke Incidence Study (NEMESIS). *Int J Stroke* 2008;3(3):158-64.
- Bach LA.** Post-transplant diabetes. *DMJ* 2008;25:8-9.
- Bach LA.** Rho kinase inhibition: a new approach for treating diabetic nephropathy? *Diabetes* 2008;57(3):532-3.
- Bach LA.** Blogging during terminal care: communication, color schemes, and creating a community. *J Clin Oncol* 2008;26(27):4504-6.
- Baddley JW, Benjamin DK, Patel M, Miró J, Athan E, Barsic B, et al. for the International Collaboration on Endocarditis-Pro prospective Cohort Study Group.** Candida infective endocarditis. *Eur J Clin Microbiol Infect Dis* 2008;27(7):519-29.
- Bailie R, Si D, Connors C, Weeramanthri T, Clark L, Dowden M, O'Donohue L, Condon J, Thompson S, Clelland N, Nagel T, Gardner K, Brown A.** Study protocol: Audit and Best Practice for Chronic Disease Extension (ABCDE) Project. *BMC Health Serv Res* 2008;8:184.
- Bailie RS, Si D, Dowden MC, Connors CM, O'Donoghue L, Liddle HE, Kennedy CM, Cox RJ, Burke HP, Thompson SC, Brown AD.** Delivery of child health services in Indigenous communities: implications for the federal government's emergency intervention in the Northern Territory. *Med J Aust* 2008;188(10):615-8.
- Baker ST, Chiang CY, Zajac JD, Bach LA, Jerums G, MacIsaac RJ.** Outcomes for general medical inpatients with diabetes mellitus and new hyperglycaemia. *Med J Aust* 2008;188(6):340-3.
- Balasubramani Y, Ellul S, Kam A, McLean C, Malham G.** Sinonasal inverted papilloma mimicking a pituitary macroadenoma. *J Clin Neurosci* 2008;16(2):328-30.
- Baldwin S, Boisen N, Power R.** Managing information: using systematic data collection to estimate process and impact indicators related to harm reduction services in Myanmar. *Int J Drug Policy* 2008;19(Suppl1):S74-9.
- Ballinger ML, Osman N, Wilks AF, Su S, Burns CJ, Bu X, Little PJ.** Pyridopyrimidine derivative CYC10424 inhibits glycosaminoglycan changes on vascular smooth muscle-derived proteoglycans and reduces lipoprotein binding. *J Cardiovasc Pharmacol* 2008;52(5):403-12.
- Bandopadhyay P, Goldschlager T, Rosenfeld JV.** The role of evidence-based medicine in neurosurgery. *J Clin Neurosci* 2008;15(4):373-8.
- Banerjee A, Grumont R, Gugasyan R, White C, Strasser A, Gerondakis S.** NF- κ B1 and c-Rel cooperate to promote the survival of TLR4-activated B cells by neutralizing Bim via distinct mechanisms. *Blood* 2008;112(13):5063-73.
- Barbetti J, Lee G.** Medical emergency team: a review of the literature. *Nurs Crit Care* 2008;13(2):80-5. Review.
- Bardy GH, Lee KL, Mark DB, Poole JE, Toff WD, et al.; HAT Investigators.** Home use of automated external defibrillators for sudden cardiac arrest. *N Engl J Med* 2008;358(17):1793-804.
- Bardy GH, Lee KL, Mark DB, Poole JE, Toff WD, et al.; HAT Investigators.** Rationale and design of the Home Automatic External Defibrillator Trial (HAT). *Am Heart J* 2008;155(3):445-54.
- Barit D, Cooper ME.** Diabetic patients and kidney protection: an attainable target. *J Hypertens* 2008;26(Suppl 2):S3-7. Review.
- Barrington MJ, Olive DJ, McCutcheon CA, Scarff C, Said S, Kluger R, Gillett N, Choong P.** Stimulating catheters for continuous femoral nerve blockade after total knee arthroplasty: a randomized, controlled, double-blinded trial. *Anesth Analg* 2008;106(4):1316-21.
- Bartholomeusz CF, Wesnes KA, Kulkarni J, Vitetta L, Croft RJ, Nathan PJ.** Estradiol treatment and its interaction with the cholinergic system: effects on cognitive function in healthy young women. *Horm Behav* 2008;54(5):684-93.
- Barton DA, Esler MD, Dawood T, Lambert EA, Haikerwal D, Brenchley C, Socratous F, Hastings J, Guo L, Wiesner G, Kaye DM, Bayles R, Schlaich MP, Lambert GW.** Elevated brain serotonin turnover in patients with depression: effect of genotype and therapy. *Arch Gen Psychiatr* 2008;65(1):38-46.
- Barutta F, Pinach S, Giunti S, Vittone F, Forbes JM, Chiarle R, Arnstein M, Cavallo Perin P, Camussi G, Cooper ME, Gruden G.** Heat shock protein expression in diabetic nephropathy. *Am J Physiol Renal Physiol* 2008;295(6):F1817-24.
- Bathgate RA, Lekgabe ED, McGuane JT, Su Y, Pham T, Ferraro T, Layfield S, Hannan RD, Thomas WG, Samuel CS, Du XJ.** Adenovirus-mediated delivery of relaxin reverses cardiac fibrosis. *Mol Cell Endocrinol* 2008;280(1-2):30-8.
- Baumert M, Lambert GW, Dawood T, Lambert EA, Esler MD, McGrane M, Barton D, Nalivaiko E.** QT interval variability and cardiac norepinephrine spillover in patients with depression and panic disorder. *Am J Physiol Heart Circ Physiol* 2008;295(3):H962-H968.
- Bayles RG, Dawood T, Lambert EA, Schlaich MP, Lambert GW.** Elevated cardiac risk in patients with major depressive disorder. *Am J Psychiatry* 2008;165(1):137. author reply 137-8.
- Bayliss J, Bailey M, Leet A, Stein AN, Thomson NM, McLean CA.** Late onset antibody-mediated rejection and endothelial localization of vascular endothelial growth factor are associated with development of cardiac allograft vasculopathy. *Transplantation* 2008;86(7):991-7.
- Bayliss J, Maguire JA, Bailey M, Leet A, Kaye D, Richardson M, Bergin PJ, Dowling J, Thomson NM, Stein AN.** Increased vascular endothelial growth factor mRNA in endomyocardial biopsies from allografts demonstrating severe acute rejection: a longitudinal study. *Transpl Immunol* 2008;18(3):264-74.
- Bayne S, Jones ME, Li H, Pinto AR, Simpson ER, Liu JP.** Estrogen deficiency leads to telomerase inhibition, telomere shortening and reduced cell proliferation in the adrenal gland of mice. *Cell Res* 2008;18(11):1141-50.
- Beal A.** Exercise regimes for treatment of cancer related fatigue. *The Radiographer* 2008;55(1):12-5.
- Beddoes L, Botti M, Duke MM.** Patients' experiences of cardiology procedures using minimal conscious sedation. *Heart Lung* 2008;37(3):196-204.
- Bell RJ, Lijovic M, Fradkin P, Davis SR.** A pragmatic approach to the classification of menopausal status for community-based research. *Menopause* 2008;15(5):978-83.

- Benke G, Sim MR, McKenzie DP, Macfarlane E, Del Monaco A, Hoving JL, Fritschi L.** Comparison of first, last, and longest-held jobs as surrogates for all jobs in estimating cumulative exposure in cross-sectional studies of work-related asthma. *Ann Epidemiol* 2008;18(1):23-7.
- Bennett NJ, Bull AL, Dunt DR, Motley J, Russo PL, Spelman DW, Richards MJ.** A user assessment of a smaller hospital surveillance program. *Am J Infect Control* 2008;36(10):761-3.
- Berkovic SF, Dibbens LM, Oshlack A, Silver JD, Katerelos M, Vears DF, Ilmann-Rauch R, Blanz J, Zhang KW, Stankovich J, Kalnins RM, Dowling JP, Andermann E, Andermann F, Faldini E, D'Hooge R, Vadlamudi L, Macdonell RA, Hodgson BL, Bayly MA *et al.*** Myoclonus epilepsy and glomerulosclerosis due to deficiency of the lysosomal membrane protein SCARB2/Limp2. *Am J Hum Genet* 2008;82(3):673-84.
- Bermingham N, Cowie TF, Paine M, Storey E, McLean C.** Frontotemporal dementia and Parkinsonism linked to chromosome 17 in a young Australian patient with the G389R Tau mutation. *Neuropathol Appl Neurobiol* 2008;34(3):366-70.
- Berndt MC, Andrews RK.** Molecular regulation of platelet adhesion. *J Thrombos Hemostasis* 2008;19(1):77-84.
- Berndt MC, Andrews RK.** Systems biology meets platelet biology. *Blood* 2008;112(10):3920-1.
- Berndt MC, Andrews RK.** New direction for WE thrombin. *Arterioscler Thromb Vasc Biol* 2008;28(2):205-7.
- Bernhardt J, Chitravas N, Meslo IL, Thrift AG, Indredavik B.** Not all stroke units are the same: a comparison of physical activity patterns in Melbourne, Australia, and Trondheim, Norway. *Stroke* 2008;39(7):2059-65.
- Bernhardt J, Dewey H, Thrift A, Collier J, Donnan G.** A Very Early Rehabilitation Trial for Stroke (AVERT): phase II safety and feasibility. *Stroke* 2008;39(2):390-6.
- Berry PA, Hanna FS, Teichtahl AJ, Wluka AE, Urquhart DM, Bell RJ, Davis SR, Cicuttini FM.** Vastus medialis cross-sectional area is associated with patella cartilage defects and bone volume in healthy women. *Osteoarthritis Cartilage* 2008;16(8):956-60.
- Berry PA, Teichtahl AJ, Galevska-Dimitrovska A, Hanna FS, Wluka AE, Wang Y, Urquhart DM, English DR, Giles GG, Cicuttini FM.** Vastus medialis cross-sectional area is positively associated with patella cartilage and bone volume in a pain-free, community based population. *Arthritis Res Ther* 2008;10(6):R143.
- Blade J, Sonneveld P, San Miguel JF, Sutherland HJ, Hajek R, Nagler A, Spencer A, Robak T, Cibeira MT, Zhuang SH, Harousseau JL, Orlowski RZ; DOXIL-MMY-3001 Study Investigators.** Pegylated liposomal doxorubicin plus bortezomib in relapsed or refractory multiple myeloma: efficacy and safety in patients with renal function impairment. *Clin Lymphoma Myeloma* 2008;8(6):352-5.
- Blecher GE, Mitra B, Cameron PA, Fitzgerald M.** Failed Emergency Department disposition to the ward of patients with thoracic injury. *Injury* 2008;39(5):586-91.
- Bobik A.** Apolipoprotein CIII and atherosclerosis: beyond effects on lipid metabolism. *Circulation* 2008;118(7):702-4. Editorial.
- Bobrova N, Rughnikov U, Neifeld E, Rhodes T, Alcorn R, Kirichenko S, Power R.** Challenges in providing drug user treatment services in Russia: providers' views. *Subst Use Misuse* 2008;43(12-13):1770-84.
- Bolton K, Segal D, McMillan J, Jowett J, Heilbronn L, Abberton K, Zimmet P, Chisholm D, Collier G, Walder K.** Decorin is a secreted protein associated with obesity and Type 2 diabetes. *Int J Obes* 2008;32(7):1113-21.
- Borggren M, Repits J, Kuylenstierna C, Sterjovski J, Churchill MJ, Purcell DFJ, Karlsson A, Albert J, Gorry PR, Jansson M.** Evolution of DC-SIGN use revealed by fitness studies of R5 HIV-1 variants emerging during AIDS progression. *Retrovirology* 2008;5:28.
- Botlero R, Urquhart DM, Davis SR, Bell RJ.** Prevalence and incidence of urinary incontinence in women: review of the literature and investigation of methodological issues. *Int J Urol* 2008;15(3):230-4. Review.
- Bousquet J, Khaltvaev N, Cruz AA, Denburg J, Fokkens WJ, Togias A, Zuberbier T, Baena-Cagnani CE, *et al.*** Allergic Rhinitis and its Impact on Asthma (ARIA) 2008 update (in collaboration with the World Health Organization, GA(2)LEN and AllerGen). *Allergy* 2008;63(Suppl 86):8-160.
- Boyko EJ, Barr EL, Zimmet PZ, Shaw JE.** Two-hour glucose predicts the development of hypertension over 5 years: the AusDiab study. *J Hum Hypertens* 2008;22(3):168-76.
- Boyko EJ, Shaw JE, Zimmet PZ, Chitson P, Tuomilehto J, Alberti KG.** A prospective study of glycemia, body size, insulin resistance and the risk of hypertension in Mauritius. *J Hypertens* 2008;26(9):1742-9.
- Bradshaw CS, Fairley CK, Tabrizi SN.** Validation of COBAS Taqman CT for the detection of *Chlamydia trachomatis* in vulvo-vaginal swabs. *Sex Transm Inf* 2008;84:278-9. Comment.
- Brady Z, Taylor ML, Haynes M, Whitaker M, Mullen A, Clews L, Partridge M, Hicks RJ, Trapp JV.** The clinical application of PET/CT: a contemporary review. *Australas Phys Eng Sci Med* 2008;31(2):90-109. Review.
- Brand C, Lowe A, Hall S.** The utility of clinical decision tools for diagnosing osteoporosis in postmenopausal women with rheumatoid arthritis. *BMC Musculoskelet Disord* 2008;9:13.
- Brand CA.** The role of self-management in designing care for people with osteoarthritis of the hip and knee. *Med J Aust* 2008;189(Suppl 10):S25-8.
- Brand CA, Cameron PA, Greenberg PB, Scott IA.** Health services under siege: the case for clinical process redesign. *Med J Aust* 2008;189(4):239.
- Brand CA, Ibrahim JE, Cameron PA, Scott IA.** Standards for health care: a necessary but unknown quantity. *Med J Aust* 2008;189(5):257-60.
- Brand CA, Tropea J, Ibrahim JE, Elkadi SO, Bain CA, Ben-Tovim DI, Bucknall TK, Greenberg PB, Spigelman AD.** Measurement for improvement: a survey of current practice in Australian public hospitals. *Med J Aust* 2008;189(1):35-40.
- Brecknell JE, Malham GM.** Os odontoideum: report of three cases. *J Clin Neurosci* 2008;15(3):295-301.
- Brooks NA, Wilcox G, Walker KZ, Ashton JF, Cox MB, Stojanovska L.** Beneficial effects of *Lepidium meyenii* (Maca) on psychological symptoms and measures of sexual dysfunction in postmenopausal women are not related to estrogen or androgen content. *Menopause* 2008;15(6):1157-62.
- Brooks R, Silove D, Bryant R, O'Donnell M, Creamer M, McFarlane A.** A confirmatory factor analysis of the acute stress disorder interview. *J Trauma Stress* 2008;21(3):352-5.
- Brown WA, Burton PR, Anderson M, Korin A, Dixon JB, Hebbard G, O'Brien PE.** Symmetrical pouch dilatation after laparoscopic adjustable gastric banding: incidence and management. *Obes Surg* 2008;18(9):1104-8.
- Bryant RA, Creamer M, O'Donnell ML, Silove D, McFarlane AC.** A multisite study of the capacity of acute stress disorder diagnosis to predict posttraumatic stress disorder. *J Clin Psychiatry* 2008;69(6):923-9.
- Buchbinder R.** Self-management education en masse: effectiveness of the Back Pain: Don't Take It Lying Down mass media campaign. *Med J Aust* 2008;189(Suppl 10):S29-32.
- Buchbinder R, Barber M, Heuzenroeder L, Wluka AE, Giles G, Hall S, Harkness A, Lewis D, Littlejohn G, Miller MH, Ryan PF, Jolley D.** Incidence of melanoma and other malignancies among rheumatoid arthritis patients treated with methotrexate. *Arthritis Rheum* 2008;59(6):794-9.
- Buchbinder R, Gross DP, Werner EL, Hayden JA.** Understanding the characteristics of effective mass media campaigns for back pain and methodological challenges in evaluating their effects. *Spine* 2008;33(1):74-80.
- Burgess AN, Serpell JW.** Parotidectomy: preoperative investigations and outcomes in a single surgeon practice. *ANZ J Surg* 2008;78(9):791-3.
- Burgess JA, Dharmage SC, Byrnes GB, Matheson MC, Gurrin LC, Wharton CL, Johns DP, Abramson MJ, Hopper JL, Walters EH.** Childhood eczema and asthma incidence and persistence: a cohort study from childhood to middle age. *J Allergy Clin Immunol* 2008;122(2):280-5.
- Burke SL, Evans RG, Moretti JL, Head GA.** Levels of renal and extrarenal sympathetic drive in angiotensin II-induced hypertension. *Hypertension* 2008;51(4):878-83.
- Burns B, Beckett J, Jones D, Webb S.** Using a medical emergency team to manage anaphylactic shock. *Jt Comm J Qual Patient Saf* 2008;34(6):360-3.
- Busija L, Osborne RH, Nilsson A, Buchbinder R, Roos EM.** Magnitude and meaningfulness of change in SF-36 scores in four types of orthopedic surgery. *Health Qual Life Outcomes* 2008;6:55.

- Busso N, Chobaz-Peclat V, Hamilton J, Spee P, Wagtmann N, So A.** Essential role of platelet activation via protease activated receptor 4 in tissue factor-initiated inflammation. *Arthritis Res Ther* 2008;10(2):R42.
- Byrne M, Kaye DM, Power J.** The synergism between atrial fibrillation and heart failure. *J Card Fail* 2008;14(4):320-6.
- Byrne MJ, Power JM, Prevolos A, Mariani JA, Hajjar RJ, Kaye DM.** Recirculating cardiac delivery of AAV2/1SERCA2a improves myocardial function in an experimental model of heart failure in large animals. *Gene Ther* 2008;15(23):1550-7.
- Calkin AC, Giunti S, Sheehy KJ, Chew C, Boolell V, Rajaram YS, Cooper ME, Jandeleit-Dahm KA.** The HMG-CoA reductase inhibitor rosuvastatin and the angiotensin receptor antagonist candesartan attenuate atherosclerosis in an apolipoprotein E-deficient mouse model of diabetes via effects on advanced glycation, oxidative stress and inflammation. *Diabetologia* 2008;51(9):1731-40.
- Calkin AC, Thomas MC.** PPAR agonists and cardiovascular disease in diabetes. *PPAR Res* 2008;2008:245410. Review.
- Camerino MA, Kong DC, Chalmers DK, Thompson PE.** Solid phase synthesis and circular dichroism analysis of (i>i+4) cyclic lactam analogues of kisspeptin. *Int J Pept Res Ther* 2008;14(4):323-31.
- Cameron AJ, Boyko EJ, Sicree RA, Zimmet PZ, Söderberg S, Alberti KG, Tuomilehto J, Chitson P, Shaw JE.** Central obesity as a precursor to the metabolic syndrome in the AusDiab Study and Mauritius. *Obesity* 2008;16(12):2707-2716.
- Cameron AJ, Magliano DJ, Zimmet PZ, Welborn TA, Colagiuri S, Tonkin AM, Shaw JE.** The metabolic syndrome as a tool for predicting future diabetes: the AusDiab study. *J Intern Med* 2008;264(2):177-86.
- Cameron AJ, Zimmet PZ.** Expanding evidence for the multiple dangers of epidemic abdominal obesity. *Circulation* 2008;117(13):1624-6. Editorial.
- Cameron PA, Gabbe BJ, Cooper DJ, Walker T, Judson R, McNeil J. A** statewide system of trauma care in Victoria: effect on patient survival. *Med J Aust* 2008;189(10):546-50.
- Caminschi I, Proietto AI, Ahmet F, Kitsoulis S, Shin Teh J, Lo JC, Rizzitelli A, Wu L, Vremec D, van Dommelen SL, Campbell IK, Maraskovsky E, Braley H, Davey GM, Mottram P, van de Velde N, Jensen K, Lew AM, Wright MD, Heath WR, Shortman K, Lahoud MH.** The dendritic cell subtype-restricted C-type lectin Clec9A is a target for vaccine enhancement. *Blood* 2008;112(8):3264-73.
- Campbell EM, Perez O, Anderson JL, Hope TJ.** Visualisation of a proteasome-independent intermediate during restriction of HIV-1 by rhesus TRIM5 α . *J Cell Biol* 2008;180(3):549-61.
- Campbell IG, Qiu W, Polyak K, Haviv I.** Breast-cancer stromal cells with TP53 mutations. *N Engl J Med* 2008;358(15):1634-5;author reply 1636.
- Campbell NA, Brown WA, Smith AI, Skinner S, Nottle P.** Small bowel obstruction creates a closed loop in patients with a laparoscopic adjustable gastric band. *Obes Surg* 2008;18(10):1346-9.
- Cannon CP, Giugliano RP, Blazing MA, Harrington RA, Peterson JL, Sisk CM, Strony J, Musliner TA, McCabe CH, Veltri E, Braunwald E, Califf RM; IMPROVE-IT Investigators.** Rationale and design of IMPROVE-IT (IMProved Reduction of Outcomes: Vytorin Efficacy International Trial): comparison of ezetimibe/simvastatin versus simvastatin monotherapy on cardiovascular outcomes in patients with acute coronary syndromes. *Am Heart J* 2008;156(5):826-32.
- Carlton JM, Adams JH, Silva JC, Bidwell SL, Lorenzi H, Caler E, Crabtree J, Angiuoli SV, Merino EF, Amedeo P, Cheng Q, Coulson RM, Crabb BS, Del Portillo HA, Essien K, Feldblyum TV, Fernandez-Becerra C, Gilson PR, Gueye AH, Guo X, Kang'a S *et al.*** Comparative genomics of the neglected human malaria parasite *Plasmodium vivax*. *Nature* 2008;455(7214):757-63.
- Carrington M, Murphy NF, Strange G, Peacock A, McMurray JJ, Stewart S.** Prognostic impact of pulmonary arterial hypertension: a population-based analysis. *Int J Cardiol* 2008;124(2):183-7.
- Carrington M, Stewart S.** Is fenofibrate a cost-saving treatment for middle-aged individuals with Type II diabetes? An economic analysis of the FIELD Study. *Int J Cardiol* 2008;127(1):51-6.
- Carrington MJ, Trinder J.** Blood pressure and heart rate during continuous experimental sleep fragmentation in healthy adults. *Sleep* 2008;31(12):1701-1712.
- Casamento AJ, Dunlop C, Jones DA, Duke G.** Improving the documentation of medical emergency team reviews. *Crit Care Resusc* 2008;10(1):29.
- Cassar L, Li H, Pinto AR, Nicholls C, Bayne S, Liu JP.** Bone morphogenetic protein-7 inhibits telomerase activity, telomere maintenance, and cervical tumor growth. *Cancer Res* 2008;68(22):9157-66.
- Catroppa C, Anderson VA, Morse SA, Haritou F, Rosenfeld JV.** Outcome and predictors of functional recovery 5 years following pediatric traumatic brain injury (TBI). *J Pediatr Psychol* 2008;33(7):707-18.
- Cendron AC, Wines BD, Brownlee RT, Ramsland PA, Pietersz GA, Hogarth PM.** An Fc α R11a-binding peptide that mimics the interaction between Fc α R11a and IgG. *Mol Immunol* 2008;45(2):307-19.
- Chaicharn J, Carrington M, Trinder J, Khoo MC.** The effects on cardiovascular autonomic control of repetitive arousal from sleep. *Sleep* 2008;31(1):93-103.
- Chalmers J, Cooper ME.** UKPDS and the Legacy Effect. *N Engl J Med* 2008;359(15):1618-20. Editorial.
- Chan J, Ban EJ, Chun KH, Wang S, Backstrom BT, Bernard CC, Toh BH, Alderuccio F.** Transplantation of bone marrow transduced to express self-antigen establishes deletion tolerance and permanently remits autoimmune disease. *J Immunol* 2008;181(11):7571-80.
- Chan J, Ban EJ, Chun KH, Wang S, McQualter J, Bernard C, Toh BH, Alderuccio F.** Methylprednisolone induces reversible clinical and pathological remission and loss of lymphocyte reactivity to myelin oligodendrocyte glycoprotein in experimental autoimmune encephalomyelitis. *Autoimmunity* 2008;41(5):405-13.
- Chan K, Stooze M, Reidpath D.** Stigma, social reciprocity and exclusion of HIV/AIDS patients with illicit drug histories: a study of Thai nurses' attitudes. *Harm Reduct J* 2008;5:28.
- Chan K, Stooze M, Sringeruayang L, Reidpath D.** Stigmatization of AIDS patients: disentangling Thai nursing students' attitudes towards HIV/AIDS, drug use, and commercial sex. *AIDS Behav* 2008;12(1):146-57.
- Chand V, Rosenfeldt FL, Pepe S.** The publication rate and impact of abstracts presented at the Cardiac Society of Australia and New Zealand (1999-2005). *Heart Lung Circ* 2008;17(5):375-9.
- Chang CC, Athan E, Morrissey CO, Slavin MA.** Preventing invasive fungal infection during hospital building works. *Intern Med J* 2008;38(6b):538-41.
- Charles PG, Whitby M, Fuller AJ, Stirling R, Wright AA, Korman TM, Holmes PW, Christiansen KJ, Waterer GW, Pierce RJ, Mayall BC, Armstrong JG, Catton MG, Nimmo GR, Johnson B, Hooy M, Grayson ML; Australian CAP Study Collaboration.** The etiology of community-acquired pneumonia in Australia: why penicillin plus doxycycline or a macrolide is the most appropriate therapy. *Clin Infect Dis* 2008;46(10):1513-21.
- Charles PG, Wolfe R, Whitby M, Fine MJ, Fuller AJ, Stirling R, *et al*;** Australian Community-Acquired Pneumonia Study Collaboration, Grayson ML. SMART-COP: a tool for predicting the need for intensive respiratory or vasopressor support in community-acquired pneumonia. *Clin Infect Dis* 2008;47(3):375-84.
- Chaston TB, Dixon JB.** Factors associated with percent change in visceral versus subcutaneous abdominal fat during weight loss: findings from a systematic review. *Int J Obes (Lond)* 2008;32(4):619-28. Review.
- Chastre J, Wunderink R, Prokocimer P, Lee M, Kaniga K, Friedland I.** Efficacy and safety of intravenous infusion of doripenem versus imipenem in ventilator-associated pneumonia: a multicenter, randomized study. *Crit Care Med* 2008;36(4):1089-96.
- Chee L, Brown M, Sasadeusz J, MacGregor L, Grigg AP.** Gram-negative organisms predominate in Hickman line-related infections in non-neutropenic patients with hematological malignancies. *J Infect* 2008;56(4):227-33.
- Chen L, Rogers SL, Colagiuri S, Cadilhac DA, Mathew TH, Boyden AN, Peeters A, Magliano DJ, Shaw JE, Zimmet PZ, Tonkin AM; National Vascular Disease Prevention Alliance.** How do the Australian guidelines for lipid-lowering drugs perform in practice? Cardiovascular disease risk in the AusDiab Study, 1999-2000. *Med J Aust* 2008;189(6):319-22.
- Chen MY.** Sexual health services in Australia: challenges and opportunities. *Hong Kong J Dermatol Venereol* 2008;16(4):197-202.

- Cheng CH, Graham CA, Gabbe BJ, Yeung JH, Kossmann T, Judson RT, Rainer TH, Cameron PA.** Trauma care systems: a comparison of trauma care in Victoria, Australia, and Hong Kong, China. *Ann Surg* 2008;247(2):335-42.
- Cher L, Rosenthal MA, Drummond KJ, Dally M, Murphy M, Ashley D, Thursfield V, Giles GG.** The use of chemotherapy in patients with gliomas: patterns of care in Victoria from 1998-2000. *J Clin Neurosci* 2008;15(4):398-401.
- Cherbuin N, Anstey KJ, Sachdev PS, Maller JJ, Meslin C, Mack HA, Wen W, Easteal S.** Total and regional gray matter volume is not related to APOE*E4 status in a community sample of middle-aged individuals. *J Gerontol A Biol Sci Med Sci* 2008;63(5):501-4.
- Cherbuin N, Windsor TD, Anstey KJ, Maller JJ, Meslin C, Sachdev PS.** Hippocampal volume is positively associated with behavioural inhibition (BIS) in a large community-based sample of mid-life adults: the PATH through life study. *Soc Cogn Affect Neurosci* 2008;3(3):262-9.
- Cherk MH, Kalff V, Yap KS, Bailey M, Topliss D, Kelly MJ.** Incidence of radiation thyroiditis and thyroid remnant ablation success rates following 1110 MBq (30 mCi) and 3700 MBq (100 mCi) post-surgical 131I ablation therapy for differentiated thyroid carcinoma. *Clin Endocrinol (Oxf)* 2008;69(6):957-62.
- Cherk MH, Moore M, Serpell J, Swain S, Topliss DJ.** Metastatic colorectal cancer to a primary thyroid cancer. *World J Surg Oncol* 2008;6:122.
- Cherry CL, Duncan AJ, Mackie KF, Wesselingh SL, Brew BJ.** A report on the effect of commencing enfuvirtide on peripheral neuropathy. *AIDS Res Hum Retroviruses* 2008;24(8):1027-30.
- Cherry CL, Hoy JF, Rowe JS, Krum H, Mills J, Lewin SR.** Phase 1 single dose studies to optimize the pharmacokinetics of DG17, a novel HIV-protease inhibitor pro-drug, using sodium bicarbonate and ritonavir. *Curr HIV Res* 2008;6(3):272-5.
- Cherry CL, Rosenow A, Affandi JS, McArthur JC, Wesselingh SL, Price P.** Cytokine genotype suggests a role for inflammation in nucleoside analog-associated sensory neuropathy (NRTI-SN) and predicts an individual's NRTI-SN risk. *AIDS Res Hum Retroviruses* 2008;24(2):117-23.
- Chessman D, Kostenko L, Lethborg T, Purcell AW, Williamson NA, Chen Z, Kjer-Nielsen L, Mifsud NA, Tait BD, Holdsworth R, Almeida CA, Nolan D, Macdonald WA, Archbold JK, Kellerher AD, Marriott D, Mallal S, Bharadwaj M, Rossjohn J, McCluskey J.** Human leukocyte antigen class I-restricted activation of CD8+ T cells provides the immunogenetic basis of a systemic drug hypersensitivity. *Immunity* 2008;28(6):822-32.
- Cheung N, Wong TY, Liew G, Saw SM.** Low birth weight and retinal vascular caliber in young children. *Pediatrics* 2008;121(4):862-3.
- Chieng R.** ISOPP/HOPA 2008. *J Pharm Pract Res* 2008;38:250. Letter.
- Chojnacki J, Grgacic EVL.** Enveloped viral fusion: insights into the fusion of hepatitis B virus. *Future Virol* 2008;3(6):543-52.
- Cholesterol Treatment Trialists' (CTT) Collaborators, Kearney PM, Blackwell L, Collins R, Keech A, Simes J, Peto R, Armitage J, Baigent C.** Efficacy of cholesterol-lowering therapy in 18,686 people with diabetes in 14 randomised trials of statins: a meta-analysis. *Lancet* 2008;371(9607):117-25.
- Chua B, Eriksson EM, Brown LE, Zeng W, Gowans EJ, Torresi J, Jackson DC.** A self-adjuvanting lipopeptide-based vaccine candidate for the treatment of hepatitis C virus infection. *Vaccine* 2008;26(37):4866-75.
- Chung A, Rollman E, Johansson S, Kent SJ, Stratov I.** The utility of ADCC responses in HIV infection. *Curr HIV Res* 2008;6(6):515-9.
- Chung J, Nguyen AK, Henstridge DC, Holmes AG, Chan MH, Mesa JL, Lancaster GI, Southgate RJ, Bruce CR, Duffy SJ, Horvath I, Mestriil R, Watt MJ, Hooper PL, Kingwell BA, Vigh L, Hevener A, Febbraio MA.** HSP72 protects against obesity-induced insulin resistance. *Proc Natl Acad Sci USA* 2008;105(5):1739-44.
- Clarke S, Bailey M, Yelas S.** Successful applications of statistical modeling to betting markets. *Mathematics Today* 2008;44(1):38-44.
- Codyre D, Wilson A, Begg J, Barton D.** Dissemination and implementation of the Royal Australian and New Zealand College of Psychiatrists' clinical practice guidelines. *Australas Psychiatry* 2008;16(5):336-9.
- Coghlan JA, Bell SN, Forbes A, Buchbinder R.** Comparison of self-administered University of California, Los Angeles, shoulder score with traditional University of California, Los Angeles, shoulder score completed by clinicians in assessing the outcome of rotator cuff surgery. *J Shoulder Elbow Surg* 2008;17(4):564-9.
- Coghlan JA, Forbes A, Bell SN, Buchbinder R.** Efficacy and safety of a subacromial continuous ropivacaine infusion for post-operative pain management following arthroscopic rotator cuff surgery: a protocol for a randomised double-blind placebo-controlled trial. *BMC Musculoskelet Disord* 2008;9:56.
- Cohen E, Botti M, Hanna B, Leach S, Boyd S, Robbins J.** Pain beliefs and pain management of oncology patients. *Cancer Nurs* 2008;31(2):E1-8.
- Cohen ND, Dunstan DW, Robinson C, Vulikh E, Zimmet PZ, Shaw JE.** Improved endothelial function following a 14-month resistance exercise training program in adults with Type 2 diabetes. *Diabetes Res Clin Pract* 2008;79(3):405-11.
- Colles SL, Dixon JB, O'Brien PE.** Loss of control is central to psychological disturbance associated with binge eating disorder. *Obesity* 2008;16(3):608-614.
- Colles SL, Dixon JB, O'Brien PE.** Grazing and loss of control related to eating: two high-risk factors following bariatric surgery. *Obesity* 2008;16(3):615-22.
- Connelly KA, Gilbert RE, Krum H.** Letter by Connelly *et al* regarding article, "Diastolic stiffness of the failing diabetic heart: importance of fibrosis, advanced glycation end products, and myocyte resting tension". *Circulation* 2008;117(23):e483. Letter.
- Cook DA, Duke G, Hart GK, Pilcher D, Mullany D.** Review of the application of risk-adjusted charts to analyse mortality outcomes in critical care. *Crit Care Resusc* 2008;10(3):239-51. Review.
- Cooper DJ, Buist MD.** Vitalness of vital signs, and medical emergency teams. *Med J Aust* 2008;188(11):630-1.
- Cooper DJ, Rosenfeld JV, Murray L, Wolfe R, Ponsford J, Davies A, D'Urso P, Pellegrino V, Malham G, Kossmann T.** Early decompressive craniectomy for patients with severe traumatic brain injury and refractory intracranial hypertension – a pilot randomized trial. *J Crit Care* 2008;23(3):387-93.
- Cooper ME.** Oxidative stress and Type 2 diabetic nephropathy. *Diabetographia Med Rev* 2008;19:2-4. Review.
- Cooper NR, Fitzgerald PB, Croft RJ, Upton DJ, Segrave RA, Daskalakis ZJ, Kulkarni J.** Effects of rTMS on an auditory oddball task: a pilot study of cortical plasticity and the EEG. *Clin EEG Neurosci* 2008;39(3):139-43.
- Coughlan MT, Mibus AL, Forbes JM.** Oxidative stress and advanced glycation in diabetic nephropathy. *Ann N Y Acad Sci* 2008;1126:190-3. Review.
- Cowan FM, Pascoe SJ, Langhaug LF, Dirawo J, Chidiya S, Jaffar S, Mbizvo M, Stephenson JM, Johnson AM, Power RM, Woelk G, Hayes RJ.** The Regai Dzive Shiri Project: a cluster randomised controlled trial to determine the effectiveness of a multi-component community-based HIV prevention intervention for rural youth in Zimbabwe--study design and baseline results. *Trop Med Int Health* 2008;13(10):1235-44.
- Cox H, McDermid C.** XDR Tuberculosis can be cured with aggressive treatment. *Lancet* 2008;372(9647):1363-5. Comment.
- Cox H, Morrow M, Deutschmann P.** Long-term efficacy of DOTs regimens for tuberculosis: systematic review. *BMJ* 2008;336(7642):484-7. Review.
- Cox H, Sibilila K, Kalon S, Karimovich H, Mills C, Niemann S.** Emergence of extensive drug resistance during treatment for multidrug-resistant tuberculosis. *New Eng J Med* 2008;359(22):2398-2400. Letter.
- Crane M, Matthews G, Lewin SR.** Hepatitis virus immune restoration disease of the liver. *Curr Opin HIV AIDS* 2008;3(4):446-52.
- Creamer M, O'Donnell M.** The pros and cons of psychoeducation following-trauma: too early to judge? *Psychiatry* 2008;71(4):319-21.
- Cronin AA, Shrestha D, Cornier N, Abdalla F, Ezard N, Aramburu C.** A review of water and sanitation provision in refugee camps in association with selected health and nutrition indicators--the need for integrated service provision. *J Water Health* 2008;6(1):1-13. Review.
- Crosbie JC, Svalbe I, Midgley SM, Yagi N, Rogers PA, Lewis RA.** A method of dosimetry for synchrotron microbeam radiation therapy using radiochromic films of different sensitivity. *Phys Med Biol* 2008;53(23):6861-77.
- Crosby IT, Pietersz GA, Ripper JA.** Synthesis of succinimidoalkylbenzaldehyde analogues: potential bifunctional linkers for bioconjugation. *Aust J Chem* 2008;61(2):138-43.
- Crummy F, Cameron PA, Swann P, Kossmann T, Naughton MT.** Prevalence of sleepiness in surviving drivers of motor vehicle collisions. *Intern Med J* 2008;38(10):769-75.

- Crummy F, Naughton MT, Elborn JS.** Obesity and the respiratory physician. *Thorax* 2008;63(7):576-7.
- Crummy F, Piper AJ, Naughton MT.** Obesity and the lung: 2. Obesity and sleep-disordered breathing. *Thorax* 2008;63(8):738-46. Review.
- Cui J, Forbes A, Kirby A, Marschner I, Simes J, West M, Tonkin A.** Parametric conditional frailty models for recurrent cardiovascular events in the lipid study. *Clin Trials* 2008;5(6):565-74.
- Cumming TB, Collier J, Thrift AG, Bernhardt J.** The effect of very early mobilisation after stroke on psychological well-being. *J Rehabil Med* 2008;40(8):609-14.
- Cunningham J, O'Dea K, Dunbar T, Weeramanthri T, Shaw J, Zimmet P.** Socioeconomic status and diabetes among urban Indigenous Australians aged 15-64 years in the DRUID study. *Ethn Health* 2008;13(1):23-37.
- Cussons AJ, Watts GF, Burke V, Shaw JE, Zimmet PZ, Stuckey BG.** Cardiometabolic risk in polycystic ovary syndrome: a comparison of different approaches to defining the metabolic syndrome. *Hum Reprod* 2008;23(10):2352-8.
- Cvetkovski S, Dietze P.** The incidence and characteristics of volatile substance misuse related ambulance attendances in metropolitan Melbourne, Australia. *Soc Sci Med* 2008;66(3):776-83.
- Dadlani H, Ballinger ML, Osman N, Getachew R, Little PJ.** Smad and p38 MAP kinase-mediated signaling of proteoglycan synthesis in vascular smooth muscle. *J Biol Chem* 2008;283(12):7844-52.
- Dadlani H, Osman N, Ballinger ML, Marasco S, Little PJ.** Calcific aortic valve disease and hypertension. *Curr Hypertens Rev* 2008;4(2):107-113.
- Darby JD, Huber MG, Sieling WL, Spelman DW.** African trypanosomiasis in two short-term Australian travelers to Malawi. *J Travel Med* 2008;15(5):375-7.
- D'Arcy CE, Bjorksten A, Yiu EM, Bankier A, Gillies R, McLean CA, Shield LK, Ryan MM.** King-Denborough syndrome caused by a novel mutation in the ryanodine receptor gene. *Neurology* 2008;71(10):776-7.
- Dart AM, Kingwell BA, Gatzka CD, Willson K, Liang YL, Berry KL, Wing LM, Reid CM, Ryan P, Beilin LJ, Jennings GL, Johnston CI, McNeil JJ, MacDonald GJ, Morgan TO, West MJ, Cameron JD.** Smaller aortic dimensions do not fully account for the greater pulse pressure in elderly female hypertensives. *Hypertension* 2008;51(4):1129-34.
- Daskalakis ZJ, Christensen BK, Fitzgerald PB, Chen R.** Dysfunctional neural plasticity in patients with schizophrenia. *Arch Gen Psychiatry* 2008;65(4):378-85.
- Daskalakis ZJ, Christensen BK, Fitzgerald PB, Moller B, Fountain SI, Chen R.** Increased cortical inhibition in persons with schizophrenia treated with clozapine. *J Psychopharmacol* 2008;22(2):203-9.
- Daskalakis ZJ, Farzan F, Barr MS, Maller JJ, Chen R, Fitzgerald PB.** Long-interval cortical inhibition from the dorsolateral prefrontal cortex: a TMS-EEG study. *Neuropsychopharmacology* 2008;33(12):2860-9.
- Daskalakis ZJ, Farzan F, Barr MS, Rusjan PM, Favalli G, Levinson AJ, Fitzgerald PB.** Evaluating the relationship between long interval cortical inhibition, working memory and gamma band activity in the dorsolateral prefrontal cortex. *Clin EEG Neurosci* 2008;39(3):150-5.
- Daskalakis ZJ, Levinson AJ, Fitzgerald PB.** Repetitive transcranial magnetic stimulation for major depressive disorder: a review. *Can J Psychiatry* 2008;53(9):555-66. Review.
- Davenport MP, Loh L, Petravic J, Kent SJ.** Rates of HIV immune escape and reversion: implications for vaccination. *Trends Microbiol* 2008;16(12):561-6.
- Davey M, Buchbinder R.** Glucocorticoids in early rheumatoid arthritis. *Aust Fam Physician* 2008;37(1-2):31-2.
- Davidson AJ, McCann ME, Morton NS, Myles PS.** Anesthesia and outcome after neonatal surgery: the role for randomized trials. *Anesthesiology* 2008;109(6):941-4.
- Davidson PM, Driscoll A, Clark R, Newton PJ, Stewart S.** Heart failure nursing in Australia: challenges, strengths, and opportunities. *Prog Cardiovasc Nurs* 2008;23(4):195-7. Review.
- Davies JM, Mittag D, Dang TD, Symons K, Voskamp A, Rolland JM, O'Hehir RE.** Molecular cloning, expression and immunological characterisation of Pas n 1, the major allergen of Bahia grass *Paspalum notatum* pollen. *Mol Immunol* 2008;46(2):286-93.
- Davies JM, O'Hehir RE.** Immunogenetic characteristics of immunoglobulin E in allergic disease. *Clin Exp Allergy* 2008;38(4):566-78.
- Davies-Tuck M, Teichtahl AJ, Wluka AE, Wang Y, Urquhart DM, Cui J, Cicuttini FM.** Femoral sulcus angle and increased patella facet cartilage volume in an osteoarthritic population. *Osteoarthritis Cartilage* 2008;16(1):131-5.
- Davies-Tuck ML, Martel-Pelletier J, Wluka AE, Pelletier JP, Ding C, Jones G, Davis S, Cicuttini FM.** Meniscal tear and increased tibial plateau bone area in healthy post-menopausal women. *Osteoarthritis Cartilage* 2008;16(2):268-71.
- Davies-Tuck ML, Wluka AE, Teichtahl AJ, Martel-Pelletier J, Pelletier JP, Jones G, Ding C, Davis SR, Cicuttini FM.** Association between meniscal tears and the peak external knee adduction moment and foot rotation during level walking in postmenopausal women without knee osteoarthritis: a cross-sectional study. *Arthritis Res Ther* 2008;10(3):R58.
- Davies-Tuck ML, Wluka AE, Wang Y, Teichtahl AJ, Jones G, Ding C, Cicuttini FM.** The natural history of cartilage defects in people with knee osteoarthritis. *Osteoarthritis Cartilage* 2008;16(3):337-42.
- Davis S, Papalia MA, Norman RJ, O'Neill S, Redelman M, Williamson M, Stuckey BG, Wlodarczyk J, Gard'ner K, Humberstone A.** Safety and efficacy of a testosterone metered-dose transdermal spray for treating decreased sexual satisfaction in premenopausal women: a randomized trial. *Ann Intern Med* 2008;148(8):569-77.
- Davis SM, Donnan GA, Parsons MW, Levi C, Butcher KS, Peeters A, Barber PA, Bladin C, De Silva DA, Byrnes G, Chalk JB, Fink JN, Kimber TE, Schultz D, Hand PJ, Frayne J, Hankey G, Muir K, Gerraty R, Tress BM, Desmond PM; EPITHET investigators.** Effects of alteplase beyond 3 h after stroke in the Echoplanar Imaging Thrombolytic Evaluation Trial (EPITHET): a placebo-controlled randomised trial. *Lancet Neurol* 2008;7(4):299-309.
- Davis SR, Moreau M, Kroll R, Bouchard C, Panay N, Gass M, Braunstein GD, Hirschberg AL, Rodenberg C, Pack S, Koch H, Moufarege A, Studd J; APHRODITE Study Team.** Testosterone for low libido in postmenopausal women not taking estrogen. *N Engl J Med* 2008;359(19):2005-17.
- Davis SR, Nijland EA.** Pharmacological therapy for female sexual dysfunction: has progress been made? *Drugs* 2008;68(3):259-64. Review.
- Davis SR, Shah SM, McKenzie DP, Kulkarni J, Davison SL, Bell RJ.** Dehydroepiandrosterone sulfate levels are associated with more favourable cognitive function in women. *J Clin Endocrinol Metab* 2008;93(3):801-8.
- Davis SR, Stuckey BG, Norman RJ, Papalia MA, Drillich A, Bell RJ.** Effects of the route of estrogen administration on insulinlike growth factor-I, IGF binding protein-3, and insulin resistance in healthy postmenopausal women: results from a randomized, controlled study. *Menopause* 2008;15(6):1065-9.
- Davison SL, Bell RJ, La China M, Holden SL, Davis SR.** Assessing sexual function in well women: validity and reliability of the Monash Women's Health Program Female Sexual Satisfaction Questionnaire. *J Sex Med* 2008;5(11):2575-86.
- Davison SL, Bell RJ, La China M, Holden SL, Davis SR.** Sexual function in well women: stratification by sexual satisfaction, hormone use, and menopause status. *J Sex Med* 2008;5(5):1214-22.
- Dawood T, Lambert EA, Barton D, Lambert GW.** Depressive illness: biological mechanisms of cardiac risk. *Stress and Health* 2008;24(3):213-222.
- De Cruz P, Lust M, Trost N, Wall A, Gerraty R, Connell WR.** Cerebral venous thrombosis associated with ulcerative colitis. *Intern Med J* 2008;38(11):865-7.
- De Rose R, Fernandez CS, Loh L, Peut V, Mason RD, Alcantara S, Reece J, Kent SJ.** Delivery of immunotherapy with peptide-pulsed blood in macaques. *Virology* 2008;378(2):201-4.
- De Rose R, Fernandez CS, Smith MZ, Batten CJ, Alcantara S, Peut V, Rollman E, Loh L, Mason RD, Wilson K, Law MG, Handley AJ, Kent SJ.** Control of viremia and prevention of AIDS following immunotherapy of SIV-infected macaques with peptide-pulsed blood. *PLoS Pathog* 2008;4(5):e1000055.
- De Rose R, Mason RD, Loh L, Peut V, Smith MZ, Fernandez CS, Alcantara S, Amarasena T, Reece J, Seddiki N, Kelleher AD, Zundersers J, Kent SJ.** Safety, immunogenicity and efficacy of peptide-pulsed cellular immunotherapy in macaques. *J Med Primatol* 2008;37(Suppl 2):69-78.
- De Rose R, Zelikin A, Johnston APR, Sexton A, Chong SF, Cortez C, Mulholland W, Caruso F, Kent SJ.** Binding, internalisation and antigen presentation of vaccine-loaded nanoengineered capsules in blood. *Adv Mater* 2008;20:4698-703.

- De Silva D, Woon FP, Chen C, Chang HM, Kingwell B, Cameron J, Wong MC.** Profile and associations of central pulse wave velocity and central pulse pressure among ischaemic stroke patients. *Eur J Neurol* 2008;15(2):196-8.
- De Silva DA, Woon F-P, Gan H-Y, Cameron JD, Kingwell BA, Koh T-H, Chen C, Chang H-M, Wong M-C.** Arterial stiffness, metabolic syndrome and inflammation among Asian ischaemic stroke patients. *Eur J Neurol* 2008;15(8):872-875.
- De Silva DA, Woon FP, Gan HY, Chen C, Chang HM, Cameron J, Kingwell B, Wong MC.** Arterial stiffness is associated with raised levels of the inflammatory marker erythrocyte sedimentation rate. *Intern Med J* 2008;38(12):918-20.
- Delaney A, Angus DC, Bellomo R, Cameron P, Cooper DJ, et al.; Resuscitation in Sepsis Evaluation (ARISE); Protocolized Care for Early Septic Shock (ProCESS) Investigators; Protocolised Management in Sepsis (ProMiSe) Investigators.** Bench-to-bedside review: the evaluation of complex interventions in critical care. *Crit Care* 2008;12(2):210. Review.
- Delmas PD, Davis SR, Hensen J, Adams S, van Os S, Nijland EA.** Effects of tibolone and raloxifene on bone mineral density in osteopenic postmenopausal women. *Osteoporos Int* 2008;19(8):1153-60.
- Deraos G, Chatzantoni K, Matsoukas M-T, Katsara M, Tselios T, Deraos S, Papathanasopoulos P, Vynios D, Mouzaki A, Matsoukas J, Apostolopoulos V.** Citrullination of linear and cyclic altered peptide ligands from myelin basic protein (MBP87-99) epitope elicits a Th1 polarized responses by T cells isolated from multiple sclerosis patients: implications in triggering disease. *J Med Chem* 2008;51(24):7834-42.
- Desmond CP, Bartholomeusz A, Gaudieri S, Revill PA, Lewin SR.** A systematic review of T-cell epitopes in hepatitis B virus: identification, genotypic variation and relevance to antiviral therapeutics. *Antivir Ther* 2008;13(2):161-75. Review.
- Devers MC, Campbell S, Shaw J, Zimmet P, Simmons D.** Should liver function tests be included in definitions of metabolic syndrome? Evidence from the association between liver function tests, components of metabolic syndrome and prevalent cardiovascular disease. *Diabet Med* 2008;25(5):523-9.
- Di Quinzio MK, Georgiou HM, Holdsworth-Carson SJ, Ayhan M, Heng YJ, Walker SP, Rice GE, Permezel M.** Proteomic analysis of human cervico-vaginal fluid displays differential protein expression in association with labor onset at term. *J Proteome Res* 2008;7(5):1916-21.
- Dietze P.** What more can we learn from the heroin drought? *Int J Drug Policy* 2008;19(4):270-72. Editorial.
- Dietze P, Cvetkovski S, Barrat M, Clemens S.** Patterns and incidence of gamma-hydroxybutyrate (GHB)-related ambulance attendances in Melbourne, Victoria. *Med J Aust* 2008;188(12):709-12.
- Dietze P, Fitzgerald J, Jenkinson R.** Drinking by professional Australian Football League (AFL) players: prevalence and correlates of risk. *Med J Aust* 2008;189(9):479-83.
- Dilley RJ, Little PJ.** Another piece of cell biology in the puzzle of inflammation, glucose and diabetic vascular disease. *J Hypertens* 2008;26(3):396-8. Editorial.
- Dimmock DP, Trapane P, Feigenbaum A, Keegan CE, Cederbaum S, Gibson J, Gambello MJ, Vaux K, Ward P, Rice GM, Wolff JA, O'Brien WE, Fang P.** The role of molecular testing and enzyme analysis in the management of hypomorphic citrullinemia. *Am J Med Genet A* 2008;146A(22):2885-90.
- Ding C, Cicuttini F, Jones G.** How important is MRI for detecting early osteoarthritis? *Nat Clin Pract Rheumatol* 2008;4(1):4-5.
- Ding C, Martel-Pelletier J, Pelletier JP, Abram F, Raynauld JP, Cicuttini F, Jones G.** Two-year prospective longitudinal study exploring the factors associated with change in femoral cartilage volume in a cohort largely without knee radiographic osteoarthritis. *Osteoarthritis Cartilage* 2008;16(4):443-9.
- Ding C, Parameswaran V, Cicuttini F, Burgess J, Zhai G, Quinn S, Jones G.** Association between leptin, body composition, sex and knee cartilage morphology in older adults: the Tasmanian older adult cohort (TASOAC) study. *Ann Rheum Dis* 2008;67(9):1256-61.
- Dinh D, Lee G, Billah B, Smith JA, Shardey GC, Reid C.** Trends in coronary artery bypass graft surgery in Victoria, 2001-2006: findings from the Australasian Society of Cardiac and Thoracic Surgeons database project. *Med J Aust* 2008;188(4):214-7.
- Dionne CE, Dunn KM, Croft PR, Nachemson AL, Buchbinder R, et al.** A consensus approach toward the standardization of back pain definitions for use in prevalence studies. *Spine* 2008;33(1):95-103.
- Dixon JB, Hayden MJ, Lambert GW, Dawood T, Anderson ML, Dixon ME, O'Brien PE.** Raised CRP levels in obese patients: symptoms of depression have an independent positive association. *Obesity* 2008;16(9):2010-5.
- Dixon JB, O'Brien PE, Playfair J, Chapman L, Schachter LM, Skinner S, Proietto J, Bailey M, Anderson M.** Adjustable gastric banding and conventional therapy for Type 2 diabetes: a randomized controlled trial. *JAMA* 2008;299(3):316-23.
- Dixon JB, Piterman L, O'Brien PE, Hayden MJ.** Physician attitudes, beliefs and barriers towards the management and treatment of adult obesity: a literature review. *Aust J Primary Health* 2008;14(3):9-18. Review.
- Dobre D, van Veldhuisen DJ, Gouder MA, Krum H, Willenheimer R.** Clinical effects of initial 6 months monotherapy with bisoprolol versus enalapril in the treatment of patients with mild to moderate chronic heart failure. Data from the CIBIS III Trial. *Cardiovasc Drugs Ther* 2008;22(5):399-405.
- Doig GS, Simpson F, Finfer S, Delaney A, Davies AR, Mitchell I, Dobb G; Nutrition Guidelines Investigators of the ANZICS Clinical Trials Group.** Effect of evidence-based feeding guidelines on mortality of critically ill adults: a cluster randomized controlled trial. *JAMA* 2008;300(23):2731-41.
- Doody O, Given MF, Harper M, Kavnoudias H, Thomson KR, Lyon SM.** Rendezvous technique following thermal ureteric injury after radiofrequency ablation in a solitary kidney. *J Vasc Interv Radiol* 2008;19(7):1112-4.
- Doody O, Given MF, Lyon SM.** Extremities – indications and techniques for treatment of extremity vascular injuries. *Injury* 2008;39(11):1295-303. Review.
- Dooley MJ, Carrington C.** Recommendations for managing patients receiving oral chemotherapy and target therapies. *Asia-Pacific J Clin Oncol* 2008;4(2):122. Letter to the Editor.
- Dooley MJ, Dixon B, Poole SG, Chiang C, Whitlock A, Schneider H.** Phenotyping for thiopurine therapy in clinical practice. *J Pharm Pract Res* 2008;38:188-90.
- Dooley MJ, Van De Vreede M, Tan E.** Patient-completed medication histories versus those obtained by a pharmacist in a pre-admission clinic. *J Pharm Pract Res* 2008;38:216-18.
- Downey AW, Quach JL, Haase M, Haase-Fielitz A, Jones D, Bellomo R.** Characteristics and outcomes of patients receiving a medical emergency team review for acute change in conscious state or arrhythmias. *Crit Care Med* 2008;36(2):477-81.
- Downie LE, Pianta MJ, Vingrys AJ, Wilkinson-Berka JL, Fletcher EL.** AT1 receptor inhibition prevents astrocyte degeneration and restores vascular growth in oxygen-induced retinopathy. *Glia* 2008;56(10):1076-90.
- Doxanakis A, Hayes RD, Chen MY, Gurrin LC, Hocking J, Bradshaw CS, Williams H, Fairley CK.** Missing pelvic inflammatory disease? Substantial differences in the rate at which doctors diagnose PID. *Sex Transm Infect* 2008;84(7):518-23.
- DREAM Trial Investigators, Dagenais GR, Gerstein HC, Holman R, Budaj A, Escalante A, Hedner T, Keltai M, Lonn E, McFarlane S, McQueen M, Teo K, Sheridan P, Bosch J, Pogue J, Yusuf S.** Effects of ramipril and rosiglitazone on cardiovascular and renal outcomes in people with impaired glucose tolerance or impaired fasting glucose: results of the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) trial. *Diabetes Care* 2008;31(5):1007-14.
- Drenckhahn JD, Schwarz QP, Gray S, Laskowski A, Kiriazis H, Ming Z, Harvey RP, Du XJ, Thorburn DR, Cox TC.** Compensatory growth of healthy cardiac cells in the presence of diseased cells restores tissue homeostasis during heart development. *Dev Cell* 2008;15(4):521-33.
- Drew BG, Kingwell BA.** Acadesine, an adenosine-regulating agent with the potential for widespread indications. *Expert Opin Pharmacother* 2008;9(12):2137-44. Review.
- Driscoll A, Currey J, Worrall-Carter L, Stewart S.** Ethical dilemmas of a large national multi-centre study in Australia: time for some consistency. *J Clin Nurs* 2008;17(16):2212-20.
- Du XJ.** Distinct role of adrenoceptor subtypes in cardiac adaptation to chronic pressure overload. *Clin Exp Pharmacol Physiol* 2008;35(3):355-60. Review.

- Duffy SJ, Dart AM.** Novel cardiac therapies and innocent bystanders. *Lancet* 2008;371(9626):1726-8. Comment.
- Duke GJ, Santamaria J, Shann F, Stow P, Pilcher D, Ernest D, George C.** Critical care outcome prediction equation (COPE) for adult intensive care. *Crit Care Resusc* 2008;10(1):41.
- Dunkley S, Phillips L, McCall P, Brereton J, Lindeman R, Jankelowitz G, Cameron P.** Recombinant activated factor VII in cardiac surgery: experience from the Australian and New Zealand Haemostasis Registry. *Ann Thorac Surg* 2008;85(3):836-44.
- Dunstan DW.** Aerobic exercise and resistance training for the management of Type 2 diabetes mellitus. *Nat Clin Pract Endocrinol Metab* 2008;4(5):250-1. Review.
- Durante-Mangoni E, Bradley S, Selton-Suty C, Tripodi MF, Barsic B, et al.; International Collaboration on Endocarditis Prospective Cohort Study Group.** Current features of infective endocarditis in elderly patients: results of the International Collaboration on Endocarditis Prospective Cohort Study. *Arch Intern Med* 2008;168(19):2095-103.
- Dyer WB, Zaunders JJ, Yuan FF, Wang B, Learmont JC, Geczy AF, Saksena NK, McPhee DA, Gorry PR, Sullivan J.** Mechanisms of HIV non-progression; robust and sustained CD4+ T-cell proliferative responses to p24 antigen correlate with control of viraemia and lack of disease progression after long-term transfusion-acquired HIV-1 infection. *Retrovirology* 2008;5:112.
- Eades S, Read AW, Stanley FJ, Eades FN, McCaullay D, Williamson A.** Bibbulung Gnarnep (‘solid kid’): causal pathways to poor birth outcomes in an urban Aboriginal birth cohort. *J Paediatr Child Health* 2008;44(6):342-6.
- Eakin EG, Reeves MM, Lawler SP, Oldenburg B, Del Mar C, Wilkie K, Spencer A, Battistutta D, Graves N.** The Logan Healthy Living Program: a cluster randomized trial of a telephone-delivered physical activity and dietary behavior intervention for primary care patients with Type 2 diabetes or hypertension from a socially disadvantaged community--rationale, design and recruitment. *Contemp Clin Trials* 2008;29(3):439-54.
- Edsell M, Bailey M, Keith J, Millar I.** Hyperbaric oxygen therapy in the treatment of skin ulcers due to calcific uraemic arteriopathy: experience from an Australian hyperbaric unit. *Diving Hyperbaric Med* 2008;38(3):139-44.
- Egi M, Bellomo R, Stachowski E, French CJ, Hart GK, Hegarty C, Bailey M.** Blood glucose concentration and outcome of critical illness: the impact of diabetes. *Crit Care Med* 2008;36(8):2249-55.
- Elam G, Macdonald N, Hickson F, Imrie J, Power R, McGarrigle C, Fenton K, Gilbart V, Ward H, Evans B on behalf of the INSIGHT Collaborative Research Team.** Risky sexual behaviour in context: qualitative results from an investigation into risk factors for seroconversion among gay men who test for HIV. *Sex Transm Infect* 2008;84(6):473-7.
- Ellen S, Olver J, Norman T, Burrows GB.** The neurobiology of benzodiazepine receptors in panic disorder and post-traumatic stress disorder. *Stress and Health* 2008;24(1):13-21.
- Elliott JH, Lynen L, Calmy A, De Luca A, Shafer RW, Zolfo M, Clotet B, Huffam S, Boucher CA, Cooper DA, Schapiro JM.** Rational use of antiretroviral therapy in low-income and middle-income countries: optimizing regimen sequencing and switching. *AIDS* 2008;22(16):2053-67.
- Elliott JH, Pujari S.** Protease inhibitor therapy in resource-limited settings. *Curr Opin HIV AIDS* 2008;3(6):612-619.
- El-Osta A, Brasacchio D, Yao D, Poci A, Jones PL, Roeder RG, Cooper ME, Brownlee M.** Transient high glucose causes persistent epigenetic changes and altered gene expression during subsequent normoglycemia. *J Exp Med* 2008;205(10):2409-17.
- English DR, Young JP, Simpson JA, Jenkins MA, Southey MC, Walsh MD, Buchanan DD, Barker MA, Haydon AM, Royce SG, Roberts A, Parry S, Hopper JL, Jass JJ, Giles GG.** Ethnicity and risk for colorectal cancers showing somatic BRAF V600E mutation or CpG island methylator phenotype. *Cancer Epidemiol Biomarkers Prev* 2008;17(7):1774-80.
- Enticott PG, Hoy KE, Herring SE, Johnston PJ, Daskalakis ZJ, Fitzgerald PB.** Reduced motor facilitation during action observation in schizophrenia: a mirror neuron deficit? *Schizophr Res* 2008;102(1-3):116-21.
- Enticott PG, Johnston PJ, Herring SE, Hoy KE, Fitzgerald PB.** Mirror neuron activation is associated with facial emotion processing. *Neuropsychologia* 2008;46(11):2851-4.
- Enticott PG, Ogloff JR, Bradshaw JL, Fitzgerald PB.** Response inhibition and impulsivity in schizophrenia. *Psychiatry Res* 2008;157(1-3):251-4.
- Enticott PG, Ogloff JR, Bradshaw JL, Fitzgerald PB.** Cognitive inhibitory control and self-reported impulsivity among violent offenders with schizophrenia. *J Clin Exp Neuropsychol* 2008;30(2):157-62.
- Ernst M, Najdovska M, Grail D, Lundgren-May T, Buchert M, Tye H, Matthews VB, Armes J, Bhathal PS, Hughes NR, Marcusson EG, Karras JG, Na S, Sedgwick JD, Hertzog PJ, Jenkins BJ.** STAT3 and STAT1 mediate IL-11-dependent and inflammation-associated gastric tumorigenesis in gp130 receptor mutant mice. *J Clin Invest* 2008;118(5):1727-38.
- Erskin B, Marshall E.** Retrospective analysis of diagnostic outcomes in acute lower gastrointestinal bleeding using nuclear medicine and angiography. *Radiographer* 2008;55(3):28-33.
- Esler M, Eikelis N, Schlaich M, Lambert G, Alvarenga M, Dawood T, Kaye D, Barton D, Pier C, Guo L, Brenchley C, Jennings G, Lambert E.** Chronic mental stress is a cause of essential hypertension: presence of biological markers of stress. *Clin Exp Pharmacol Physiol* 2008;35(4):498-502. Review.
- Esler M, Eikelis N, Schlaich M, Lambert G, Alvarenga M, Kaye D, El-Osta A, Guo L, Barton D, Pier C, Brenchley C, Dawood T, Jennings G, Lambert E.** Human sympathetic nerve biology: parallel influences of stress and epigenetics in essential hypertension and panic disorder. *Ann N Y Acad Sci* 2008;1148:338-48.
- Esler MD, Eikelis N, Lambert E, Straznicky N.** Neural mechanisms and management of obesity-related hypertension. *Curr Cardiol Rep* 2008;10(6):456-63.
- Esmore D, Kaye D, Spratt P, Larbalestier R, Ruygrok P, Tsui S, Meyers D, Fiane AE, Woodard J.** A prospective, multicenter trial of the VentrAssist left ventricular assist device for bridge to transplant: safety and efficacy. *J Heart Lung Transplant* 2008;27(6):579-88.
- Esmore DS, Kaye D, Salamonsen R, Buckland M, Begg JR, Negri J, Ayre P, Woodard J, Rosenfeldt FL.** Initial clinical experience with the VentrAssist left ventricular assist device: the pilot trial. *J Heart Lung Transplant* 2008;27(5):479-85.
- Evans VA, Cameron PU, Lewin SR.** Human thymic dendritic cells: regulators of T cell development in health and HIV-1 infection. *Clin Immunol* 2008;126(1):1-12.
- Fairley C, Grulich AE, Imrie JC, Pitts M.** Investment in HIV prevention works: a natural experiment. *Sex Health* 2008;5(2):207-10.
- Fairley CK, Fehler G, Lewin SR, Pitts M, Chen MY, Bradshaw CS, Hocking JS.** Sexually transmissible infection and HIV management among men who have sex with men with and without HIV: survey of medical practitioners who are members of the Australasian Society for HIV Medicine. *Sex Health* 2008;5(2):155-9.
- Fairley CK, Grulich AE, Imrie JC, Pitts M.** Introductory editorial: the analysis of a natural experiment in HIV control. *Sex Health* 2008;5(2):89.
- Fairley CK, Newton DC, Cummings R, Chen MY.** Chaperones: getting the balance right. *Int J STD AIDS* 2008;19(2):143.
- Fang L, Gao XM, Samuel CS, Su Y, Lim YL, Dart AM, Du XJ.** Higher levels of collagen and facilitated healing protect against ventricular rupture following myocardial infarction. *Clin Sci* 2008;115(3):99-106.
- Fedi M, Bach LA, Berkovic SF, Willoughby JO, Scheffer IE, Reutens DC.** Association of a nicotinic receptor mutation with reduced height and blunted physostigmine-stimulated growth hormone release. *J Clin Endocrinol Metab* 2008;93(2):634-7.
- Feng L, Cui J.** Application of quasi-likelihood independence criterion in GEE analyses of longitudinal data. *Chinese J Health Stat* 2008;25:369-72.
- Ferguson JM, Minas J, Siapantas S, Komesaroff PA, Sudhir K.** Effects of a fixed-dose ACE inhibitor-diuretic combination on ambulatory blood pressure and arterial properties in isolated systolic hypertension. *J Cardiovasc Pharmacol* 2008;51(6):590-5.
- Ferguson M, Brand C, Lowe A, Gabbe B, Dowrick A, Hart M, Richardson M; Victorian Orthopaedic Trauma Outcomes Registry (VOTOR) Research Group.** Outcomes of isolated tibial shaft fractures treated at level 1 trauma centres. *Injury* 2008;39(2):187-95.

- Fethers KA, Fairley CK, Hocking JS, Gurrin LC, Bradshaw CS.** Sexual risk factors and bacterial vaginosis: a systematic review and meta-analysis. *Clin Infect Dis* 2008;47(11):1426-35.
- Field J, Alderuccio F, Hertzog P, Toh BH.** GM-CSF-induced autoimmune gastritis in interferon alpha receptor deficient mice. *J Autoimmun* 2008;31(3):274-80.
- Figueiredo A, Zelina S, Sluis-Cremer N, Tachedjian G.** Impact of residues in the nonnucleoside reverse transcriptase inhibitor binding pocket on HIV-1 reverse transcriptase heterodimer stability. *Curr HIV Res* 2008;6(2):130-7.
- Fillipas S, Bowtell-Harris CA, Oldmeadow LB, Cicuttini F, Holland AE, Cherry CL.** Physical activity uptake in patients with HIV: who does how much? *Int J STD AIDS* 2008;19(8):514-8.
- Fitzgerald M, Basu A, Rahman F, Russell TJ, Hines J, Gooi J, Marasco S, Bezer L, Effenev P, Bunbury K.** Survival following resuscitative thoracotomy for combined left ventricle and left atrium ruptures secondary to blunt trauma. *Injury* 2008;39(9):1089-92.
- Fitzgerald M, Mackenzie CF, Marasco S, Hoyle R, Kossmann T.** Pleural decompression and drainage during trauma reception and resuscitation. *Injury* 2008;39(1):9-20.
- Fitzgerald P.** Brain stimulation techniques for the treatment of depression and other psychiatric disorders. *Australas Psychiatry* 2008;16(3):183-90.
- Fitzgerald P, Herring S, Hoy K, McQueen S, Segrave R, Kulkarni J, Daskalakis ZJ.** A study of the effectiveness of bilateral transcranial magnetic stimulation in the treatment of the negative symptoms of schizophrenia. *Brain Stimulat* 2008;1(1):27-32.
- Fitzgerald PB, Daskalakis ZJ.** The use of repetitive transcranial magnetic stimulation and vagal nerve stimulation in the treatment of depression. *Curr Opin Psychiatry* 2008;21(1):25-9. Review.
- Fitzgerald PB, Daskalakis ZJ.** A review of repetitive transcranial magnetic stimulation use in the treatment of schizophrenia. *Can J Psychiatry* 2008;53(9):567-76. Review.
- Fitzgerald PB, Daskalakis ZJ, Hoy K, Farzan F, Upton DJ, Cooper NR, Maller JJ.** Cortical inhibition in motor and non-motor regions: a combined TMS-EEG study. *Clin EEG Neurosci* 2008;39(3):112-7.
- Fitzgerald PB, Laird AR, Maller J, Daskalakis ZJ.** Meta-analytic study of changes in brain activation in depression. *Hum Brain Mapp* 2008;29(6):683-95.
- Fitzgerald PB, Sriithiran A, Benitez J, Daskalakis ZZ, Oxley TJ, Kulkarni J, Egan GF.** An fMRI study of prefrontal brain activation during multiple tasks in patients with major depressive disorder. *Hum Brain Mapp* 2008;29(4):490-501.
- Fitzgerald SM, Srikanth VK, Evans RG, Thrift AG.** Benefits and challenges in stroke research in developing countries. *Brain Impair* 2008;9(2):198-204. Review.
- Flannery G, Gehrig-Mills R, Billah B, Krum H.** Analysis of randomized controlled trials on the effect of magnitude of heart rate reduction on clinical outcomes in patients with systolic chronic heart failure receiving beta-blockers. *Am J Cardiol* 2008;101(6):865-9.
- Fletcher JM, Jordan MA, Snelgrove SL, Slattey RM, Dufour FD, Kyparissoudis K, Besra GS, Godfrey DI, Baxter AG.** Congenic analysis of the NKT cell control gene Nkt2 implicates the peroxisomal protein Pmp4. *J Immunol* 2008;181(5):3400-12.
- Forbes A, Shortreed S.** Inverse probability weighted estimation of the marginal odds ratio: correspondence regarding 'The performance of different propensity score methods for estimating marginal odds ratios'. *Stat Med* 2008;27(26):5556-9.
- Forbes JM, Coughlan MT, Cooper ME.** Oxidative stress as a major culprit in kidney disease in diabetes. *Diabetes* 2008;57(6):1446-54. Review.
- Ford NL, Rosenfeld JV.** Mild traumatic brain injury and bomb blast: stress, injury or both? *ADF Health* 2008;9(2):68-73.
- Foroud T, Sauerbeck L, Brown R, Anderson C, Woo D, Kleindorfer D, Flaherty ML, Deka R, Hornung R, Meissner I, Bailey-Wilson JE, Rouleau G, Connolly ES, Lai D, Koller DL, Huston J 3rd, Broderick JP; FIA Study Investigators.** Genome screen to detect linkage to intracranial aneurysm susceptibility genes: the Familial Intracranial Aneurysm (FIA) study. *Stroke* 2008;39(5):1434-40.
- Fowler SJ, Symons J, Sabato S, Myles PS.** Epidural analgesia compared with peripheral nerve blockade after major knee surgery: a systematic review and meta-analysis of randomized trials. *Br J Anaesth* 2008;100(2):154-64. Review.
- Frantseva MV, Fitzgerald PB, Chen R, Moller B, Daigle M, Daskalakis ZJ.** Evidence for impaired long-term potentiation in schizophrenia and its relationship to motor skill learning. *Cereb Cortex* 2008;18(5):990-6.
- Frayman KB, Cerritelli B, Wilson J, Sawyer SM.** Reproductive and sexual health in boys with cystic fibrosis: what do parents know and say? *Pediatr Pulmonol* 2008;43(11):1107-16.
- Frazzetto M, Suphioglu C, Zhu J, Schmidt-Kittler O, Jennings IG, Cranmer SL, Jackson SP, Kinzler KW, Vogelstein B, Thompson PE.** Dissecting isoform selectivity of PI3K inhibitors: the role of non-conserved residues in the catalytic pocket. *Biochem J* 2008;414(3):383-90.
- Fredericks B.** An exploration of the issues associated with the increasing Indigenous population in the greater Brisbane area. *J Aust Indigenous Issues* 2008;11(4):3-13.
- Fredericks B.** The need to extend beyond the knowledge gained in cross-cultural awareness training. *Aust J Indigenous Edu* 2008;37S:81-9.
- Fredericks BL.** Researching with Aboriginal women as an Aboriginal women researcher. *Aust Feminist Studies* 2008;23(55):113-29.
- Fredericks BL.** So you want to do oral history with Aboriginal Australians. *Old Stories, New Ways (2), Oral History Assoc Australia J* 2008;30:22-4.
- Fredericks BL.** Making an impact researching with Australian Aboriginal and Torres Strait Islander peoples. *Studies in Learning, Eval, Innov Develop* 2008;5(1):24-35.
- Fredericks BL, Croft P.** Finding a space to make an impact within the contemporary world. *Studies in Learning, Eval, Innov Develop* 2008;5(1):1-12.
- Friedman ND, Kotsanas D, Brett J, Billah B, Korman TM.** Investigation of an outbreak of *Serratia marcescens* in a neonatal unit via a case-control study and molecular typing. *Am J Infect Control* 2008;36(1):22-8.
- Friedrich MG, Abdel-Aty H, Taylor A, Schulz-Menger J, Messroghli D, Dietz R.** The salvaged area at risk in reperfused acute myocardial infarction as visualized by cardiovascular magnetic resonance. *J Am Coll Cardiol* 2008;51(16):1581-7.
- Fritschi L, Hoving JL, Sim MR, Del Monaco A, MacFarlane E, McKenzie D, Benke G, de Klerk N.** All cause mortality and incidence of cancer in workers in bauxite mines and alumina refineries. *Int J Cancer* 2008;123(4):882-7.
- Fruchart JC, Sacks F, Hermans MP, Assmann G, Brown WV, Ceska R, Chapman MJ, Dodson PM, Fioretto P, Ginsberg HN, Kadowaki T, Lablanche JM, Marx N, Plutzky J, Reiner Z, Rosenson RS, Staels B, Stock JK, Sy R, Wanner C, Zambon A, Zimmet P.** The Residual Risk Reduction Initiative: a call to action to reduce residual vascular risk in patients with dyslipidemia. *Am J Cardiol* 2008;102 (10 Suppl):1K-34K. Review.
- Fruchart JC, Sacks FM, Hermans MP, Assmann G, Brown WV, Ceska R, Chapman MJ, Dodson PM, Fioretto P, Ginsberg HN, Kadowaki T, Lablanche JM, Marx N, Plutzky J, Reiner Z, Rosenson RS, Staels B, Stock JK, Sy R, Wanner C, Zambon A, Zimmet P; Residual Risk Reduction Initiative (R3I).** The Residual Risk Reduction Initiative: a call to action to reduce residual vascular risk in dyslipidaemic patient. *Diab Vasc Dis Res* 2008;5(4):319-35. Review.
- Fruhwald FM, Fahrleitner-Pammer A, Obermayer-Pietsch B, Goulder MA, Krum H, van Veldhuisen DJ, van de Ven L, Verkenne P, Pieske B, Meyer W, Willenheimer R.** Neurohormones as predictors of outcome in an elderly heart failure population naive of neurohormonal blockers: results from the CIBIS III Neurohormonal Substudy. *Open Heart Failure J* 2008;1:9-16.
- Fry C, Khosnood K, Power R, Sharma M.** Harm reduction ethics: acknowledging the values and beliefs behind our actions. *Int J Drug Policy* 2008;19(1):1-3.
- Fukuda K, Tesch GH, Yap FY, Forbes JM, Flavell RA, Davis RJ, Nikolic-Paterson DJ.** MKK3 signalling plays an essential role in leukocyte-mediated pancreatic injury in the multiple low-dose streptozotocin model. *Lab Invest* 2008;88(4):398-407.
- Fuller M, Rozaklis T, Lovejoy M, Zarrinkalam K, Hopwood JJ, Meikle PJ.** Glucosylceramide accumulation is not confined to the lysosome in fibroblasts from patients with Gaucher disease. *Mol Genet Metab* 2008;93(4):437-43.

- Furtado CP, Maller JJ, Fitzgerald PB.** A magnetic resonance imaging study of the entorhinal cortex in treatment-resistant depression. *Psychiatry Res* 2008;163(2):133-42.
- Gabbe BJ, Simpson PM, Sutherland AM, Williamson OD, Judson R, Kossmann T, Cameron PA.** Functional measures at discharge: are they useful predictors of longer term outcomes for trauma registries? *Ann Surg* 2008;247(5):854-9.
- Gardiner EE, Al-Tamimi M, Mu FT, Karunakaran D, Thom JY, Moroi M, Andrews RK, Berndt MC, Baker RI.** Compromised ITAM-based platelet receptor function in a patient with immune thrombocytopenic purpura. *J Thromb Haemost* 2008;6(7):1175-82.
- Gardiner EE, Andrews RK.** The cut of the clot(h): snake venom fibrinogenases as therapeutic agents. *J Thromb Haemost* 2008;6(8):1360-2.
- Gardiner EE, Karunakaran D, Arthur JF, Mu FT, Powell MS, Baker RI, Hogarth PM, Kahn ML, Andrews RK, Berndt MC.** Dual ITAM-mediated proteolytic pathways for irreversible inactivation of platelet receptors: de-ITAM-izing FcγRIIIa. *Blood* 2008;111(1):165-74.
- Gardner SM, Komesaroff PA, Fensham RS.** Dancing beyond exercise: young people's experience in dance classes. *J Youth Studies* 2008;11(6):701-9.
- Gasser A, Forbes JM.** Advanced glycation: implications in tissue damage and disease. *Protein Pept Lett* 2008;15(4):385-91.
- Gavrilescu M, Stuart GW, Rossell S, Henshall K, McKay C, Sergejew AA, Copolov D, Egan GF.** Functional connectivity estimation in fMRI data: influence of preprocessing and time course selection. *Hum Brain Mapp* 2008;29(9):1040-52.
- Genton B, D'Acremont V, Rare L, Bae K, Reeder J, Alpers M, Müller I.** *Plasmodium vivax* and mixed infections are associated with severe malaria: a prospective cohort study from Papua New Guinea. *PLoS Med* 2008;5(6):e127.
- George J, Cleland J, Bond CM, McCaig DJ, Cunningham IT, Diack HL, Stewart DC.** Views of pharmacists and mentors on experiential learning for pharmacist supplementary prescribing trainees. *Pharm World Sci* 2008;30(3):265-71.
- George J, Elliott RA, Stewart DC.** A systematic review of interventions to improve medication taking in elderly patients prescribed multiple medications. *Drugs Aging* 2008;25(4):307-24. Review.
- Georgiou HM, Lappas M, Georgiou GM, Marita A, Bryant VJ, Hiscock R, Permezel M, Khalil Z, Rice GE.** Screening for biomarkers predictive of gestational diabetes mellitus. *Acta Diabetol* 2008;45(3):157-65.
- Germano C, Kinsella GJ, Storey E, Ong B, Ames D.** The episodic buffer and learning in early Alzheimer's disease. *J Clin Exp Neuropsychol* 2008;30(6):627-38.
- Geso M, Ackerly T, Brown S, Chua Z, He C, Wong CJ, Powell CE, Ho A, Qiao G, Solomon DH, Patterson W, Droegge JM.** Determination of dosimetric perturbations caused by aneurysm clip in stereotactic radiosurgery using gel phantoms and EBT-Gafchromic films. *Med Phys* 2008;35(2):744-52.
- Ghali JK, Anand IS, Abraham WT, Fonarow GC, Greenberg B, Krum H, Massie BM, Wasserman SM, Trotman ML, Sun Y, Knusel B, Armstrong P; Study of Anemia in Heart Failure Trial (STAMINA-HeFT) Group.** Randomized double-blind trial of darbepoetin alfa in patients with symptomatic heart failure and anemia. *Circulation* 2008;117(4):526-35.
- Gianni L, Cole BF, Panzini I, Snyder R, Holmberg SB, Byrne M, Crivellari D, Colleoni M, Aebi S, Simoncini E, Pagani O, Castiglione-Gertsch M, Price KN, Goldhirsch A, Coates AS, Ravaoli A.** Anemia during adjuvant non-taxane chemotherapy for early breast cancer: incidence and risk factors from two trials of the International Breast Cancer Study Group. *Support Care Cancer* 2008;16(1):67-74.
- Gibney KB, MacGregor L, Leder K, Torresi J, Marshall C, Ebeling PR, Biggs BA.** Vitamin D deficiency is associated with tuberculosis and latent tuberculosis infection in immigrants from sub-Saharan Africa. *Clin Infect Dis* 2008;46(3):443-6.
- Gibson SJ.** Building research capacity in pain-related ageing research. *IASP Pain Older Persons Spec Int Group Newsletter* 2008;3:2-3.
- Gicquel C, El-Osta A, Le Bouc Y.** Epigenetic regulation and fetal programming. *Best Pract Res Clin Endocrinol Metab* 2008;22(1):1-16. Review.
- Giles ML, McDonald AM, Elliott EJ, Ziegler JB, Hellard ME, Lewin SR, Kaldor JM.** Variable uptake of recommended interventions to reduce mother-to-child transmission of HIV in Australia, 1982-2005. *Med J Aust* 2008;189(3):151-4.
- Giummarra MJ, Gibson SJ, Georgiou-Karistianis N, Bradshaw JL.** Mechanisms underlying embodiment, disembodiment and loss of embodiment. *Neurosci Biobehav Rev* 2008;32(1):143-60. Review.
- Giunti S, Tesch GH, Pinach S, Burt DJ, Cooper ME, Cavallo-Perin P, Camussi G, Gruden G.** Monocyte chemoattractant protein-1 has pro-sclerotic effects both in a mouse model of experimental diabetes and *in vitro* in human mesangial cells. *Diabetologia* 2008;51:198-207.
- Given MF, Geoghegan T, Lyon SM, McGrath F, Lee MJ.** Percutaneous antegrade ureteric stent removal using a rigid alligator forceps. *J Med Imaging Radiat Oncol* 2008;52(6):576-9.
- Given MF, McDonald BC, Brookfield P, Niggemeyer L, Kossmann T, Varma DK, Thomson KR, Lyon SM.** Retrievable Gunther Tulip inferior vena cava filter: experience in 317 patients. *J Med Imaging Radiat Oncol* 2008;52(5):452-7.
- Given MF, Smith P, Lyon SM, Robertson D, Thomson KR.** Embolization of spontaneous hemarthrosis post total knee replacement. *Cardiovasc Intervent Radiol* 2008;31(5):986-8.
- Glasziou PP, Irwig L, Heritier S, Simes RJ, Tonkin A; LIPID Study Investigators.** Monitoring cholesterol levels: measurement error or true change? *Ann Intern Med* 2008;148(9):656-61.
- Goh SY, Cooper ME.** Clinical review: the role of advanced glycation end products in progression and complications of diabetes. *J Clin Endocrinol Metab* 2008;93(4):1143-52. Review.
- Goh SY, Jasik M, Cooper ME.** Agents in development for the treatment of diabetic nephropathy. *Expert Opin Emerg Drugs* 2008;13(3):447-63. Review.
- Gomez-Sanchez EP, Romero DG, de Rodriguez AF, Warden MP, Krozowski Z, Gomez-Sanchez CE.** Hexose-6-phosphate dehydrogenase and 11 β-hydroxysteroid dehydrogenase-1 tissue distribution in the rat. *Endocrinology* 2008;149(2):525-33.
- Gorman L, Ruben J, Myers R, Dally M.** Role of hypofractionated stereotactic radiotherapy in treatment of skull base meningiomas. *J Clin Neurosci* 2008;15(8):856-62.
- Gosling CM, Gabbe BJ, Forbes AB.** Triathlon related musculoskeletal injuries: the status of injury prevention knowledge. *J Sci Med Sport* 2008;11(4):396-406.
- Gosling CM, Gabbe BJ, McGivern J, Forbes AB.** The incidence of heat casualties in sprint triathlon: the tale of two Melbourne race events. *J Sci Med Sport* 2008;11(1):52-7.
- Gould PA, Esler MD, Kaye DM.** Atrial fibrillation is associated with decreased cardiac sympathetic response to isometric exercise in CHF in comparison to sinus rhythm. *Pacing Clin Electrophysiol* 2008;31(9):1125-9.
- Goy K, Von Bibra S, Lewis J, Laurie K, Barr I, Anderson D, Hellard M, Ffrench R.** Heterosubtypic T-cell responses against avian influenza H5 haemagglutinin are frequently detected in individuals vaccinated against or previously infected with human subtypes of influenza. *Influenza Other Respir Viruses* 2008;2(4):115-25.
- Graham HK, Boyd R, Carlin JB, Dobson F, Lowe K, Nattrass G, Thomason P, Wolfe R, Reddiough D.** Does botulinum toxin a combined with bracing prevent hip displacement in children with cerebral palsy and "hips at risk"? A randomized, controlled trial. *J Bone Joint Surg Am* 2008;90(1):23-33.
- Grainger R, Stuckey S, O'Sullivan R, Davis SR, Ebeling PR, Wluka AE.** What is the clinical and ethical importance of incidental abnormalities found by knee MRI? *Arthritis Res Ther* 2008;10(1):R18.
- Gray SP, Kenna K, Bertram JF, Hoy WE, Yan EB, Bocking AD, Brien JF, Walker DW.** Repeated ethanol exposure during late gestation decreases nephron endowment in fetal sheep. *Am J Physiol Regul Integr Comp Physiol* 2008;295(2):R568-74.
- Greenwood DL, Crock P, Braye S, Davidson P, Sentry JW.** Autoimmune gastritis and parietal cell reactivity in two children with abnormal intestinal permeability. *Eur J Pediatr* 2008;167(8):917-25.
- Greenwood DL, Dynon K, Kalkanidis M, Xiang S, Plebanski M, Scheerlinck JP.** Vaccination against foot-and-mouth disease virus using peptides conjugated to nano-beads. *Vaccine* 2008;26(22):2706-13.

- Greenwood Z, Black J, Weld L, O'Brien D, Leder K, Von Sonnenburg F, Pandey P, Schwartz E, Connor BA, Brown G, Freedman DO, Torresi J; GeoSentinel Surveillance Network.** Gastrointestinal infection among international travelers globally. *J Travel Med* 2008;15(4):221-8.
- Gregorevic P, Blankinship MJ, Allen JM, Chamberlain JS.** Systemic microdystrophin gene delivery improves skeletal muscle structure and function in old dystrophic mdx mice. *Mol Ther* 2008;16(4):657-64.
- Gregorevic P, Meznarich NA, Blankinship MJ, Crawford RW, Chamberlain JS.** Fluorophore-labeled myosin-specific antibodies simplify muscle-fiber phenotyping. *Muscle Nerve* 2008;37(1):104-6.
- Gregory J, Hartz-Karp J, Watson R.** Using deliberative techniques to engage the community in policy development. *Aust N Z Health Policy* 2008;5:16.
- Grigg AP, Sasadeusz J.** Hepatitis B reactivation after thalidomide. *Intern Med J* 2008;38(4):301-2.
- Grodski S, Brown T, Sidhu S, Gill A, Robinson B, Learoyd D, Sywak M, Reeve T, Delbridge L.** Increasing incidence of thyroid cancer is due to increased pathologic detection. *Surgery* 2008;144(6):1038-43.
- Grodski S, Gill A, Robinson BG, Sidhu S.** Nonfunctioning parathyroid cancer presenting as a cervical mass. *Thyroid* 2008;18(4):473-4.
- Grodski S, Serpell J.** Evidence for the role of perioperative PTH measurement after total thyroidectomy as a predictor of hypocalcemia. *World J Surg* 2008;32(7):1367-73.
- Grossmann M, Thomas MC, Panagiotopoulos S, Sharpe K, Macisaac RJ, Clarke S, Zajac JD, Jerums G.** Low testosterone levels are common and associated with insulin resistance in men with diabetes. *J Clin Endocrinol Metab* 2008;93(5):1834-40.
- Grove J, Nielsen S, Zhong J, Bassendine MF, Drummer HE, Balfe P, McKeating JA.** Identification of a residue in hepatitis C virus E2 glycoprotein that determines scavenger receptor BI and CD81 receptor dependency and sensitivity to neutralizing antibodies. *J Virol* 2008;82(24):12020-9.
- Groves J, Newton DC, Chen MY, Hocking J, Bradshaw CS, Fairley CK.** Sex workers working within a legalised industry: their side of the story. *Sex Transm Infect* 2008;84(5):393-4.
- Grubb DR, Vasilevski O, Huynh H, Woodcock EA.** The extreme C-terminal region of phospholipase C β 1 determines subcellular localization and function; the "b" splice variant mediates α 1-adrenergic receptor responses in cardiomyocytes. *FASEB J* 2008;22(8):2768-74.
- Gruber G, Cole BF, Castiglione-Gertsch M, Holmberg SB, Lindtner J, Golouh R, Collins J, Crivellari D, Thurlimann B, Simoncini E, Fey MF, Gelber RD, Coates AS, Price KN, Goldhirsch A, Viale G, Gusterson BA; International Breast Cancer Study Group.** Extracapsular tumor spread and the risk of local, axillary and supraclavicular recurrence in node-positive, premenopausal patients with breast cancer. *Ann Oncol* 2008;19(8):1393-401.
- Gruen RL, Elliott JH, Nolan ML, Lawton PD, Parkhill A, McLaren CJ, Lavis JN.** Sustainability science: an integrated approach for health-programme planning. *Lancet* 2008;372(9649):1579-89.
- Guda R, Dugdale P, Evans S, McNeil J.** Considerations in the design of service specific chronic disease management registers. *Australasian Epidemiologist* 2008;15(3):28-31.
- Guebre-Egziabher F, Rabasa-Lhoret R, Bonnet F, Bastard JP, Desage M, Skilton MR, Vidal H, Laville M.** Nutritional intervention to reduce the n-6/n-3 fatty acid ratio increases adiponectin concentration and fatty acid oxidation in healthy subjects. *Eur J Clin Nutr* 2008;62(11):1287-93.
- Guerreiro AS, Fattet S, Fischer B, Shalaby T, Jackson SP, Schoenwaelder SM, Grotzer MA, Delattre O, Arcaro A.** Targeting the PI3K p110 α isoform inhibits medulloblastoma proliferation, chemoresistance, and migration. *Clin Cancer Res* 2008;14(21):6761-9.
- Gurvich CT, Fitzgerald PB, Georgiou-Karistianis N, White OB.** Saccadic impairment in schizophrenia with prominent negative symptoms. *Neuroreport* 2008;19(14):1435-9.
- Gurvitch R, Yan BP, Warren R, Marasco S, Black AJ, Ajani AE.** Spontaneous resolution of multiple coronary aneurysms complicating drug eluting stent implantation. *Int J Cardiol* 2008;130(1):e7-10.
- Guy R, Devadason D, Lim M, Higgins N, Pedrana A, Gibson K, Lewis J, White B, Kaldor J, Hellard M.** Enhanced case detection for newly acquired hepatitis C infection: epidemiological findings and health service implications. *Comm Dis Intell* 2008;32(2):250-6.
- Guy R, McDonald A, Bartlett M, Murray J, Giele C, Davey T, Appuhamy R, Knibbs P, Coleman D, Hellard M, Grulich A, Kaldor J.** Characteristics of HIV diagnoses in Australia, 1993–2006. *Sex Health* 2008;5(2):91-6.
- Ha T, Hua F, Liu X, Ma J, McMullen JR, Shioi T, Izumo S, Kelley J, Gao X, Browder W, Williams DL, Kao RL, Li C.** Lipopolysaccharide-induced myocardial protection against ischaemia/reperfusion injury is mediated through a PI3K/Akt-dependent mechanism. *Cardiovasc Res* 2008;78(3):546-53.
- Haller G, Myles PS, Langley M, Stoelwinder J, McNeil J.** Assessment of an unplanned admission to the intensive care unit as a global safety indicator in surgical patients. *Anaesth Intensive Care* 2008;36(2):190-200.
- Hamilton MT, Healy GN, Dunstan DW, Zderic TW, Owen N.** Too little exercise and too much sitting: inactivity physiology and the need for new recommendations on sedentary behaviour. *Curr Cardiovasc Risk Rep* 2008;2(4):292-298.
- Han Y, Masaki T, Hurst LA, Ikezumi Y, Trzaskos JM, Atkins RC, Nikolic-Paterson DJ.** Extracellular signal-regulated kinase-dependent interstitial macrophage proliferation in the obstructed mouse kidney. *Nephrology (Carlton)* 2008;13(5):411-8.
- Hanna FS, Bell RJ, Cicuttini FM, Davison SL, Wluka AE, Davis SR.** High sensitivity C-reactive protein is associated with lower tibial cartilage volume but not lower patella cartilage volume in healthy women at mid-life. *Arthritis Res Ther* 2008;10(1):R27.
- Haqqani HM, Kalman JM, Kistler PM.** Catheter ablation for atrial fibrillation: have we come the full circle? *J Cardiovasc Electrophysiol* 2008;19(5):480-2. Editorial.
- Harikrishnan KN, Karagiannis TC, Chow MZ, El-Osta A.** Effect of valproic acid on radiation-induced DNA damage in euchromatic and heterochromatic compartments. *Cell Cycle* 2008;7(4):468-76.
- Harris K, Jackson DE.** Unravelling the complicated networks of integrin α IIb β 3 signalling in platelets. *Curr Signal Transduct Ther* 2008;3(3):158-67.
- Hassali MA, Stewart K, Kong DC.** A national survey on knowledge and perceptions of senior medical students in Australia about generic medicines. *Med J Aust* 2008;188(2):123-4.
- Hawkes E, Haydon A, Murugasu A, Schwarz MA.** Inferior vena caval leiomyosarcoma in a patient with past bilateral retinoblastoma. *Asia-Pacific J Clin Oncol* 2008;4(3):181-3.
- Hawley JA, Dunstan DW.** The battle against obesity – attacking physical inactivity as a primary means of defense. *Nat Clin Pract Endocrinol Metab* 2008;4(10):548-9. Review.
- Hawley JA, Dunstan DW.** Overweight and obesity in Australia. *Med J Aust* 2008;188(11):678, discussion 678-9.
- Hayes RD.** Assessing female sexual dysfunction in epidemiological studies: why is it necessary to measure both low sexual function and sexually-related distress? *Sex Health* 2008;5(3):215-8.
- Hayes RD, Dennerstein L, Bennett CM, Fairley CK.** What is the "true" prevalence of female sexual dysfunctions and does the way we assess these conditions have an impact? *J Sex Med* 2008;5(4):777-87.
- Hayes RD, Dennerstein L, Bennett CM, Sidat M, Gurrin LC, Fairley CK.** Risk factors for female sexual dysfunction in the general population: exploring factors associated with low sexual function and sexual distress. *J Sex Med* 2008;5(7):1681-93.
- He CF, Geso M, Ackerly T, Wong CJ.** Stereotactic dose perturbation from an aneurysm clip measured by Gafchromic EBT film. *Australas Phys Eng Sci Med* 2008;31(1):18-23.
- Head GA, Lukoshkova EV.** Understanding the morning rise in blood pressure. *Clin Exp Pharmacol Physiol* 2008;35(4):516-21. Review.
- Head GA, Lukoshkova EV, Reid CM.** Response to: Analysis and interpretation of 24 hour blood pressure profiles. *Am J Hypertens* 2008;21(2):127-129. Letter.

- Healy DG, Falchi M, O'Sullivan SS, Bonifati V, Durr A, et al.; International LRRK2 Consortium.** Phenotype, genotype, and worldwide genetic penetrance of LRRK2-associated Parkinson's disease: a case-control study. *Lancet Neurol* 2008;7(7):583-90.
- Healy DL, Bell R, Robertson DM, Jobling T, Oehler MK, Edwards A, Shekleton P, Oldham J, Piessens S, Teoh M, Mamers P, Taylor N, Walker F.** Ovarian status in healthy postmenopausal women. *Menopause* 2008;15(6):1109-14.
- Healy GN, Dunstan DW, Salmon J, Cerin E, Shaw JE, Zimmet PZ, Owen N.** Breaks in sedentary time: beneficial associations with metabolic risk. *Diabetes Care* 2008;31(4):661-6.
- Healy GN, Dunstan DW, Salmon J, Shaw JE, Zimmet PZ, Owen N.** Television time and continuous metabolic risk in physically active adults. *Med Sci Sports Exerc* 2008;40(4):639-45.
- Healy GN, Wijndaele K, Dunstan DW, Shaw JE, Salmon J, Zimmet PZ, Owen N.** Objectively-measured sedentary time, physical activity and metabolic risk: the AusDiab study. *Diabetes Care* 2008;31(2):369-71.
- Heller R, Chang Q, Ehrlich G, Hsieh SN, Schoenwaelder SM, Kuhlencordt PJ, Preissner KT, Hirsch E, Wetzker R.** Overlapping and distinct roles for PI3Kbeta and gamma isoforms in S1P-induced migration of human and mouse endothelial cells. *Cardiovasc Res* 2008;80(1):96-105.
- Heng YJ, Di Quinzio MK, Permezel M, Rice GE, Georgiou HM.** Interleukin-1 receptor antagonist in human cervicovaginal fluid in term pregnancy and labor. *Am J Obstet Gynecol* 2008;199(6):656.e1-7.
- Hettiarachchi KD, Zimmet PZ, Danial NN, Myers MA.** Transplacental exposure to the vacuolar-ATPase inhibitor bafilomycin disrupts survival signaling in beta cells and delays neonatal remodeling of the endocrine pancreas. *Exp Toxicol Pathol* 2008;60(4-5):295-306.
- Hettiarachchi KD, Zimmet PZ, Myers MA.** Dietary toxins, endoplasmic reticulum (ER) stress and diabetes. *Curr Diabetes Rev* 2008;4(2):146-56. Review.
- Hicks P, Cooper DJ, Webb S, Myburgh J, Seppelt I, Peake S, Joyce C, Stephens D, Turner A, French C, Hart G, Jenkins I, Burrell A. The Surviving Sepsis Campaign.** International guidelines for management of severe sepsis and septic shock: 2008. An assessment by the Australian and New Zealand intensive care society. *Anaesth Intensive Care* 2008;36(2):149-51.
- Hicks P, Cooper DJ; The Australian and New Zealand Intensive Care Society (ANZICS) Board and Clinical Trials Group Executive Committee.** The Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008. *Crit Care Resusc* 2008;10(1):8.
- Higgs P, Owada K, Hellard M, Power R, Maher L.** Gender, culture and harm: an exploratory study of female heroin users of Vietnamese ethnicity. *Cult Health Sex* 2008;10(7):681-96.
- Hii SW, Tam JD, Thompson BR, Naughton MT.** Bullous lung disease due to marijuana. *Respirology* 2008;13(1):122-7.
- Hill CJ, Denehy L, Holland AE, McDonald CF.** Measurement of functional activity in chronic obstructive pulmonary disease: the grocery shelving task. *J Cardiopulm Rehabil Prev* 2008;28(6):402-9.
- Hilton AK, Pellegrino VA, Scheinkestel CD.** Avoiding common problems associated with intravenous fluid therapy. *Med J Aust* 2008;189(9):509-13.
- Hiwase DK, Hiwase S, Bailey M, Bollard G, Schwarzer AP.** Higher infused lymphocyte dose predicts higher lymphocyte recovery, which in turn, predicts superior overall survival following autologous hematopoietic stem cell transplantation for multiple myeloma. *Biol Blood Marrow Transplant* 2008;14(1):116-24.
- Hiwase DK, Hiwase S, Bailey M, Bollard G, Schwarzer AP.** The role of stem cell mobilization regimen on lymphocyte collection yield in patients with multiple myeloma. *Cytotherapy* 2008;10(5):507-17.
- Hoang A, Tefft C, Duffy SJ, Formosa M, Henstridge DC, Kingwell BA, Sviridov D.** ABCA1 expression in humans is associated with physical activity and alcohol consumption. *Atherosclerosis* 2008;197(1):197-203.
- Hocking JS, Parker RM, Pavlin N, Fairley CK, Gunn JM.** What needs to change to increase chlamydia screening in general practice in Australia? The views of general practitioners. *BMC Public Health* 2008;8:425.
- Hocking JS, Walker J, Regan D, Chen MY, Fairley CK.** Chlamydia screening – Australia should strive to achieve what others have not. *Med J Aust* 2008;188(2):106-8.
- Hodge K, Janus E, Sundararajan V, Taylor S, Brand W, Ibrahim JE, Wolff A.** Coordinated anticoagulation management in a rural setting. *Aust Fam Physician* 2008;37(4):280-3.
- Holland AE, Hill CJ, Conron M, Munro P, McDonald CF.** Short term improvement in exercise capacity and symptoms following exercise training in interstitial lung disease. *Thorax* 2008;63(6):549-54.
- Holmes AG, Mesa JL, Neill BA, Chung J, Carey AL, Steinberg GR, Kemp BE, Southgate RJ, Lancaster GI, Bruce CR, Watt MJ, Febbraio MA.** Prolonged interleukin-6 administration enhances glucose tolerance and increases skeletal muscle PPAR α and UCP2 expression in rats. *J Endocrinol* 2008;198(2):367-74.
- Holmes W, Maher L, Rosenthal S.** Attitudes of men in an Australian male tolerance study towards microbicide use. *Sex Health* 2008;5(3):273-8.
- Hoppenbrouwers SS, Schutter DJ, Fitzgerald PB, Chen R, Daskalakis ZJ.** The role of the cerebellum in the pathophysiology and treatment of neuropsychiatric disorders: a review. *Brain Res Rev* 2008;59(1):185-200. Review.
- House MJ, St Pierre TG, McLean C.** 1.4T study of proton magnetic relaxation rates, iron concentrations, and plaque burden in Alzheimer's disease and control postmortem brain tissue. *Magn Reson Med* 2008;60(1):41-52.
- Hoy KE, Georgiou-Karistianis N, Farrow M, Fitzgerald PB.** Neurological soft signs in schizophrenia: Investigating motor overflow. *World J Biol Psychiatry* 2008;1:1-9.
- Hoy KE, Georgiou-Karistianis N, Laycock R, Fitzgerald PB.** A transcranial magnetic stimulation study of transcallosal inhibition and facilitation in schizophrenia. *J Clin Neurosci* 2008;15(8):863-7.
- Hu WP, Lu Y, Precioso NA, Chen HY, Howard T, Anderson D, Guan M.** Double-antigen enzyme-linked immunosorbent assay for detection of hepatitis E virus-specific antibodies in human or swine sera. *Clin Vaccine Immunol* 2008;15(8):1151-57.
- Hudson P, Quinn K, Kristjanson L, Thomas T, Braithwaite M, Fisher J, Cockayne M.** Evaluation of a psycho-educational group programme for family caregivers in home-based palliative care. *Palliat Med* 2008;22(3):270-80.
- Huggins CE, Bell JR, Pepe S, Delbridge LM.** Benchmarking ventricular arrhythmias in the mouse – revisiting the 'Lambeth Conventions' 20 years on. *Heart Lung Circ* 2008;17(6):445-50.
- Hughes TP, Branford S, White DL, Reynolds J, Koelmeyer R, Seymour JF, Taylor K, Arthur C, Schwarzer A, et al.; Australasian Leukaemia and Lymphoma Group.** Impact of early dose intensity on cytogenetic and molecular responses in chronic-phase CML patients receiving 600 mg/day of imatinib as initial therapy. *Blood* 2008;112(10):3965-73.
- Ibrahim J, Jeffcott S.** Successful risk management requires the left brain to meet with the right brain. *Aust Health Law Bulletin* 2008;16(8):131-4.
- Ibrahim MG, Bunter R, Rajasooriar S, Thien F.** Paragonimiasis: an unusual case of haemoptysis. *Med J Aust* 2008;188(12):734-5. Letter to the Editor.
- Iles L, Pfluger H, Phrommintikul A, Cherayath J, Aksit P, Gupta SN, Kaye DM, Taylor AJ.** Evaluation of diffuse myocardial fibrosis in heart failure with cardiac magnetic resonance contrast-enhanced T1 mapping. *J Am Coll Cardiol* 2008;52(19):1574-80.
- Inglis SC, Clark RA, Shakib S, Wong DT, Molae P, Wilkinson D, Stewart S.** Hot summers and heart failure: seasonal variations in morbidity and mortality in Australian heart failure patients (1994-2005). *Eur J Heart Fail* 2008;10(6):540-9.
- Inyang I, Benke G, McKenzie R, Abramson M.** Comparison of measuring instruments for radiofrequency radiation from mobile telephones in epidemiological studies: implications for exposure assessment. *J Expo Sci Environ Epidemiol* 2008;18(2):134-41.
- Irvine JC, Ritchie RH, Favaloro JL, Andrews KL, Widdop RE, Kemp-Harper BK.** Nitroxyl (HNO): the Cinderella of the nitric oxide story. *Trends Pharmacol Sci* 2008;29(12):601-8. Review.

- Isbister J, Phillips L, Dunkley S, Jankelowitz G, McNeil J, Cameron P.** Recombinant activated factor VII in critical bleeding: experience from the Australian and New Zealand Haemostasis Register. *Intern Med J* 2008;38(3):156-65.
- Iser DM, Sasadeusz JJ.** Current treatment of HIV/hepatitis B virus coinfection. *J Gastroenterol Hepatol* 2008;23(5):699-706.
- Ivey ME, Little PJ.** Thrombin regulates vascular smooth muscle cell proteoglycan synthesis via PAR-1 and multiple downstream signalling pathways. *Thromb Res* 2008;123(2):288-97.
- Ivey ME, Osman N, Little PJ.** Endothelin-1 signalling in vascular smooth muscle: pathways controlling cellular functions associated with atherosclerosis. *Atherosclerosis* 2008;199(2):237-47. Review.
- James AL, Green FH, Abramson MJ, Bai TR, Dolhnikoff M, Mauad T, McKay KO, Elliot JG.** Airway basement membrane perimeter distensibility and airway smooth muscle area in asthma. *J Appl Physiol* 2008;104(6):1703-8.
- Janakiraman N, Teichtahl AJ, Wluka AE, Ding C, Jones G, Davis SR, Cicuttini FM.** Static knee alignment is associated with the risk of unicompartmental knee cartilage defects. *J Orthop Res* 2008;26(2):225-30.
- Jandeleit-Dahm K, Cooper ME.** The role of AGEs in cardiovascular disease. *Curr Pharm Des* 2008;14(10):979-86. Review.
- Jandeleit-Dahm K, Watson A, Soro-Paavonen A.** The AGE/RAGE axis in diabetes-accelerated atherosclerosis. *Clin Exp Pharmacol Physiol* 2008;35(3):329-34. Review.
- Januszewski AS, Thomas MC, Karschimkus CS, Chung JS, Rowley KG, Nelson CL, O'Neal DN, Dragicevic G, Harper CA, Best JD, Jenkins AJ.** Longitudinal analysis of low-molecular weight fluorophores in Type 1 diabetes mellitus. *J Med Invest* 2008;55(1-2):29-36.
- Jaques A, Daviskas E, Turton JA, McKay K, Cooper P, Stirling RG, Robertson CF, Bye PT, Lesouef PN, Shadbolt B, Anderson SD, Charlton B.** Inhaled mannitol improves lung function in cystic fibrosis. *Chest* 2008;133(6):1388-96.
- Jayasooriya AP, Begg DP, Chen N, Mathai ML, Sinclair AJ, Wilkinson-Berka J, Wark JD, Weisinger HS, Weisinger RS.** Omega-3 polyunsaturated fatty acid supplementation reduces hypertension in TGR(mRen-2)27 rats. *Prostaglandins Leukot Essent Fatty Acids* 2008;78(1):67-72.
- Jayasooriya AP, Mathai ML, Walker LL, Begg DP, Denton DA, Cameron-Smith D, Egan GF, McKinley MJ, Rodger PD, Sinclair AJ, Wark JD, Weisinger HS, Jois M, Weisinger RS.** Mice lacking angiotensin-converting enzyme have increased energy expenditure, with reduced fat mass and improved glucose clearance. *Proc Natl Acad Sci USA* 2008;105(18):6531-6.
- Jeffcott SA, Mackenzie CF.** Measuring team performance in healthcare: review of research and implications for patient safety. *J Crit Care* 2008;23(2):188-96. Review.
- Jennings N, O'Reilly G, Lee G, Cameron P, Free B, Bailey M.** Evaluating outcomes of the emergency nurse practitioner role in a major urban emergency department, Melbourne, Australia. *J Clin Nurs* 2008;17(8):1044-50.
- Jensen JS, Bradshaw CS, Tabrizi SN, Fairley CK, Hamasuna R.** Azithromycin treatment failure in *Mycoplasma genitalium*-positive patients with nongonococcal urethritis is associated with induced macrolide resistance. *Clin Infect Dis* 2008;47(12):1546-53.
- Jerums G, Panagiotopoulos S, Premaratne E, Power DA, MacIsaac RJ.** Lowering of proteinuria in response to antihypertensive therapy predicts improved renal function in late but not in early diabetic nephropathy: a pooled analysis. *Am J Nephrol* 2008;28(4):614-27.
- Johnston AE, Russell SL, Gleeson JF.** Evidence of semantic processing abnormalities in schizotypy using an indirect semantic priming task. *J Nerv Ment Dis* 2008;196(9):694-701.
- Jones D, George C, Hart GK, Bellomo R, Martin J.** Introduction of medical emergency teams in Australia and New Zealand: a multi-centre study. *Crit Care* 2008;12(2):R46.
- Jones KL, Brown LE, Eriksson EMY, Ffrench RA, Latour PA, Loveland BE, Dominic M, Wall DM, Roberts SK, Jackson DC, Gowans EJ.** Human dendritic cells pulsed with specific lipopeptides stimulate autologous antigen-specific CD8+ T-cells without the addition of exogenous maturation factors. *J Viral Hepatitis* 2008;15(10):761-72.
- Jones KL, Sonza S, Mak J.** Primary T-lymphocytes rescue the replication of HIV DIS RNA mutants in part by facilitating reverse transcription. *Nucleic Acids Res* 2008;36(5):1578-88.
- Jordan JE, Briggs AM, Brand CA, Osborne RH.** Enhancing patient engagement in chronic disease self-management support initiatives in Australia: the need for an integrated approach. *Med J Aust* 2008;189(10 Suppl):S9-S13. Review.
- Joubert J, Joubert L, Reid C, Barton D, Cumming T, Mitchell P, House M, Heng R, Meadows G, Walterfang M, Pantelis C, Ames D, Davis S.** The positive effect of integrated care on depressive symptoms in stroke survivors. *Cerebrovasc Dis* 2008;26(2):199-205.
- Kadekoppala M, O'Donnell R, Grainger M, Crabb B, Holder A.** Deletion of the *Plasmodium falciparum* Merozoite Surface Protein 7 gene impairs parasite invasion of erythrocytes. *Eukaryot Cell* 2008;7(12):2123-32.
- Kalff A, Shortt J, Farr J, McLennan R, Lui A, Scott J, Spencer A.** Laboratory tumor lysis syndrome complicating LBH589 therapy in a patient with acute myeloid leukaemia. *Haematologica* 2008;93(1):e16-7.
- Karapetis CS, Khambata-Ford S, Jonker DJ, O'Callaghan CJ, Tu D, Tebbutt NC, Simes RJ, Chalchal H, Shapiro JD, Robitaille S, Price TJ, Shepherd L, Au HJ, Langer C, Moore MJ, Zalberg JR.** K-ras mutations and benefit from cetuximab in advanced colorectal cancer. *N Engl J Med* 2008;359(17):1757-65.
- Karipidis K, Benke G, Sim MR.** Feasibility of constructing the radiation component of an Australian job-exposure matrix. *J Occup Health Safety - Aust NZ* 2008;24(1):53-62.
- Katsara M, Deraos G, Tselios T, Matsoukas J, Apostolopoulos V.** Design of novel cyclic altered peptide ligands of myelin basic protein MBP83-99 that modulate immune responses in SJL/J mice. *J Med. Chem* 2008;51(13):3971-8.
- Katsara M, Matsoukas J, Deraos G, Apostolopoulos V.** Towards immunotherapeutic drugs and vaccines against multiple sclerosis. *Acta Biochim Biophys Sin (Shanghai)* 2008;40(7):636-42.
- Katsara M, Minigo G, Plebanski M, Apostolopoulos V.** The good, the bad and the ugly: how altered peptide ligands modulate immunity. *Expert Opin Biol Ther* 2008;8(12):1873-84. Review.
- Katsara M, Yuriev E, Ramsland PA, Deraos G, Tselios T, Matsoukas J, Apostolopoulos V.** A double mutation of MBP83-99 peptide induces IL-4 responses and antagonizes IFN- γ responses. *J Neuroimmunol* 2008;200(1):77-89.
- Katsara M, Yuriev E, Ramsland PA, Deraos G, Tselios T, Matsoukas J, Apostolopoulos V.** Mannosylation of mutated MBP83-99 peptides diverts immune responses from Th1 to Th2. *Mol Immunol* 2008;45(13):3611-70.
- Kaye DM, Esler MD.** Autonomic control of the aging heart. *Neuromolecular Med* 2008;10(3):179-86.
- Kaye DM, Esler MD.** Re: Cardiac denervation does/does not play a major role in exercise limitation after heart transplantation. *J Appl Physiol* 2008;104(2):567. Letter.
- Kaye DM, Hoshijima M, Chien KR.** Reversing advanced heart failure by targeting Ca²⁺ cycling. *Annu Rev Med* 2008;59:13-28. Review.
- Keating DT, Westall GP, Marasco SF, Burton JH, Buckland MR, Robertson CF, Williams TJ, Snell GI.** Paediatric lobar lung transplantation: addressing the paucity of donor organs. *Med J Aust* 2008;189(3):173-5.
- Kekulawala JR, Murphy A, D'Souza W, Wai C, Chin-Dusting J, Kingwell B, Sviridov D, Mukhamedova N.** Impact of freezing on high-density lipoprotein functionality. *Anal Biochem* 2008;379(2):213-5.
- Kelsall H, McKenzie D, Sim M, Leder K, Ross J, Forbes A, Ikin J.** Comparison of self-reported and recorded vaccinations and health effects in Australian Gulf War veterans. *Vaccine* 2008;26(33):4290-7.
- Kemp W, Roberts S, Komesaroff PA, Zomer E, Krum H.** Urotensin II in chronic liver disease: *in vivo* effect on vascular tone. *Scand J Gastroenterol* 2008;43(1):103-9.
- Kemp W, Roberts S, Krum H.** Increased circulating urotensin II in cirrhosis: potential implications in liver disease. *Peptides* 2008;29(5):868-72.

- Kent SJ, De Rose R, Mokhonov VV, Mokhonova EI, Fernandez CS, Alcantara S, Rollman E, Mason RD, Loh L, Peut V, Reece JC, Wang XJ, Wilson KM, Suhrbier A, Khromykh A.** Evaluation of recombinant Kunjin replicon SIV vaccines for protective efficacy in macaques. *Virology* 2008;374(2):528-34.
- Kerr D, Dietze P, Kelly AM.** Intranasal naloxone for the treatment of suspected heroin overdose. *Addiction* 2008;103(3):379-86.
- Kerr D, Dietze P, Jolley D, Kelly A-M.** Attitudes of Australian heroin users to peer distribution of naloxone for heroin overdose: perspectives on intranasal administration. *J Urban Health* 2008;85(3):352-60.
- Khong T, Sharkey J, Spencer A.** The effect of azacitidine on interleukin-6 signaling and nuclear factor- κ B activation and its *in vitro* and *in vivo* activity against multiple myeloma. *Haematologica* 2008;93(6):860-9.
- Khoos SK, O'Neill S, Travers C, Oldenburg B; LAW Study Group.** Age-related changes relevant to health in women: design, recruitment, and retention strategies for the Longitudinal Assessment of Women (LAW) study. *J Womens Health (Larchmt)* 2008;17(1):135-46.
- King SJ, Collins CE, Crowder T, Matson AG, Volders E.** Nutritional management of cystic fibrosis in Australia and New Zealand. *Nutri Diet* 2008;65(4):253-8.
- Kinsman L, Champion R, Lee G, Martin M, Masman K, May E, Mills T, Taylor MD, Thomas P, Williams RJ, Zalstein S.** Assessing the impact of streaming in a regional emergency department. *Emerg Med Australas* 2008;20(3):221-7.
- Kiriazis H, Wang K, Xu Q, Gao XM, Ming Z, Su Y, Moore XL, Lambert G, Gibbs ME, Dart AM, Du XJ.** Knockout of β_1 - and β_2 -adrenoceptors attenuates pressure overload-induced cardiac hypertrophy and fibrosis. *Br J Pharmacol* 2008;153(4):684-92.
- Kistler PM.** Multi electrode ablation for paroxysmal atrial fibrillation: pulmonary vein isolation made easy? *Heart Rhythm* 2008;5(12):1643-44. Editorial.
- Kistler PM, Rajappan K, Harris S, Earley MJ, Richmond L, Sporton SC, Schilling RJ.** Impact of image integration on catheter ablation of atrial fibrillation using electroanatomic mapping: a prospective randomized study. *Eur Heart J* 2008;29(24):3029-36.
- Kitson MT, Yong MK, Hoy JF.** Ocular syphilis: are we seeing all there is to see? *Med J Aust* 2008;189(7):411.
- Knight MA, Hernandez D, Diede SJ, Dauwerse HG, Rafferty I, van de Leemput J, Forrest SM, Gardner RJ, Storey E, van Ommen GJ, Tapscott SJ, Fischbeck KH, Singleton AB.** A duplication at chromosome 11q12.2-11q12.3 is associated with spinocerebellar ataxia type 20. *Hum Mol Genet* 2008;17(24):3847-53.
- Koblinsky M, Anwar I, Mridha MK, Chowdhury ME, Botlero R.** Reducing maternal mortality and improving maternal health: Bangladesh and MDG 5. *J Health Popul Nutr* 2008;26(3):280-94.
- Koeh F, Ackland HM, Varma DK, Williamson OD, Malham GM.** Nonoperative management of Type II odontoid fractures in the elderly. *Spine* 2008;33(26):2881-6.
- Koitka A, Cooper ME, Thomas MC, Tikellis C.** Angiotensin converting enzyme 2 in the kidney. *Clin Exp Pharmacol Physiol* 2008;35(4):420-5. Review.
- Koitka A, Tikellis C.** Advances in the renin-angiotensin-aldosterone system: relevance to diabetic nephropathy. *ScientificWorldJournal* 2008;8:434-45. Review.
- Kompa AR, See F, Lewis DA, Adrahtas A, Cantwell DM, Wang BH, Krum H.** Long-term but not short-term p38 mitogen-activated protein kinase inhibition improves cardiac function and reduces cardiac remodeling post-myocardial infarction. *J Pharmacol Exp Ther* 2008;325(3):741-50.
- Kondalsamy-Chennakesavan S, Hoy WE, Wang Z, Briganti E, Polkinghorne K, Chadban S, Shaw J; AusDiab Study Group.** Anthropometric measurements of Australian Aboriginal adults living in remote areas: comparison with nationally representative findings. *Am J Hum Biol* 2008;20(3):317-24.
- Kondalsamy-Chennakesavan S, Hoy WE, Wang Z, Shaw J.** Quantifying the excess risk of Type 2 diabetes by body habitus measurements among Australian Aborigines living in remote areas. *Diabetes Care* 2008;31(3):585-6.
- Konstantatos A, Silvers AJ, Myles PS.** Analgesia best practice after cardiac surgery. *Anesthesiol Clin* 2008;26(3):591-602.
- Kosmala W, Wong C, Kuliczowska J, Leano R, Przewlocka-Kosmala M, Marwick TH.** Use of body weight and insulin resistance to select obese patients for echocardiographic assessment of subclinical left ventricular dysfunction. *Am J Cardiol* 2008;101(9):1334-40.
- Kotsanas D, Brett J, Kidd TJ, Stuart RL, Korman TM.** Disinfection of *Burkholderia cepacia* complex from non-touch taps in a neonatal nursery. *J Perinat Med* 2008;36(3):235-9.
- Krum H.** Clinical investigations of statins in heart failure: ventricular function and anti-remodeling. *Heart Fail Clin* 2008;4(2):177-86.
- Krum H.** Hypertension fundamentals. *Med J Aust* 2008;188(12):689.
- Krum H.** Beta-blockers should remain as first-line therapy in the management of hypertension. *Int J Clin Pract* 2008;62(8):1137-41.
- Krum H.** Role of renin in heart failure and therapeutic potential of direct renin inhibition. *J Renin Angiotensin Aldosterone Syst* 2008;9(3):177-80.
- Krum H, Iyngkaran P.** The black dog and the weak heart: comorbid depression in the patient with heart failure. *J Card Fail* 2008;14(6):465-6.
- Kulkarni J.** Women's mental health. *Aust N Z J Psychiatry* 2008;42(1):1-2.
- Kulkarni J, Berk M, Fitzgerald PB, de Castella AR, Montgomery W, Kelin K, Brnabic A, Granger RE, Dodd S.** The Bipolar Comprehensive Outcomes Study (BCOS): baseline findings of an Australian cohort study. *J Affect Disord* 2008;107(1-3):135-44.
- Kulkarni J, de Castella A, Fitzgerald PB, Gurvich CT, Bailey M, Bartholomeusz C, Burger H.** Estrogen in severe mental illness: a potential new treatment approach. *Arch Gen Psychiatry* 2008;65(8):955-60.
- Kulkarni J, Gurvich C, Gilbert H, Mehmedbegovic F, Mu L, Marston N, Gavrilidis E, de Castella A.** Hormone modulation: a novel therapeutic approach for women with severe mental illness. *Aust N Z J Psychiatry* 2008;42(1):83-8.
- Kulkarni J, McCauley-Elsom K, Marston N, Gilbert H, Gurvich C, de Castella A, Fitzgerald P.** Preliminary findings from the National Register of Antipsychotic Medication in Pregnancy. *Aust N Z J Psychiatry* 2008;42(1):38-44.
- Lamb MM, Myers MA, Barriga K, Zimmet PZ, Rewers M, Norris JM.** Maternal diet during pregnancy and islet autoimmunity in offspring. *Pediatr Diabetes* 2008;9(2):135-41.
- Lambert E, Dawood T, Schlaich M, Straznicki N, Esler M, Lambert G.** Single-unit sympathetic discharge pattern in pathological conditions associated with elevated cardiovascular risk. *Clin Exp Pharmacol Physiol* 2008;35(4):503-7. Review.
- Lambert E, Eikelis N, Esler M, Dawood T, Schlaich M, Bayles R, Socratous F, Agrotis A, Jennings G, Lambert G, Vaddadi G.** Altered sympathetic nervous reactivity and norepinephrine transporter expression in patients with the postural tachycardia syndrome. *Circ Arrhythmia Electrophysiol* 2008;1:103-109.
- LaMontagne AD, Keegel T, Vallance D, Ostry A, Wolfe R.** Job strain – attributable depression in a sample of working Australians: assessing the contribution to health inequalities. *BMC Public Health* 2008;8:181.
- Lancaster CM, Crosbie JC, Davis SR.** *In vivo* dosimetry from total body irradiation patients (2000-2006): results and analysis. *Australas Phys Eng Sci Med* 2008;31(1):191-5.
- Larizza M.** ASCO – the ultimate oncology experience. *J Pharm Pract Res* 2008;38:163-4. Letter.
- Larobina ME, Mariani JA, Rowland MA.** Aortic valve replacement for aortic stenosis during orthotopic cardiac transplant. *Ann Thorac Surg* 2008;86(6):1979-82. Review.
- Laslett A, Dietze P, Dwyer R.** The oral health of street-recruited injecting drug users: prevalence and correlates of problems. *Addiction* 2008;103(11):1821-3.
- Lau D, Fedinands M, Leung L, Fullinlaw R, Kong D, Davies G, Daniell M.** Penetration of voriconazole, 1%, eyedrops into human aqueous humor: a prospective open-label study. *Arch Ophthalmol* 2008;126(3):343-6.
- Leder K, Wilson ME, Freedman DO, Torresi J.** A comparative analysis of methodological approaches used for estimating risk in travel medicine. *J Travel Med* 2008;15(4):263-72.

- Lee A, Button B, Denehy L.** Current Australian and New Zealand physiotherapy practice in the management of patients with bronchiectasis and chronic obstructive pulmonary disease. *N Z J Physiother* 2008;36(2):49-58.
- Lee CM, Huxley RR, Woodward M, Zimmet P, Shaw J, Cho NH, Kim HR, Viali S, Tominaga M, Vistisen D, Borch-Johnsen K, Colagiuri S; DETECT-2 Collaboration.** The metabolic syndrome identifies a heterogeneous group of metabolic component combinations in the Asia-Pacific region. *Diabetes Res Clin Pract* 2008;81(3):377-80.
- Lee CM, Huxley RR, Woodward M, Zimmet P, Shaw J, Cho NH, Kim HR, Viali S, Tominaga M, Vistisen D, Borch-Johnsen K, Colagiuri S; Detect-2 Collaboration.** Comparisons of metabolic syndrome definitions in four populations of the Asia-Pacific region. *Metab Syndr Relat Disord* 2008;6(1):37-46.
- Lee G.** Commentary on Norris T & Melby V (2006) The acute care nurse practitioner: challenging existing boundaries of emergency nurses in the United Kingdom. *Journal of Clinical Nursing* 15, 253-263. *J Clin Nurs* 2008;17(8):1116-9. Comment.
- Lee G.** Patient and spouse perceived quality of life five years after coronary artery bypass graft surgery. *Open Nurs J* 2008;2(5):63-67.
- Lee G, Carrington M, Sliwa K, Stewart S.** Are ECG abnormalities common in Black Africans with heart failure? Results from the Heart of Soweto Study. *SA Heart J* 2008;5(1):4-11.
- Lee G, Smith S, Jennings N.** Low acuity abdominal pain in the emergency department: still a long wait. *Int Emerg Nurs* 2008;16(2):94-100.
- Lee GA.** Patients reported health-related quality of life five years post coronary artery bypass graft surgery--a methodological study. *Eur J Cardiovasc Nurs* 2008;7(1):67-72.
- Lee GA, Fitzgerald L.** A clinical internship model for the nurse practitioner programme. *Nurse Educ Pract* 2008;8(6):397-404.
- Lenon GB, Li CG, Xue CC, Thien FC, Story DF.** Inhibition of inducible nitric oxide production and iNOS protein expression in lipopolysaccharide-stimulated rat aorta and Raw 264.7 macrophages by ethanol extract of a Chinese herbal medicine formula (RCM-101) for allergic rhinitis. *J Ethnopharmacol* 2008;116(3):547-53.
- Leslie DE, Higgins N, Fairley CK.** Dangerous liaisons – syphilis and HIV in Victoria. *Med J Aust* 2008;188(11):676-7.
- Leslie K, Myles PS, Chan MT, Paech MJ, Peyton P, Forbes A, McKenzie D; ENIGMA Trial Group.** Risk factors for severe postoperative nausea and vomiting in a randomized trial of nitrous oxide-based vs nitrous oxide-free anaesthesia. *Br J Anaesth* 2008;101(4):498-505.
- Levinger I, Goodman C, Matthews V, Hare DL, Jerums G, Garnham A, Selig S.** BDNF, metabolic risk factors, and resistance training in middle-aged individuals. *Med Sci Sports Exerc* 2008;40(3):535-41.
- Levvey BJ, Snell GI.** The evolution of donation after cardiac death (DCD) lung donation and transplantation in Australia. *Transplant Nurses J* 2008;17:8-11.
- Lewin SR, Murray JM, Solomon A, Wightman F, Cameron PU, Purcell DJ, Zaunders JJ, Grey P, Bloch M, Smith D, Cooper DA, Kelleher AD.** Virologic determinants of success after structured treatment interruptions of antiretrovirals in acute HIV-1 infection. *J Acquir Immune Defic Syndr* 2008;47(2):140-47.
- Lewis PM, Rosenfeld JV, Diehl RR, Mehdorn HM, Lang EW.** Phase shift and correlation coefficient measurement of cerebral autoregulation during deep breathing in traumatic brain injury (TBI). *Acta Neurochir (Wien)* 2008;150(2):139-46.
- Li S, Gowans EJ, Chougnet C, Plebanski M, Dittmer U.** Natural regulatory T cells and persistent viral infection. *J Virol* 2008;82(1):21-30.
- Lifson AR; INSIGHT Cause of Death Writing Group, Belloso WH, Carey C, Davey RT, Duprez D, El-Sadr WM, Gatell JM, Gey DC, Hoy JF, Krum EA, Nelson R, Nixon DE, Paton N, Pedersen C, Perez G, Price RW, Prineas RJ, Rhame FS, Sampson J, Worley J.** Determination of the underlying cause of death in three multicenter international HIV clinical trials. *HIV Clin Trials* 2008;9(3):177-85.
- Lijovic M, Davis SR, Fradkin P, La China M, Farrugia H, Wolfe R, Bell RJ.** Use of a cancer registry is preferable to a direct-to-community approach for recruitment to a cohort study of wellbeing in women newly diagnosed with invasive breast cancer. *BMC Cancer* 2008;8:126.
- Lim M, Hellard M, Hocking J, Aitken C.** A cross-sectional survey of young people attending a music festival: associations between drug use and musical preference. *Drug Alcohol Rev* 2008;27(4):439-41.
- Lim M, Hocking JS, Hellard M, Aitken C.** SMS STI: A review of the uses of mobile phone text-messaging in sexual health. *Int J STD AIDS* 2008;19(5):287-90. Review.
- Lim SY, Farrell MJ, Gibson SJ, Helme RD, Lang AE, Evans AH.** Do dyskinesia and pain share common pathophysiological mechanisms in Parkinson's disease? *Mov Disord* 2008;23(12):1689-95.
- Lim WG, Chen X, Liu JP, Tan BJ, Zhou S, Smith A, Lees N, Hou L, Gu F, Yu XY, Du Y, Smith D, Verma C, Liu K, Duan W.** The C-terminus of PRK2/PKN γ is required for optimal activation by RhoA in a GTP-dependent manner. *Arch Biochem Biophys* 2008;479(2):170-8.
- Lister NA, Chaves NJ, Phang CW, Smith A, Fairley CK.** Clinical significance of questionnaire-elicited or clinically reported anorectal symptoms for rectal *Neisseria gonorrhoeae* and *Chlamydia trachomatis* amongst men who have sex with men. *Sex Health* 2008;5(1):77-82.
- Litherland B, Given M, Lyon S.** Percutaneous radiological management of high-output chylothorax with CT-guided needle disruption. *J Med Imaging Radiat Oncol* 2008;52(2):164-7.
- Little PJ, Ballinger ML, Burch ML, Osman N.** Biosynthesis of natural and hyperelongated chondroitin sulfate glycosaminoglycans: new insights into an elusive process. *Open Biochem J* 2008;2:135-42.
- Little PJ, Ballinger ML, Survase S, Osman N, Ogru E, Geytenbeek S, Bruemmer D, Nigro J.** Phosphorylated troglitazone activates PPAR γ and inhibits vascular smooth muscle cell proliferation and proteoglycan synthesis. *J Cardiovasc Pharmacol* 2008;51(3):274-9.
- Little PJ, Drennon KD, Tannock LR.** Glucosamine inhibits the synthesis of glycosaminoglycan chains on vascular smooth muscle cell proteoglycans by depletion of ATP. *Arch Physiol Biochem* 2008;114(2):120-6.
- Little PJ, Ivey ME, Osman N.** Endothelin-1 actions on vascular smooth muscle cell functions as a target for the prevention of atherosclerosis. *Curr Vasc Pharmacol* 2008;6(3):195-203.
- Little PJ, Osman N, O'Brien KD.** Hyperelongated biglycan: the surreptitious initiator of atherosclerosis. *Curr Opin Lipidol* 2008;19(5):448-54. Review.
- Liu H, Hu Y, Simpson RW, Dear AE.** Glucagon-like peptide-1 attenuates tumour necrosis factor- α -mediated induction of plasminogen activator inhibitor-1 expression. *J Endocrinol* 2008;196(1):57-65.
- Liu W, McArthur GA, Trivett M, Murray WK, Wolfe R, Kelly JW.** Correlation of subjective self-reported melanoma growth rate with objective tumor proliferation markers. *Arch Dermatol* 2008;144(4):555-6.
- Livingston M, Laslett A, Dietze P.** Individual and community correlates of young people's high-risk drinking in Victoria, Australia. *Drug Alcohol Depend* 2008;98(3):241-8.
- Livingston PM, Craike M, Considine J, Botti M, O'Connell B.** Presentation to emergency departments due to chemotherapy-induced complications: opportunities for improving service delivery. *Asia-Pacific J Clin Oncol* 2008;4(2):331.
- Loesch DZ, Cook M, Litewka L, Gould E, Churchyard A, Tassone F, Slater HR, Storey E.** A low symptomatic form of neurodegeneration in younger carriers of the FMR1 premutation, manifesting typical radiological changes. *J Med Genet* 2008;45(3):179-81.
- Loh L, Kent SJ.** Quantification of simian immunodeficiency virus cytotoxic T lymphocyte escape mutant viruses. *AIDS Res Hum Retroviruses* 2008;24(8):1067-72.
- Loh L, Petravic J, Batten CJ, Davenport MP, Kent SJ.** Vaccination and timing influence SIV immune escape viral dynamics *in vivo*. *PLoS Pathog* 2008;4(1):e12.
- Looby S, Keeling AN, McErlean A, Given MF, Geoghegan T, Lee MJ.** Efficacy and safety of the angioseal vascular closure device post antegrade puncture. *Cardiovasc Intervent Radiol* 2008;31(3):558-62.
- Looi JC, Lindberg O, Liberg B, Tatham V, Kumar R, Maller J, Millard E, Sachdev P, Hogberg G, Pagani M, Botes L, Engman EL, Zhang Y, Svensson L, Wahlund LO.** Volumetrics of the caudate nucleus: reliability and validity of a new manual tracing protocol. *Psychiatry Res* 2008;163(3):279-88.

- Lowe AJ, Carlin JB, Bennett CM, Hosking CS, Abramson MJ, Hill DJ, Dharmage SC.** Do boys do the atopic march while girls dawdle? *J Allergy Clin Immunol* 2008;121(5):1190-5.
- Lowthian J, Diug B.** Lessons from the TAPS study – warfarin: a major cause of threats to patients safety. *Aust Fam Physician* 2008;37(12):983.
- Lowthian J, Walker RG.** The role of medical directors in dialysis facilities. *Semin Dial* 2008;21(1):113.
- Lundie R, de Koning-Ward T, Davey G, Nie C, Hansen D, Lau L, Mintern J, Belz G, Schofield L, Carbone F, Villadangos J, Crabb B, Heath W.** Blood-stage *Plasmodium* infection induces CD8+ T lymphocytes to parasite-expressed antigens, largely regulated by CD8a+ dendritic cells. *Proc Natl Acad Sci USA* 2008;105(38):10509-14.
- Luo G, Tang J, He W, Wu J, Ma B, Wang X, Chen X, Yi S, Zhang X, Li X, Fitzgerald M.** Antibacterial effect of dressings containing multivalent silver ion carried by zirconium phosphate on experimental rat burn wounds. *Wound Repair Regen* 2008;16(6):800-4.
- Lymbury R, Tinggi U, Griffiths L, Rosenfeldt F, Perkins AV.** Selenium status of the Australian population: effect of age, gender and cardiovascular disease. *Biol Trace Elem Res* 2008;126 Suppl 1:S1-10.
- Lyon SM, Given M, Marshall NL.** Interventional radiology in the provision and maintenance of long-term central venous access. *J Med Imaging Radiat Oncol* 2008;52(1):10-7.
- MacDonald MR, Petrie MC, Hawkins NM, Petrie JR, Fisher M, McKelvie R, Aguilar D, Krum H, McMurray JJ.** Diabetes, left ventricular systolic dysfunction, and chronic heart failure. *Eur Heart J* 2008;29(10):1224-40.
- Macdonald N, Elam G, Hickson F, Imrie J, McGarrigle C, Fenton K, Baster K, Ward H, Gilbert V, Power R, Evans B.** Factors associated with HIV seroconversion in gay men in England at the start of the 21st century. *Sex Transm Infect* 2008;84(1):8-13.
- Macfarlane E, Chapman A, Benke G, Meaklim J, Sim M, McNeil J.** Training and other predictors of personal protective equipment use in Australian grain farmers using pesticides. *Occup Environ Med* 2008;65(2):141-6.
- MacIsaac RJ, Thomas MC, Panagiotopoulos S, Smith TJ, Hao H, Matthews DG, Jerums G, Burrell LM, Srivastava PM.** Association between intrarenal arterial resistance and diastolic dysfunction in Type 2 diabetes. *Cardiovasc Diabetol* 2008;7:15.
- Mackie K.** International symposium on HIV and emerging infectious diseases. *J Pharm Pract Res* 2008;38:249-50. Letter.
- MacLaren G, Yeoh SF, Spelman D.** Antibiotic prophylaxis in cardiac surgery. *Heart* 2008;94(5):646; author reply 646.
- Maeder MT, Holst DP, Kaye DM.** Tricuspid regurgitation contributes to renal dysfunction in patients with heart failure. *J Card Fail* 2008;14(10):824-30.
- Maeder MT, Kaye DM.** B-type natriuretic peptide in end-stage renal disease: a neurohormone rather than a volume status monitor. *South Med J* 2008;101(11):1081-2.
- Magliano DJ, Barr EL, Zimmet PZ, Cameron AJ, Dunstan DW, Colagiuri S, Jolley D, Owen N, Phillips P, Tapp RJ, Welborn TA, Shaw JE.** Glucose indices, health behaviors, and incidence of diabetes in Australia: the Australian Diabetes, Obesity and Lifestyle Study. *Diabetes Care* 2008;31(2):267-72.
- Magliano DJ, Shaw JE, Shortreed SM, Nusselder WJ, Liew D, Barr EL, Zimmet PZ, Peeters A.** Lifetime risk and projected population prevalence of diabetes. *Diabetologia* 2008;51(12):2179-86.
- Mahar P, Wasiak J, Bailey M, Cleland H.** Clinical factors affecting mortality in elderly burn patients admitted to a burns service. *Burns* 2008;34(5):629-36.
- Malabanan KP, Kanellakis P, Bobik A, Khachigian LM.** Activation transcription factor-4 induced by fibroblast growth factor-2 regulates vascular endothelial growth factor-A transcription in vascular smooth muscle cells and mediates intimal thickening in rat arteries following balloon injury. *Circ Res* 2008;103(4):378-87.
- Mallon PW, Sedwell R, Rogers G, Nolan D, Unemori P, Hoy J, Samaras K, Kelleher A, Emery S, Cooper DA, Carr A, Rosey Investigators.** Effect of rosiglitazone on peroxisome proliferator-activated receptor γ gene expression in human adipose tissue is limited by antiretroviral drug-induced mitochondrial dysfunction. *J Infect Dis* 2008;198(12):1794-803.
- Mankowski JL, Queen SE, Fernandez CS, Tarwater PM, Karper JM, Adams RJ, Kent SJ.** Natural host genetic resistance to lentiviral CNS disease: a neuroprotective MHC class I allele in SIV-infected macaques. *PLoS ONE* 2008;3(11):e3603.
- Maple-Brown L, Cunningham J, Dunne K, Whitbread C, Howard D, Weeramanthri T, Tatipata S, Dunbar T, Harper CA, Taylor HR, Zimmet P, O'Dea K, Shaw JE.** Complications of diabetes in urban Indigenous Australians: the DRUID study. *Diabetes Res Clin Pract* 2008;80(3):455-62.
- Marasco SF.** Ischaemic mitral regurgitation and the role of surgical intervention. *Heart Lung Circ* 2008;17(Suppl 4):S14-20.
- Marasco SF, Lim K, New G, Esmore DS.** Iatrogenic aortic dissection after coronary artery bypass grafting. *J Cardiovasc Surg (Torino)* 2008;49(1):134.
- Marasco SF, Lukas G, McDonald M, McMillan J, Ihle B.** Review of ECMO (extra corporeal membrane oxygenation) support in critically ill adult patients. *Heart Lung Circ* 2008;17 Suppl 4:S41-7. Review.
- Marasco SF, Rosenfeldt FL, Lim HK, Mennen M, Cairo S, Bain C.** Correction of posteromedial papillary muscle displacement in repair of ischemic mitral regurgitation. *J Heart Valve Dis* 2008;17(6):620-7.
- Marasco SF, Sharwood LN, Abramson MJ.** No improvement in neurocognitive outcomes after off-pump versus on-pump coronary revascularisation: a meta-analysis. *Eur J Cardiothorac Surg* 2008;33(6):961-70.
- Marfurt J, de Monbrison F, Brega S, Barbolat L, Mu?ller I, Sie A, Goroti M, Reeder J, Beck H-P, Picot S, Genton B.** Molecular markers of *in vivo Plasmodium vivax* resistance to amodiaquine plus sulphadoxine-pyrimethamine: mutations in pvdhfr and pvmdr1. *J Infect Dis* 2008;198(3):409-17.
- Marfurt J, Muller I, Sie A, Oa O, Reeder J, Smith TA, Beck H-P, Genton B.** The usefulness of twenty-four molecular markers in predicting treatment outcome with combination therapy of amodiaquine plus sulphadoxine-pyrimethamine against falciparum malaria in Papua New Guinea. *Malar J* 2008;7:61-71.
- Marrone J, Fairley CK, Saville M, Bradshaw C, Bowden FJ, Horvath LB, Donovan B, Chen M, Hocking JS.** Temporal associations with declining *Trichomonas vaginalis* diagnosis rates among women in the state of Victoria, Australia, 1947 to 2005. *Sex Transm Dis* 2008;35(6):572-6.
- Martin E, Baggaley K, Buchbinder R, Johnston R, Tugwell P, Maxwell L, Santesso N.** Occupational therapists should be more involved in the Cochrane Collaboration: the example of the Australian Cochrane Musculoskeletal Review Group. *Aust Occ Ther J* 2008;55(3):207-11.
- Mason KD, Vandenberg CJ, Scott CL, Wei AH, Cory S, Huang DC, Roberts AW.** *In vivo* efficacy of the Bcl-2 antagonist ABT-737 against aggressive Myc-driven lymphomas. *Proc Natl Acad Sci U S A* 2008;105(46):17961-6.
- Mason RD, De Rose R, Kent SJ.** CD4+ T-cell subsets: what really counts in preventing HIV disease? *Expert Rev Vaccines* 2008;7(2):155-8. Review.
- Mason RD, Rose RD, Seddiki N, Kelleher AD, Kent SJ.** Low pre-infection levels and loss of central memory CD4+ T cells may predict rapid progression in SIV-infected pigtail macaques. *Virology* 2008;381(1):11-5.
- Masuo K, Lambert GW, Rakugi H, Ogihara T, Esler MD.** Neurovascular role of sympathetic nervous system and beta- adrenoceptor polymorphisms in obesity and hypertension. *Curr Hypertens Rev* 2008;4(2):121-30. Review.
- Masuo K, Straznicki NE, Lambert GW, Katsuya T, Sugimoto K, Rakugi H, Socratous F, Hastings J, Lambert EA, Ogihara T, Esler MD.** Leptin-receptor polymorphisms relate to obesity through blunted leptin-mediated sympathetic nerve activation in a Caucasian male population. *Hypertens Res* 2008;31(6):1093-100.
- Matthews GV, Avihingsanon A, Lewin SR, Amin J, Rerknimitr R, Petcharapirat P, Marks P, Sasadeusz J, Cooper DA, Bowden S, Locarnini S, Ruxrungtham K, Dore GJ.** A randomized trial of combination hepatitis B therapy in HIV/HBV coinfecting antiretroviral naive individuals in Thailand. *Hepatology* 2008;48(4):1062-9.
- Matthews VB, Febbraio MA.** CNTF: a target therapeutic for obesity-related metabolic disease? *J Mol Med* 2008;86(4):353-61. Review.
- Mavhu W, Langhaug L, Manyonga B, Power R, Cowan F.** What is 'sex' exactly? Using cognitive interviewing to improve the validity of sexual behaviour reporting among young people in rural Zimbabwe. *Cult Health Sex* 2008;10(6):563-72.

- McCall MJ, Reeves M, Skinner M, Ginifer C, Myles P, Dalwood N.** Paramedic tracheal intubation using the intubating laryngeal mask airway. *Prehosp Emerg Care* 2008;12(1):30-4.
- McFarlane AC, McKenzie DP, Van Hooff M, Browne D.** Somatic and psychological dimensions of screening for psychiatric morbidity: a community validation of the SPHERE Questionnaire. *J Psychosom Res* 2008;65(4):337-45.
- McGain F, Cretikos MA, Jones D, Van Dyk S, Buist MD, Opdam H, Pellegrino V, Robertson MS, Bellomo R.** Documentation of clinical review and vital signs after major surgery. *Med J Aust* 2008;189(7):380-3.
- McLean CA.** The neuropathology of kuru and variant Creutzfeldt-Jakob disease. *Philos Trans R Soc Lond B Biol Sci* 2008;363(1510):3685-7. Review.
- McLean CA, Cleland H, Moncrieff NJ, Barton RJ, de Kretser DM, Phillips DJ.** Temporal expression of activin in acute burn wounds – from inflammatory cells to fibroblasts. *Burns* 2008;34(1):50-5.
- McMullen JR.** Role of insulin-like growth factor 1 and phosphoinositide 3-kinase in a setting of heart disease. *Clin Exp Pharmacol Physiol* 2008;35(3):349-54. Review.
- McNamee KM, Fairley CK, Hocking JS.** Chlamydia testing and notification in Australia: more money, more tests. *Sex Transm Infect* 2008;84(7):565-9; discussion 569.
- McQueen MJ, Hawken S, Wang X, Ounpuu S, Sniderman A, Probstfield J, Steyn K, Sanderson JE, Hasani M, Volkova E, Kazmi K, Yusuf S; INTERHEART study investigators.** Lipids, lipoproteins, and apolipoproteins as risk markers of myocardial infarction in 52 countries (the INTERHEART study): a case-control study. *Lancet* 2008;372(9634):224-33.
- McRobert EA, Tikoo A, Cooper ME, Bach LA.** Localization of the ezrin binding epitope for advanced glycation endproducts. *Int J Biochem Cell Biol* 2008;40(8):1570-80.
- McWilliams TJ, Williams TJ, Whitford HM, Snell GI.** Surveillance bronchoscopy in lung transplant recipients: risk versus benefit. *J Heart Lung Transplant* 2008;27(11):1203-9.
- Meade MO, Cook DJ, Guyatt GH, Slutsky AS, Arabi YM, Cooper DJ, Davies AR, Hand LE, Zhou Q, Thabane L, Austin P, Lapinsky S, Baxter A, Russell J, Skrobik Y, Ronco JJ, Stewart TE; Lung Open Ventilation Study Investigators.** Ventilation strategy using low tidal volumes, recruitment maneuvers, and high positive end-expiratory pressure for acute lung injury and acute respiratory distress syndrome: a randomized controlled trial. *JAMA* 2008;299(6):637-45.
- Mechanick JI, Kushner RF, Sugerman HJ, Gonzalez-Campoy JM, Collazo-Clavell ML, Guven S, Spitz AF, Apovian CM, Livingston EH, Brolin R, Sarwer DB, Anderson WA, Dixon J.** Executive summary of the recommendations of the American Association of Clinical Endocrinologists, the Obesity Society, and American Society for Metabolic & Bariatric Surgery medical guidelines for clinical practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. *Endocr Pract* 2008;14(3):318-36.
- Mechanick JI, Kushner RF, Sugerman HJ, Gonzalez-Campoy JM, Collazo-Clavell ML, Guven S, Spitz AF, Apovian CM, Livingston EH, Brolin R, Sarwer DB, Anderson WA, Dixon J.** American Association of Clinical Endocrinologists, The Obesity Society, and American Society for Metabolic & Bariatric Surgery Medical guidelines for clinical practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric. *Endocr Pract* 2008;14(Suppl 1):1-83.
- Mechanick JI, Kushner RF, Sugerman HJ, Gonzalez-Campoy JM, Collazo-Clavell ML, Guven S, Spitz AF, Apovian CM, Livingston EH, Brolin R, Sarwer DB, Anderson WA, Dixon J.** Medical guidelines for clinical practice for the perioperative nutritional, metabolic, and nonsurgical support of the bariatric surgery patient. *Surg Obes Relat Dis* 2008;4(5 Suppl):S109-84.
- Mefford ME, Gorry PR, Kunstman K, Wolinsky SM, Gabuzda D.** Bioinformatic prediction programs underestimate the frequency of CXCR4 usage by R5X4 HIV-1 in brain and other tissues. *AIDS Res Human Retroviruses* 2008;24(9):1215-20.
- Meikle PJ, Duplock S, Blacklock D, Whitfield PD, Macintosh G, Hopwood JJ, Fuller M.** Effect of lysosomal storage on bis(monoacylglycerol)phosphate. *Biochem J* 2008;411(1):71-8.
- Meikle PJ, Whitfield PD, Rozaklis T, Blacklock D, Duplock S, Elstein D, Zimran A, Mengel E, Cannell P, Hopwood JJ, Fuller M.** Plasma lipids are altered in Gaucher disease: biochemical markers to evaluate therapeutic intervention. *Blood Cells Mol Dis* 2008;40(3):420-7.
- Meintjes G, Lawn SD, Scano F, Maartens G, French MA, Worodria W, Elliott JH, Murdoch D, Wilkinson RJ, Seyler C, John L, van der Loeff MS, Reiss P, Lynen L, Janoff EN, Gilks C, Colebunders R; International Network for the Study of HIV-associated IRIS.** Tuberculosis-associated immune reconstitution inflammatory syndrome: case definitions for use in resource-limited settings. *Lancet Infect Dis* 2008;8(8):516-23.
- Mifsud NA, Purcell AW, Chen W, Holdsworth R, Tait BD, McCluskey J.** Immunodominance hierarchies and gender bias in direct T(CD8)-cell alloreactivity. *Am J Transplant* 2008;8(1):121-32.
- Mikocka-Walus A, Turnbull D, Moulding N, Wilson I, Andrews JM, Holtmann G.** Psychological comorbidity and complexity of gastrointestinal symptoms in clinically diagnosed irritable bowel syndrome patients. *J Gastroenterol Hepatol* 2008;23(7 Pt 1):1137-43.
- Mikocka-Walus AA, Turnbull DA, Andrews JM, Moulding NT, Holtmann GJ.** The effect of functional gastrointestinal disorders on psychological comorbidity and quality of life in patients with inflammatory bowel disease. *Aliment Pharmacol Ther* 2008;28(4):475-83.
- Mikocka-Walus AA, Turnbull DA, Andrews JM, Moulding NT, Wilson IG, Harley HA, Hetzel DJ, Holtmann GJ.** Psychological problems in gastroenterology outpatients: a South Australian experience. Psychological co-morbidity in IBD, IBS and hepatitis C. *Clin Pract Epidemiol Ment Health* 2008;4:15.
- Mikocka-Walus AA, Turnbull DA, Moulding NT, Wilson IG, Holtmann GJ, Andrews JM.** Does psychological status influence clinical outcomes in patients with inflammatory bowel disease (IBD) and other chronic gastroenterological diseases: an observational cohort prospective study. *Biopsychosoc Med* 2008;2:11.
- Milland J, Yuriev E, Xing PX, McKenzie IF, Ramsland PA, Christiansen D, Sandrin MS.** Reply to Response to Milland *et al.*: Carbohydrate residues downstream of the terminal gal α (1,3) gal epitope modulate the specificity of xenoreactive antibodies. *Immunol Cell Biol* 2008;86(8):631-2; author reply 633-4.
- Mills PM, Wang Y, Cicutini FM, Stoffel K, Stachowiak GW, Podsiadlo P, Lloyd DG.** Tibio-femoral cartilage defects 3-5 years following arthroscopic partial medial Meniscectomy. *Osteoarthritis Cartilage* 2008;16(12):1526-31.
- Mishra A, Greaves R, Smith K, Carlin JB, Wootton A, Stirling R, Massie J.** Diagnosis of cystic fibrosis by sweat testing: age-specific reference intervals. *J Pediatr* 2008;153(6):758-63.
- Mitra B, Cameron PA, Gabbe BJ, Rosenfeld JV, Kavar B.** Management and hospital outcome of the severely head injured elderly patient. *ANZ J Surg* 2008;78(7):588-92.
- Mitra B, Cameron PA, Mele G, Archer P.** Rest during shift work in the emergency department. *Aust Health Rev* 2008;32(2):246-51.
- Moe KT, Woon FP, De Silva DA, Wong P, Koh TH, Kingwell B, Chin-Dusting J, Wong MC.** Association of acute ischemic stroke with the MTHFR C677T polymorphism but not with NOS3 gene polymorphisms in a Singapore population. *Eur J Neurol* 2008;15(12):1309-14.
- Mohebbi M, Mahmoodi M, Wolfe R, Nourijelyani K, Mohammad K, Zeraati H, Fotouhi A.** Geographical spread of gastrointestinal tract cancer incidence in the Caspian Sea region of Iran: spatial analysis of cancer registry data. *BMC Cancer* 2008;8:137.
- Moloney JT, Fowler SJ, Chang W.** Anesthetic management of thoracic trauma. *Curr Opin Anaesthesiol* 2008;21(1):41-6. Review.
- Morley AP, Papageorgiou CH, Marinaki AM, Cooper DJ, Lewis CM.** The effect of pre-operative anxiety on induction of anaesthesia with propofol. *Anaesthesia* 2008;63(5):467-73.
- Morrissey CO, Bardy PG, Slavin MA, Ananda-Rajah MR, Chen SC, Kirsas SW, Ritchie DS, Upton A.** Diagnostic and therapeutic approach to persistent or recurrent fevers of unknown origin in adult stem cell transplantation and haematological malignancy. *Intern Med J* 2008;38(6b):477-95.

- Morton JM, McLean C, Booth SS, Snell GI, Whitford HM.** Regression of pulmonary lymphangiomyomatosis (PLAM)-associated retroperitoneal angiomyolipoma post-lung transplantation with rapamycin treatment. *J Heart Lung Transplant* 2008;27(4):462-5.
- Mu FT, Andrews RK, Arthur JF, Munday AD, Cranmer SL, Jackson SP, Stomski FC, Lopez AF, Berndt MC.** A functional 14-3-3 ζ -independent association of PI3-kinase with glycoprotein Ib α , the major ligand-binding subunit of the platelet glycoprotein Ib-IX-V complex. *Blood* 2008;111(9):4580-7.
- Mukhamedova N, Escher G, D'Souza W, Tchoua U, Grant A, Krozowski Z, Bukrinsky M, Sviridov D.** Enhancing apolipoprotein A-I-dependent cholesterol efflux elevates cholesterol export from macrophages *in vivo*. *J Lipid Res* 2008;49(11):2312-22.
- Mulholland SA, Cameron PA, Gabbe BJ, Williamson OD, Young K, Smith KL, Bernard SA.** Prehospital prediction of the severity of blunt anatomic injury. *J Trauma* 2008;64(3):754-60.
- Mullighan CG, Heatley SL, Danner S, Dean MM, Doherty K, Hahn U, Bradstock KF, Minchinton R, Schwarer AP, Szer J, Bardy PG.** Mannose-binding lectin status is associated with risk of major infection following myeloablative sibling allogeneic hematopoietic stem cell transplantation. *Blood* 2008;112(5):2120-8.
- Munro PE, Button BM, Bailey M, Whitford H, Ellis SJ, Snell GI.** Should lung transplant recipients routinely perform airway clearance techniques? A randomized trial. *Respirology* 2008;13(7):1053-60.
- Murphy AJ, Woollard KJ, Hoang A, Mukhamedova N, Stirzaker RA, McCormick SP, Remaley AT, Sviridov D, Chin-Dusting J.** High-density lipoprotein reduces the human monocyte inflammatory response. *Arterioscler Thromb Vasc Biol* 2008;28(11):2071-7.
- Myburgh JA, Cooper DJ, Finfer SR, Venkatesh B, Jones D, Higgins A, Bishop N, Higlett T; Australasian Traumatic Brain Injury Study (ATBIS) Investigators for the Australian; New Zealand Intensive Care Society Clinical Trials Group.** Epidemiology and 12-month outcomes from traumatic brain injury in Australia and New Zealand. *J Trauma* 2008;64(4):854-62.
- Myburgh JA, Higgins A, Jovanovska A, Lipman J, Ramakrishnan N, Santamaria J; CAT Study investigators.** A comparison of epinephrine and norepinephrine in critically ill patients. *Intensive Care Med* 2008;34(12):2226-34.
- Myers M, Zimmet P.** Halting the accelerating epidemic of Type 1 diabetes. *Lancet* 2008;371(9626):1730-1. Review.
- Myhill P, Davis WA, Bruce DG, Mackay IR, Zimmet P, Davis TM.** Chronic complications and mortality in community-based patients with latent autoimmune diabetes in adults: the Fremantle Diabetes Study. *Diabet Med* 2008;25(10):1245-50.
- Myles PS, Chan MT, Kaye DM, McIlroy DR, Lau CW, Symons JA, Chen S.** Effect of nitrous oxide anesthesia on plasma homocysteine and endothelial function. *Anesthesiology* 2008;109(4):657-63.
- Myles PS, Chan MT, Leslie K, Peyton P, Paech M, Forbes A.** Effect of nitrous oxide on plasma homocysteine and folate in patients undergoing major surgery. *Br J Anaesth* 2008;100(6):780-6.
- Myles PS, Marasco S.** Misleading turbulent flow through pulmonary venous anastomoses during lung transplantation. *Anesth Analg* 2008;107(5):1504-5.
- Myles PS, Smith J, Knight J, Cooper DJ, Silbert B, McNeil J, Esmore DS, Buxton B, Krum H, Forbes A, Tonkin A; ATACAS Trial Group.** Aspirin and Tranexamic Acid for Coronary Artery Surgery (ATACAS) Trial: rationale and design. *Am Heart J* 2008;155(2):224-30.
- Nagle C, Lewis S, Meiser B, Gunn J, Halliday J, Bell R.** Exploring general practitioners' experience of informing women about prenatal screening tests for foetal abnormalities: a qualitative focus group study. *BMC Health Serv Res* 2008;8:114.
- Nan H, Qiao Q, Söderberg S, Gao W, Zimmet P, Shaw J, Alberti G, Dong Y, Uusitalo U, Pauvaday V, Chitson P, Tuomilehto J.** Serum uric acid and components of the metabolic syndrome in non-diabetic populations in Mauritian Indians and Creoles and in Chinese in Qingdao, China. *Metab Syndr Relat Disord* 2008;6(1):47-57.
- Nan H, Qiao Q, Söderberg S, Pitkaniemi J, Zimmet P, Shaw J, Alberti G, Uusitalo U, Pauvaday V, Chitson P, Tuomilehto J.** Serum uric acid and incident diabetes in Mauritian Indian and Creole populations. *Diabetes Res Clin Pract* 2008;80(2):321-7.
- Naughton M, Howard M.** Is there a case for screening commercial drivers for sleep apnea? *Exp Rev Res Med* 2008;2(5):529-33.
- Naughton MT.** Common sleep problems in ICU: heart failure and sleep-disordered breathing syndromes. *Crit Care Clin* 2008;24(3):565-87.
- Naughton MT.** Testing for Cheyne-Stokes respiration in patients with heart failure: while sleeping or cycling? *Chest* 2008;132(5):1416-8.
- Naughton MT.** A tale of two citizens: sleeping with a snoring generator. *Eur J Cardiovasc Nurs* 2008;7(2):89-90. Review.
- Nelson MR, Reid CM, Ames DA, Beilin LJ, Donnan GA, Gibbs P, Johnston CI, Krum H, Storey E, Tonkin A, Wolfe R, Woods R, McNeil JJ.** Feasibility of conducting a primary prevention trial of low-dose aspirin for major adverse cardiovascular events in older people in Australia: results from the ASPirin in Reducing Events in the Elderly (ASPREE) pilot study. *Med J Aust* 2008;189(2):105-9.
- Nestel PJ.** Editorial. *Curr Opin Lipidol* 2008;19:1-3. Editorial.
- Nestel PJ.** Effects of dairy fats within different foods on plasma lipids. *J Am Coll Nutr* 2008;27(6):735S-40S. Review.
- Nestel PJ, O'Brien R, Nelson M.** Management of dyslipidaemia – evidence and practical recommendations. *Aust Fam Physician* 2008;37(7):521-7. Review.
- New PW.** Survey of patients' preference for the location of rehabilitation ward rounds. *J Rehabil Med* 2008;40(8):678-80.
- New PW.** Inappropriate suggestion of benefit from hyperbaric oxygen for spinal cord injury. *Spinal Cord* 2008;46(12):824. Letter.
- New PW, Poulos CJ.** Functional improvement of the Australian health care system – can rehabilitation assist? *Med J Aust* 2008;189(6):340-3.
- New PW, Sundararajan V.** Incidence of non-traumatic spinal cord injury in Victoria, Australia: a population-based study and literature review. *Spinal Cord* 2008;46(6):406-11.
- Newbold A, Lindemann RK, Cluse LA, Whitecross KF, Dear AE, Johnstone RW.** Characterisation of the novel apoptotic and therapeutic activities of the histone deacetylase inhibitor romidepsin. *Mol Cancer Ther* 2008;7(5):1066-79.
- Newman C, Butow P, Knight R, McMillan K, Treloar C, Kippax S, Eades S.** Cancer and Aboriginal people in Australia: a review of the literature. *Crit Pub Health* 2008;18(1):65-75. Review.
- Newton PJ, Davidson PM, Macdonald P, Ollerton R, Krum H.** Nebulized furosemide for the management of dyspnea: does the evidence support its use? *J Pain Symptom Manage* 2008;36(4):424-41.
- Ngo TT, Liu GB, Tilley AJ, Pettigrew JD, Miller SM.** The changing face of perceptual rivalry. *Brain Res Bull* 2008;75(5):610-8.
- Nguyen TH, Mifsud NA, Stewart LA, Rose MJ, Etto TL, Williamson NA, Purcell AW, Kotsimbos T, Schwarer AP.** Refinement in the production and purification of recombinant HCMV IE1-pp65 protein for the generation of epitope-specific T cell immunity. *Protein Expr Purif* 2008;61(1):22-30.
- Nguyen TT, Wang JJ, Islam FM, Mitchell P, Tapp RJ, Zimmet PZ, Simpson R, Shaw J, Wong TY.** Retinal arteriolar narrowing predicts incidence of diabetes: the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. *Diabetes* 2008;57(3):536-9.
- Nichol AD, Westbrook A, Bellomo R, Cooper DJ.** Is it too early to recommend a restrictive transfusion strategy in critically ill patients with ischemic heart disease? *Crit Care Med* 2008;36(11):3126-7.
- Niego B, Horvath A, Coughlin PB, Pugsley MK, Medcalf RL.** Desmoteplase-mediated plasminogen activation and clot lysis are inhibited by the lysine analogue tranexamic acid. *Blood Coagul Fibrinolysis* 2008;19(4):322-4.
- Nielsen S, Dietze P, Cantwell K, Lee N, Taylor D.** Methadone- and buprenorphine-related ambulance attendances: a population-based indicator of adverse events. *J Subst Abuse Treat* 2008;35(4):457-61.
- Nielsen TC, Meikle PJ, Hopwood JJ, Fuller M.** Minimum substrate requirements of endoglycosidase activities toward dermatan sulfate by electrospray ionization-tandem mass spectrometry. *Glycobiology* 2008;18(12):1119-28.
- Nigro J, Potter-Perigo S, Ivey ME, de Dios ST, Evanko SP, Wight TN, Little PJ.** The effect of PPAR ligands to modulate glucose metabolism alters the incorporation of metabolic precursors into proteoglycans synthesized by human vascular smooth muscle cells. *Arch Physiol Biochem* 2008;114(3):171-7.

- Nijland EA, Weijmar Schultz WC, Nathorst-Boos J, Helmond FA, Van Lunsen RH, Palacios S, Norman RJ, Mulder RJ, Davis SR; LISA study investigators.** Tibolone and transdermal E2/NETA for the treatment of female sexual dysfunction in naturally menopausal women: results of a randomized active-controlled trial. *J Sex Med* 2008;5(3):646-56.
- Nolan RC, Puy R, Deckert K, O'Hehir RE, Douglass JA.** Experience with a new commercial skin testing kit to identify IgE-mediated penicillin allergy. *Intern Med J* 2008;38(5):357-61.
- Norman J, Walsh N., Mugavin J, Stooze M, Kelsall J, Austin K, Lintzeris N.** The acceptability and feasibility of peer worker support role in community based HCV treatment for injecting drug users. *Harm Reduct J* 2008;5:8.
- Nyamdorj R, Qiao Q, Söderberg S, Pitkäniemi J, Zimmet P, Shaw J, Alberti G, Nan H, Uusitalo U, Pauvaday V, Chitson P, Tuomilehto J.** Comparison of body mass index with waist circumference, waist-to-hip ratio, and waist-to-stature ratio as a predictor of hypertension incidence in Mauritius. *J Hypertens* 2008;26(5):866-70.
- Obesity in Asia Collaboration, Huxley R, Barzi F, Lee CMY, Janus E, Lam TH, Caterson I, Azzzi F, Lear S, Patel J, Shaw J, Adam J, Oh SW, Kang JH, Zimmet P, Woodward M.** Is central obesity a better discriminator of the risk of hypertension than body mass index in ethnically diverse populations? *J Hypertens* 2008;26(2):169-77.
- Obesity in Asia Collaboration, Huxley R, James WP, Barzi F, Patel JV, Lear SA, Suriyawongpaisal P, Janus E, Caterson I, Zimmet P, Prabhakaran D, Reddy S, Woodward M.** Ethnic comparisons of the cross-sectional relationships between measures of body size with diabetes and hypertension. *Obes Rev* 2008;9(suppl 1):53-61. Review.
- O'Brien L, Bailey M.** Determinants of compliance with hand splinting in an acute brain injured population. *Brain Inj* 2008;22(5):411-8.
- O'Connell AM, Lyon SM, O'Sullivan P, Given MF, Morrin M, Lee MJ.** Secretin-assisted CT of the pancreas: improved pancreatic enhancement and tumour conspicuity. *Clin Radiol* 2008;63(4):401-6.
- O'Croinin DF, Nichol AD, Hopkins N, Boylan J, O'Brien S, O'Connor C, Laffey JG, McLoughlin P.** Sustained hypercapnic acidosis during pulmonary infection increases bacterial load and worsens lung injury. *Crit Care Med* 2008;36(7):2128-35.
- O'Dea K, Cunningham J, Maple-Brown L, Weeramanthri T, Shaw J, Dunbar T, Zimmet P.** Diabetes and cardiovascular risk factors in urban Indigenous adults: results from the DRUID study. *Diabetes Res Clin Pract* 2008;80(3):483-9.
- Odom GL, Gregorevic P, Allen JM, Finn E, Chamberlain JS.** Microtrophin delivery through rAAV6 increases lifespan and improves muscle function in dystrophic dystrophin/utrophin-deficient mice. *Mol Ther* 2008;16(9):1539-45.
- O'Donnell ML, Bryant RA, Creamer M, Carty J.** Mental health following traumatic injury: toward a health system model of early psychological intervention. *Clin Psychol Rev* 2008;28(3):387-406.
- O'Donnell ML, Creamer MC, Parslow R, Elliott P, Holmes AC, Ellen S, Judson R, McFarlane AC, Silove D, Bryant RA.** A predictive screening index for posttraumatic stress disorder and depression following traumatic injury. *J Consult Clin Psychol* 2008;76(6):923-32.
- O'Hehir RE, Sandrini A, Anderson GP, Rolland JM.** Sublingual allergen immunotherapy: immunological mechanisms and prospects for refined vaccine preparation. *Curr Med Chem* 2008;14(21):2235-44.
- Oldenburg BF, Harper TA.** Investing in the future: prevention a priority at last. *Med J Aust* 2008;189(5):267-8.
- Ono A, Westein E, Hsiao S, Nesbitt WS, Hamilton JR, Schoenwaelder SM, Jackson SP.** Identification of a fibrin-independent platelet contractile mechanism regulating primary hemostasis and thrombus growth. *Blood* 2008;112(1):90-9.
- Ooi EM, Barrett PH, Chan DC, Nestel PJ, Watts GF.** Dose-dependent effect of rosuvastatin on apolipoprotein B-100 kinetics in the metabolic syndrome. *Atherosclerosis* 2008;197(1):139-46.
- Ooi EM, Watts GF, Barrett PH, Chan DC, Clifton PM, Ji J, Nestel PJ.** Dietary plant sterols supplementation does not alter lipoprotein kinetics in men with the metabolic syndrome. *Asia Pac J Clin Nutr* 2008;16(4):624-31.
- Ooi EM, Watts GF, Chan DC, Chen MM, Nestel PJ, Sviridov D, Barrett PH.** Dose-dependent effect of rosuvastatin on VLDL-apolipoprotein C-III kinetics in the metabolic syndrome. *Diabetes Care* 2008;31(8):1656-61.
- Ooi EM, Watts GF, Nestel PJ, Sviridov D, Hoang A, Barrett PH.** Dose-dependent regulation of high-density lipoprotein metabolism with rosuvastatin in the metabolic syndrome. *J Clin Endocrinol Metab* 2008;93(2):430-7.
- Opravil M, Sasadeusz J, Cooper DA, Rockstroh JK, Clumeck N, Clotet B, Montaner J, Torriani FJ, Depamphilis J, Dieterich DT.** Effect of baseline CD4 cell count on the efficacy and safety of peginterferon Alfa-2a (40KD) plus ribavirin in patients with HIV/hepatitis C virus coinfection. *J Acquir Immune Defic Syndr* 2008;47(1):36-49.
- O'Reilly G, Fitzgerald M, Ariyananda PL, Williams S, Smith L, Jones T, Charlton S, Young S, Dziukas L, Fisher Z, Wragg S, Burke E.** In the wake of Sri Lanka's tsunami: the health for the south capacity-building project. *Emerg Med Australas* 2008;20(2):175-9.
- Origin Trial Investigators, Gerstein H, Yusuf S, Riddle MC, Ryden L, Bosch J.** Rationale, design, and baseline characteristics for a large international trial of cardiovascular disease prevention in people with dysglycemia: the ORIGIN Trial (Outcome Reduction with an Initial Glargine Intervention). *Am Heart J* 2008;155(1):26-32, 32.e1-6.
- Osman N, Ballinger ML, Dadlani H, Getachew R, Burch ML, Little PJ.** p38 MAP kinase mediated proteoglycan synthesis as a target for the prevention of atherosclerosis. *Cardiovasc Hematol Disord Drug Targets* 2008;8(4):287-92.
- O'Sullivan SS, Massey LA, Williams DR, Silveira-Moriyama L, Kempster PA, Holton JL, Revesz T, Lees AJ.** Clinical outcomes of progressive supranuclear palsy and multiple system atrophy. *Brain* 2008;131(Pt 5):1362-72.
- O'Sullivan SS, Williams DR, Gallagher DA, Massey LA, Silveira-Moriyama L, Lees AJ.** Nonmotor symptoms as presenting complaints in Parkinson's disease: a clinicopathological study. *Mov Disord* 2008;23(1):101-6.
- Oto T, Excell L, Griffiths AP, Levvey BJ, Bailey M, Marasco S, Macdonald P, Snell GI.** Association between primary graft dysfunction among lung, kidney and heart recipients from the same multiorgan donor. *Am J Transplant* 2008;8(10):2132-9.
- Oto T, Excell L, Griffiths AP, Levvey BJ, Snell GI.** The implications of pulmonary embolism in a multiorgan donor for subsequent pulmonary, renal, and cardiac transplantation. *J Heart Lung Transplant* 2008;27(1):78-85.
- O'Toole J, Sinclair M, Diaper C, Leder K.** Comparative survival of enteric indicators, *E. coli* and somatic and F-RNA bacteriophages on turf-grass irrigated with recycled water. *Water Sci Technol* 2008;58(3):513-8.
- O'Toole J, Sinclair M, Jeavons T, Leder K.** Alternative water sources and endotoxin. *Water Sci Technol* 2008;58(3):603-7.
- O'Toole J, Sinclair M, Leder K.** Maximising response rates in household telephone surveys. *BMC Med Res Methodol* 2008;8:71.
- Ott C, Schlaich MP, Harazny J, Schmidt BM, Michelson G, Schmieder RE.** Effects of angiotensin II type 1-receptor blockade on retinal endothelial function. *J Hypertens* 2008;26(3):516-22.
- Ott C, Schlaich MP, Schmidt BM, Titze SI, Schäufele T, Schmieder RE.** Rosuvastatin improves basal nitric oxide activity of the renal vasculature in patients with hypercholesterolemia. *Atherosclerosis* 2008;196(2):704-11.
- Owen AJ, Spinks J, Meehan A, Robb T, Hardy M, Kwasha D, Wlodarczyk J, Reid CM.** A new model to evaluate the long-term cost effectiveness of orphan and highly specialised drugs following listing on the Australian Pharmaceutical Benefits Scheme: the Bosentan Patient Registry. *J Med Economics* 2008;11(2):235-43.
- Owe-Young R, Webster NL, Mukhtar M, Pomerantz RJ, Smythe G, Walker D, Armati PJ, Crowe SM, Brew BJ.** Kynurenine pathway metabolism in human blood-brain-barrier cells: implications for immune tolerance and neurotoxicity. *J Neurochem* 2008;105(4):1346-57.
- Palumbo A, Facon T, Sonneveld P, Blade J, Offidani M, Gay F, Moreau P, Waage A, Spencer A, Ludwig H, Boccadoro M, Harousseau JL.** Thalidomide for treatment of multiple myeloma: 10 years later. *Blood* 2008;111(8):3968-77.
- Pan Y, Chamberlain AJ, Bailey M, Chong AH, Haskett M, Kelly JW.** Dermatoscopy aids in the diagnosis of the solitary red scaly patch or plaque-features distinguishing superficial basal cell carcinoma, intraepidermal carcinoma, and psoriasis. *J Am Acad Dermatol* 2008;59(2):268-74.

- Panjari M, Bell R, Adams J, Morrow C, Papalia MA, Astbury J, Davis SR.** Methodology and challenges to recruitment to a randomized, double-blind, placebo-controlled trial of oral DHEA in postmenopausal women. *J Womens Health (Larchmt)* 2008;17(10):1559-65.
- Pankonin C, Higgs P, Reid G, Aitken C.** Selling syringes to injecting drug users: a study of five pharmacies in Hanoi, Vietnam. *J Infect Developing Countries* 2008;2(1):51-8.
- Parving HH, de Zeeuw D, Cooper ME, Remuzzi G, Liu N, Luceford J, Shahinfar S, Wong PH, Lyle PA, Rossing P, Brenner BM.** ACE gene polymorphism and losartan treatment in Type 2 diabetic patients with nephropathy. *J Am Soc Nephrol* 2008;19(4):771-9.
- Pasarica M, Mashtalir N, McAllister EJ, Kilroy GE, Koska J, Permana P, de Courten B, Yu M, Ravussin E, Gimble JM, Dhurandhar NV.** Adipogenic human adenovirus Ad-36 induces commitment, differentiation, and lipid accumulation in human adipose-derived stem cells. *Stem Cells* 2008;26(4):969-78.
- Pasricha SR, Grigg A, Catalano J, Leahy M, Underhill C, Arthur C, D'Rozario J, Lowenthal R, Reed K, Spencer A.** A multicenter phase 2 study of risk-adjusted salvage chemotherapy incorporating vinorelbine and gemcitabine for relapsed and refractory lymphoma. *Cancer* 2008;113(11):3192-8.
- Paterson MA, Hosking PS, Coughlin PB.** Expression of the serpin centerin defines a germinal center phenotype in B-cell lymphomas. *Am J Clin Pathol* 2008;130(1):117-26.
- Patil S, Schwarzer A, McLean C.** Urinary cytology in multiple myeloma. *Cytopathology* 2008;19(2):130-1.
- Pavlin NL, Parker R, Fairley CK, Gunn JM, Hocking J.** Take the sex out of STI screening! Views of young women on implementing chlamydia screening in General Practice. *BMC Infect Dis* 2008;8:62.
- Payne WR, Walsh KJ, Harvey JT, Livy MF, McKenzie KJ, Donaldson A, Atkinson MG, Keogh JB, Moss RS, Dunstan DW, Hubbard WA.** Effect of a low-resource-intensive lifestyle modification program incorporating gymnasium-based and home-based resistance training on Type 2 diabetes risk in Australian adults. *Diabetes Care* 2008;31(12):2244-50.
- Pearce DC, Cadilhac DA, Pierce RJ, Thrift AG, David S, Donnan GA; SCOPES II Study Group.** Estimating the prevalence of sleep-disordered breathing in community-based, long-term stroke survivors using a validated predictive model. *Cerebrovasc Dis* 2008;26(4):441-6.
- Pedersen BK, Febbraio MA.** Muscle as an endocrine organ: focus on muscle-derived interleukin-6. *Physiol Rev* 2008;88(4):1379-406. Review.
- Pedrana A, Aitken C, Higgs P, Hellard M.** Blood borne viruses and risk behaviours among transient farm workers in rural Victoria. *Aust J Rural Health* 2008;16(3):143-9.
- Pedrana A, Hellard M, Giles M.** Registered post achieved a higher response rate than normal mail – a randomised controlled trial. *J Clin Epidemiol* 2008;61(9):896-9.
- Peiris D, Brown A, Cass A.** Addressing inequities in access to quality health care for indigenous people. *CMAJ* 2008;179(10):985-6.
- Pepe S, Leong JY, van der Merwe J, Marasco SF, Hadj A, Lymbury R, Perkins A, Rosenfeldt FL.** Targeting oxidative stress in surgery: effects of ageing and therapy. *Exp Gerontol* 2008;43(7):653-7. Review.
- Percival JM, Anderson KN, Gregorevic P, Chamberlain JS, Froehner SC.** Functional deficits in nNOSmu-deficient skeletal muscle: myopathy in nNOS knockout mice. *PLoS ONE* 2008;3(10):e3387.
- Percy CJ, Power DA, Gobe GC.** Renal ageing: changes in the cellular mechanism of energy metabolism and oxidant handling. *Nephrology (Carlton)* 2008;13(2):147-52.
- Petravic J, Loh L, Kent SJ, Davenport MP.** CD4+ target cell availability determines the dynamics of immune escape and reversion *in vivo*. *J Virol* 2008;82(8):4091-101.
- Peyton PJ, Fortuin M, Robinson GJ, Stuart-Andrews C, Pierce R, Thompson BR.** The rate of alveolar-capillary uptake of sevoflurane and nitrous oxide following anaesthetic induction. *Anaesthesia* 2008;63(4):358-63.
- Peyton PJ, Horriat M, Robinson GJ, Pierce R, Thompson BR.** Magnitude of the second gas effect on arterial sevoflurane partial pressure. *Anesthesiology* 2008;108(3):381-7.
- Pfluger HB, Phrommintikul A, Mariani JA, Cherayath JG, Taylor AJ.** Utility of myocardial fibrosis and fatty infiltration detected by cardiac magnetic resonance imaging in the diagnosis of arrhythmogenic right ventricular dysplasia—a single centre experience. *Heart Lung Circ* 2008;17(6):478-83.
- Phang CW, Hocking J, Fairley CK, Bradshaw C, Hayes P, Chen MY.** More than just anal sex: the potential for sexually transmitted infection transmission among men visiting sex-on-premises venues. *Sex Transm Infect* 2008;84(3):217-9.
- Philip JA, Gold M, Sutherland S, Finlayson F, Ware C, Braithwaite M, Harris J, Kotsimbos T, Wilson JW.** End-of-life care in adults with cystic fibrosis. *J Palliat Med* 2008;11(2):198-203.
- Phillips VL, Yarmo Roberts D, Hunsaker AE.** Certified nursing aides' and care assistants' views on falls: insight for creation and implementation of fall prevention programs. *J Am Med Dir Assoc* 2008;9(3):168-72.
- Phrommintikul A, Tran L, Komp A, Wang B, Adrahtas A, Cantwell D, Kelly DJ, Krum H.** Effects of a Rho kinase inhibitor on pressure overload induced cardiac hypertrophy and associated diastolic dysfunction. *Am J Physiol Heart Circ Physiol* 2008;294(4):H1804-14.
- Pick AW.** Invited commentary on amiodarone cost effectiveness in preventing atrial fibrillation after coronary artery bypass graft surgery. *Ann Thorac Surg* 2008;85(1):32-3.
- Pierce R, Naughton MT.** Snoring, sleep apnoea and other sleep problems. *The Australian Lung Foundation*, 3rd edition 2008. Editorial.
- Piriyaarasath P, Morris ME, Winter A, Bialocerowski AE.** The reliability of knee joint position testing using electrogoniometry. *BMC Musculoskelet Disord* 2008;9:6.
- Pitt B, Ahmed A, Love TE, Krum H, Nicolau J, Cardoso JS, Parkhomenko A, Aschermann M, Corbalan R, Solomon H, Shi H, Zannad F.** History of hypertension and eplerenone in patients with acute myocardial infarction complicated by heart failure. *Hypertension* 2008;52(2):271-8.
- Plebanski M, Locke E, Kazura JW, Coppel RL.** Malaria vaccines: into a mirror, darkly? *Trends Parasitol* 2008;24(12):532-6. Letter.
- Polizzotto MN, Neo H, Spelman D, Shortt J, Cole-Sinclair MF, Borosak M, Wong P, Wood EM.** *Streptococcus pneumoniae* septicemia associated with red blood cell transfusion. *Transfusion* 2008;48(7):1520-1.
- Polizzotto MN, Shortt J, Opat SS, Cole-Sinclair MF.** A drop of vitriol: microspherocytosis following sulphuric acid exposure. *Br J Haematol* 2008;140(6):596.
- Ponsford JL, Myles PS, Cooper DJ, McDermott FT, Murray LJ, Laidlaw J, Cooper G, Tremayne AB, Bernard SA.** Gender differences in outcome in patients with hypotension and severe traumatic brain injury. *Injury* 2008;39(1):67-76.
- Powell MS, Hogarth PM.** Fc receptors. *Adv Exp Med Biol* 2008;640:22-34. Review.
- Powell S, Cummings R, Lee D, Fairley CK.** HIV prevention during a sexual health consultation; a suggested quality audit. *Sex Health* 2008;5(3):309.
- Power DA, Ford D.** Biological drugs and the coming of biosimilars. *J Pharm Pract Res* 2008;38:137-9. Letter.
- Preiss S, Littlejohn M, Angus P, Thompson A, Desmond P, Lewin SR, Sasadeusz J, Matthews G, Dore GJ, Shaw T, Sozzi V, Yuen L, Lau G, Ayres A, Thio C, Avihingsanon A, Ruxrungtham K, Locarnini S, Revill PA.** Defective hepatitis B virus DNA is not associated with disease status but is reduced by polymerase mutations associated with drug resistance. *Hepatology* 2008;48(3):741-9.
- Pretorius L, Owen KL, Jennings GL, McMullen JR.** Promoting physiological hypertrophy in the failing heart. *Clin Exp Pharmacol Physiol* 2008;35(4):438-41. Review.
- Pritchett S, Zilberg E, Xu M, Burton D, Brown I, Myles P.** Power analysis of gamma frequencies (30 - 47Hz), adjusting for muscle activity (80 - 97Hz), in anesthesia: a comparison between young adults, middle-aged and the elderly. *Conf Proc IEEE Eng Med Biol Soc* 2008;2008:825-30.
- Proudfoot O, Drew N, Scholzen A, Xiang S, Plebanski M.** Investigation of a novel approach to scoring Giemsa-stained malaria-infected thin blood films. *Malar J* 2008;7:62.

- Qiu W, Hu M, Sridhar A, Opeskin K, Fox S, Shipitsin M, Trivett M, Thompson ER, Ramakrishna M, Gorringer KL, Polyak K, Haviv I, Campbell IG.** No evidence of clonal somatic genetic alterations in cancer-associated fibroblasts from human breast and ovarian carcinomas. *Nat Genet* 2008;40(5):650-5.
- Quintner JL, Cohen ML, Buchanan D, Katz JD, Williamson OD.** Pain medicine and its models: helping or hindering? *Pain Med* 2008;9(7):824-34. Review.
- Rajappan K, Kistler PM, Earley MJ, Thomas G, Izquierdo M, Sporton SC, Schilling RJ.** Acute and chronic pulmonary vein reconnection after atrial fibrillation ablation: a prospective characterization of anatomical sites. *Pacing Clin Electrophysiol* 2008;31(12):1598-604.
- Ramsden CM, Kinsella GJ, Ong B, Storey E.** Performance of everyday actions in mild Alzheimer's disease. *Neuropsychology* 2008;22(1):17-26.
- Rathore FA, Farooq F, Muzammil S, New PW, Ahmad N, Haig AJ.** Spinal cord injury management and rehabilitation: highlights and shortcomings from the 2005 earthquake in Pakistan. *Arch Phys Med Rehabil* 2008;89(3):579-85.
- Ravaoli A, Monti F, Regan MM, Maffini F, Mastropasqua MG, Spataro V, Castiglione-Gertsch M, Panzini I, Gianni L, Goldhirsch A, Coates A, Price KN, Gusterson BA, Viale G; International Breast Cancer Study Group.** p27 and Skp2 immunoreactivity and its clinical significance with endocrine and chemo-endocrine treatments in node-negative early breast cancer. *Ann Oncol* 2008;19(4):660-8.
- Reddy P, Dunbar J, Morgan M, O'Neil A.** Coronary heart disease and depression: getting evidence into clinical practice. *Stress Health* 2008;24(3):223-30.
- Reddy P, Dunbar JA, O'Neil A, Morgan MA, Wolff AM, Janus ED.** Depression in acute coronary syndrome: has the evidence been implemented? *Aust J Rural Health* 2008;16(4):245-6.
- Reid DW, Wen Y, Johns DP, Williams TJ, Ward C, Walters EH.** Bronchodilator reversibility, airway eosinophilia and anti-inflammatory effects of inhaled fluticasone in COPD are not related. *Respirology* 2008;13(6):799-809.
- Remaley AT, Amar M, Sviridov D.** HDL-replacement therapy: mechanism of action, types of agents and potential clinical indications. *Expert Rev Cardiovasc Ther* 2008;6(9):1203-15.
- RENAL Study Investigators.** Renal replacement therapy for acute kidney injury in Australian and New Zealand intensive care units: a practice survey. *Crit Care Resusc* 2008;10(3):225-30.
- RENAL Study Investigators, Bellomo R, Cass A, Cole L, Finfer S, Gallagher M, Goldsmith D, Myburgh J, Norton R, Scheinkestel C.** Design and challenges of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy (RENAL) Trial: high-dose versus standard-dose hemofiltration in acute renal failure. *Blood Purification* 2008;26(5):407-416.
- Repits J, Sterjovski J, Badia-Martinez D, Mild M, Gray L, Churchill MJ, Purcell DF, Karlsson A, Albert J, Fenyo EM, Achour A, Gorry PR, Jansson M.** Primary HIV-1 R5 isolates from end-stage disease display enhanced viral fitness in parallel with increased gp120 net charge. *Virology* 2008;379(1):125-34.
- Ritt M, Harazny JM, Ott C, Schlaich MP, Schneider MP, Michelson G, Schmieder RE.** Analysis of retinal arteriolar structure in never-treated patients with essential hypertension. *J Hypertens* 2008;26(7):1427-34.
- Rizak S, Hruddy SE.** Drinking-water safety: challenges for community-managed systems. *J Water Health* 2008;6 (Suppl 1):33-41. Review.
- Roberts SK, Cooksley G, Dore GJ, Robson R, Shaw D, Berns H, Hill G, Klumpp K, Najera I, Washington C.** Robust antiviral activity of R1626, a novel nucleoside analog: a randomized, placebo-controlled study in patients with chronic hepatitis C. *Hepatology* 2008;48(2):398-406.
- Robertson MS, Wilson SJ, Cade JF.** Acute stress ulceration prophylaxis: point prevalence surveys in intensive care units in Victoria, 1997 and 2005. *Crit Care Resusc* 2008;10(1):18.
- Roberts-Thomson KC, Stevenson IH, Kistler PM, Haqqani HM, Goldblatt JC, Sanders P, Kalman JM.** Anatomically determined functional conduction delay in the posterior left atrium relationship to structural heart disease. *J Am Coll Cardiol* 2008;51(8):856-62.
- Rodriguez Lay Lde L, Quintana A, Villalba MC, Lemos G, Corredor MB, Moreno AG, Prieto PA, Guzman MG, Anderson D.** Dual infection with hepatitis A and E viruses in outbreaks and in sporadic clinical cases: Cuba 1998-2003. *J Med Virol* 2008;80(5):798-802.
- Rogers SL, Tikellis G, Cheung N, Tapp R, Shaw J, Zimmet PZ, Mitchell P, Wang JJ, Wong TY.** Retinal arteriolar caliber predicts incident retinopathy: the Australian Diabetes, Obesity and Lifestyle (AusDiab) study. *Diabetes Care* 2008;31(4):761-3.
- Rolland JM, Apostolou E, de Leon MP, Stockley CS, O'Hehir RE.** Specific and sensitive enzyme-linked immunosorbent assays for analysis of residual allergenic food proteins in commercial bottled wine fined with egg white, milk, and nongrape-derived tannins. *J Agric Food Chem* 2008;56(2):349-54.
- Rolland JM, O'Hehir RE.** Latex allergy: a model for therapy. *Clin Exp Allergy* 2008;38(6):898-912.
- Rollman E, Mason RD, Lin J, Brooks AG, Kent SJ.** Protection afforded by live attenuated SIV is associated with rapid killing kinetics of CTLs. *J Med Primatol* 2008;37 Suppl 2:24-32.
- Rollman E, Turner SJ, Kedzierska K, Kent SJ.** Anti-SIV cytolytic molecules in pigtail macaques. *AIDS Res Hum Retroviruses* 2008;24(8):1127-31.
- Romiti M, Finch CF, Gabbe B.** A prospective cohort study of the incidence of injuries among junior Australian football players: evidence for an effect of playing-age level. *Br J Sports Med* 2008;42(6):441-6.
- Rose H, Hoy J, Woolley I, Tchoua U, Bukrinsky M, Dart A, Sviridov D.** HIV infection and high density lipoprotein metabolism. *Atherosclerosis* 2008;199(1):79-86.
- Rose M, Scharf S.** Is there any role for computed tomography measurements of medial temporal lobe atrophy in dementia? A review of the literature and case series from a memory clinic. *Intern Med J* 2008;38(2):136-9. Review.
- Rosenfeld JV.** ADF Health's first decade. *ADF Health* 2008;9(2):50. Editorial.
- Rosenfeld JV, Bandopadhyay P, Goldschlager T, Brown DJ.** The ethics of the treatment of spinal cord injury: stem cell transplants, motor neuroprosthetics, and social equity. *Top Spinal Cord Inj Rehabil* 2008;14(1):76-88.
- Rosenfeldt F, Braun L.** Other CMs promising in cardiology. *J Complement Med* 2008;7(5):6. Letter.
- Rosenthal MA, Ashley D, Drummond K, Dally M, Murphy M, Cher L, Thursfield V, Giles GG.** Intramedullary spinal cord tumors: patterns of care in Victoria from 1998-2000. *Asia-Pacific J Clin Oncol* 2008;4(2):77-80.
- Rosenthal MA, Ashley DM, Drummond KJ, Dally M, Murphy M, Cher L, Thursfield V, Giles GG.** Brain stem gliomas: patterns of care in Victoria from 1998-2000. *J Clin Neurosci* 2008;15(3):237-40.
- Russell SL, Batty RA.** Elucidating semantic disorganisation from a word comprehension task: do patients with schizophrenia and bipolar disorder show differential processing of nouns, verbs and adjectives? *Schizophr Res* 2008;102(1-3):63-8.
- Rossignol S, Netchine I, Le Bouc Y, Gicquel C.** Epigenetics in Silver-Russell syndrome. *Best Pract Res Clin Endocrinol Metab* 2008;22(3):403-14. Review.
- Roth JA, Pincock T, Sacks R, Forer M, Bousted N, Johnston W, Bailey M.** Harmonic scalpel tonsillectomy versus monopolar diathermy tonsillectomy: a prospective study. *Ear Nose Throat J* 2008;87(6):346-9.
- Rotty J, Hoy J.** New therapeutic agents in the management of HIV: an overview of darunavir for clinicians. *Sex Health* 2008;5(3):235-41.
- Rowley KG, O'Dea K, Anderson I, McDermott R, Saraswati K, Tilmouth R, Roberts I, Fitz J, Wang Z, Jenkins A, Best JD, Wang Z, Brown A.** Lower than expected morbidity and mortality for an Australian Aboriginal population: 10-year follow-up in a decentralised community. *Med J Aust* 2008;188(5):283-7.
- Ruben JD, Davis S, Evans C, Jones P, Gagliardi F, Haynes M, Hunter A.** The effect of intensity-modulated radiotherapy on radiation-induced second malignancies. *Int J Radiat Oncol Biol Phys* 2008;70(5):1530-6.
- Ruetens AT, Shaw JE.** Experimental and clinical pharmacology – incretin mimetics and enhancers: clinical applications. *Aust Prescr* 2008;31(4):104-108.
- Russell JA, Walley KR, Singer J, Gordon AC, Hebert PC, Cooper DJ, Holmes CL, Mehta S, Granton JT, Storms MM, Cook DJ, Presneill JJ, Ayers D; VASST Investigators.** Vasopressin versus norepinephrine infusion in patients with septic shock. *N Engl J Med* 2008;358(9):877-87.

- Ruygrok PN, Esmore DS, Alison PM, Finucane KA, McGuinness SP, McGeorge AD, Negri J, Jones K, Gibbs HC.** Pediatric experience with the VentrAssist LVAD. *Ann Thorac Surg* 2008;86(2):622-6.
- Salamonsen MR, Bailey MJ, Salamonsen RF.** Can ICU stay be predicted accurately enough for fast-tracking cardiac surgical patients? *Crit Care Resusc* 2008;10(3):194-201.
- Salmon J, Dunstan D, Owen N.** Should we be concerned about children spending extended periods of time in sedentary pursuits even among the highly active? *Int J Pediatr Obes* 2008;3(2):66-8.
- Samson AL, Nevin ST, Croucher D, Niego B, Daniel PB, Weiss TW, Moreno E, Monard D, Lawrence DA, Medcalf RL.** Tissue-type plasminogen activator requires a co-receptor to enhance NMDA receptor function. *J Neurochem* 2008;107(4):1091-101.
- Samson AL, Nevin ST, Medcalf RL.** Low molecular weight contaminants in commercial preparations of plasmin and t-PA activate neurons. *J Thromb Haemost* 2008;6(12):2218-20.
- Sanderson K, Nicholson J, Graves N, Tilse E, Oldenburg B.** Mental health in the workplace: using the ICF to model the prospective associations between symptoms, activities, participation and environmental factors. *Disabil Rehabil* 2008;30(17):1289-97.
- Sari E, Bulut N, Altundag K.** Re: Adjuvant chemotherapy with sequential or concurrent anthracycline and docetaxel: Breast International Group 02-98 randomized trial. *J Natl Cancer Inst* 2008;100(9):683.
- Sasadeusz J, Audsley J, Mijch A, Baden R, Caro J, Hunter H, Matthews G, McMahon MA, Olender SA, Siliciano RF, Lewin SR, Thio CL.** The anti-HIV activity of entecavir: a multicentre evaluation of lamivudine-experienced and lamivudine-naive patients. *AIDS* 2008;22(8):947-55.
- Sasadeusz JJ, Silvers JE, Kent HE, Devenish W, Hocking J, Garland SM.** Prevalence of HSV-2 antibody in a Melbourne antenatal population attending a tertiary obstetric hospital. *Aust N Z J Obstet Gynaecol* 2008;48(3):266-72.
- Saunders B, Lyon S, Day M, Riley B, Chenette E, Subramaniam S, Vadivelu I.** The Molecule Pages database. *Nucleic Acids Res* 2008;36(Database issue):D700-6.
- Schlaich MP, Schmitt D, Ott C, Schmidt BM, Schmieder RE.** Basal nitric oxide synthase activity is a major determinant of glomerular haemodynamics in humans. *J Hypertens* 2008;26(1):110-6.
- Seifman MA, Adamides AA, Nguyen PN, Vallance SA, Cooper DJ, Kossman T, Rosenfeld JV, Morganti-Kossmann MC.** Endogenous melatonin increases in cerebrospinal fluid of patients after severe traumatic brain injury and correlates with oxidative stress and metabolic disarray. *J Cereb Blood Flow Metab* 2008;28(4):684-96.
- Seneviratne U, D'Souza W, Cook M.** Long-term assessment of oxcarbazepine in a naturalistic setting: a retrospective study. *Acta Neurol Scand* 2008;117(5):367-9.
- Serpell JW, Grodski S, Yeung M, Swann J, Kemp S, Johnson W.** Hemithyroidectomy: a heuristics perspective. *ANZ J Surg* 2008;78(12):1122-7.
- Sethi AA, Stonik JA, Thomas F, Demosky SJ, Amar M, Neufeld E, Brewer HB, Davidson WS, D'Souza W, Sviridov D, Remaley AT.** Asymmetry in the lipid affinity of bi-helical amphipathic peptides: a structural determinant for the specificity of ABCA1-dependent cholesterol efflux by peptides. *J Biol Chem* 2008;283(47):32273-82.
- Sharp A, Tapp R, Francis DP, McG Thom SA, Hughes AD, Stanton AV, Zambanini A, Chaturvedi N, Byrd S, Poulter NR, Sever PS, Mayet J.** Ethnicity and left ventricular diastolic function in hypertension an ASCOT (Anglo-Scandinavian Cardiac Outcomes Trial) substudy. *J Am Coll Cardiol* 2008;52(12):1015-21.
- Shaw J.** Obstructive sleep apnoea and Type 2 diabetes – the IDF consensus. *Diabetes Voice* 2008;53(3):29-32. Editorial.
- Shaw JA, Andrianopoulos N, Duffy S, Walton AS, Clark D, Lew R, Sebastian M, New G, Brennan A, Reid C, Ajani AE; On behalf of the Melbourne Interventional Group.** Renal impairment is an independent predictor of adverse events post coronary intervention in patients with and without drug-eluting stents. *Cardiovasc Revasc Med* 2008;9(4):218-223.
- Shaw JA, Bobik A, Murphy A, Kanellakis P, Blombery P, Mukhamedova N, Woollard K, Lyon S, Sviridov D, Dart AM.** Infusion of reconstituted high-density lipoprotein leads to acute changes in human atherosclerotic plaque. *Circ Res* 2008;103(10):1084-91.
- Shaw JE, Punjabi NM, Wilding JP, Alberti KG, Zimmet PZ; International Diabetes Federation Taskforce on Epidemiology and Prevention.** Sleep-disordered breathing and Type 2 diabetes: a report from the International Diabetes Federation Taskforce on Epidemiology and Prevention. *Diabetes Res Clin Pract* 2008;81(1):2-12.
- Shearer J, Johnston J, Kaye S, Dillon P, Dietze P, Collins L.** An Australian profile on cocaine supply. *Howard J Crim Justice* 2008;47(1):67-80.
- Sheng KC, Kalkanidis M, Pouniotis DS, Esparon S, Tang CK, Apostolopoulos V, Pietersz GA.** Delivery of antigen using a novel mannosylated dendrimer potentiates immunogenicity *in vitro* and *in vivo*. *Eur J Immunol* 2008;38(2):424-36.
- Sheng KC, Kalkanidis M, Pouniotis DS, Wright MD, Pietersz GA, Apostolopoulos V.** The adjuvanticity of a mannosylated antigen reveals TLR4 functionality essential for subset specialization and functional maturation of mouse dendritic cells. *J Immunol* 2008;181(4):2455-64.
- Shortt J, Westall GP, Roxby D, Chen JW, Snell GI, Polizzotto MN, Magrin G, Webb A, Street AM, Borosak M, Wood EM, Cole-Sinclair MF.** A 'dangerous' group O donor: severe hemolysis in all recipients of organs from a donor with multiple red cell alloantibodies. *Am J Transplant* 2008;8(3):711-4.
- Sicree RA, Zimmet PZ, Dunstan DW, Cameron AJ, Welborn TA, Shaw JE.** Differences in height explain gender differences in the response to the oral glucose tolerance test – the AusDiab study. *Diabet Med* 2008;25(3):296-302.
- Sidat MM, Mijch AM, Lewin SR, Hoy JF, Hocking J, Fairley CK.** Incidence of putative HIV superinfection and sexual practices among HIV-infected men who have sex with men. *Sex Health* 2008;5(1):61-7.
- Sidhom MA, Kneebone AB, Lehman M, Wiltshire KL, Millar JL, Mukherjee RK, Shakespeare TP, Tai KH.** Post-prostatectomy radiation therapy: consensus guidelines of the Australian and New Zealand Radiation Oncology Genito-Urinary Group. *Radiother Oncol* 2008;88(1):10-9.
- Silbert B, Evered L, Scott DA, McCutcheon C, Jamrozik K.** Homocysteine and C-reactive protein are not markers of cognitive impairment in patients with major cardiovascular disease. *Dement Geriatr Cogn Disord* 2008;25(4):309-16.
- Singh I, Carey AL, Watson N, Febbraio MA, Hawley JA.** Oxidative stress-induced insulin resistance in skeletal muscle cells is ameliorated by gamma-tocopherol treatment. *Eur J Nutr* 2008;47(7):387-92.
- Siwanuwatn R, Deshmukh P, Feiz-Erfan I, Rekeate HL, Zabramski JM, Spetzler RF, Rosenfeld JV.** Microsurgical anatomy of the transcallosal anterior interfenicine approach to the third ventricle. *Neurosurgery* 2008;62(6 Suppl 3):1059-65.
- Skilton MR.** Intrauterine risk factors for precocious atherosclerosis. *Pediatrics* 2008;121(3):570-4. Review.
- Skilton MR, Laville M, Cust AE, Moulin P, Bonnet F.** The association between dietary macronutrient intake and the prevalence of the metabolic syndrome. *Br J Nutr* 2008;100(2):400-7.
- Skilton MR, Sieveking DP, Harmer JA, Franklin J, Loughnan G, Nakhla S, Sullivan DR, Catterson ID, Celermajer DS.** The effects of obesity and non-pharmacological weight loss on vascular and ventricular function and structure. *Diabetes Obes Metab* 2008;10(10):874-84.
- Slavin MA.** Introduction to the updated Australian and New Zealand consensus guidelines for the use of antifungal agents in the haematology/oncology setting, 2008. *Intern Med J* 2008;38(6b):457-67.
- Slavin MA, Heath CH, Thursky KA, Morrissey CO, Szer J, Ling LM, Milliken ST, Grigg AP.** Antifungal prophylaxis in adult stem cell transplantation and haematological malignancy. *Intern Med J* 2008;38(6b):468-76.
- Sliwa K, Wilkinson D, Hansen C, Ntyintyane L, Tibazarwa K, Becker A, Stewart S.** Spectrum of heart disease and risk factors in a black urban population in South Africa (the Heart of Soweto Study): a cohort study. *Lancet* 2008;371(9616):915-22.
- Sluis-Cremer N, Tachedjian G.** Mechanisms of inhibition of HIV replication by non-nucleoside reverse transcriptase inhibitors. *Virus Res* 2008;134(1-2):147-56.

- Smith A, Farmer KC, Chapple K.** Clinical and endorectal ultrasound staging of circumferential rectal cancers. *J Med Imaging Radiat Oncol* 2008;52(2):161-3.
- Smith MZ, Asher TE, Venturi V, Davenport MP, Douek DC, Price DA, Kent SJ.** Limited maintenance of vaccine-induced simian immunodeficiency virus-specific CD8 T-cell receptor clonotypes after virus challenge. *J Virol* 2008;82(15):7357-68.
- Smyth I, Hacking DF, Hilton AA, Mukhamedova N, Meikle PJ, Ellis S, Slattery K, Collinge JE, de Graaf CA, Bahlo M, Sviridov D, Kile BT, Hilton DJ.** A mouse model of harlequin ichthyosis delineates a key role for Abca12 in lipid homeostasis. *PLoS Genet* 2008;4(9):e1000192.
- Snell GI, Griffiths A, Levvey BJ, Oto T.** Availability of lungs for transplantation: exploring the real potential of the donor pool. *J Heart Lung Transplant* 2008;27(6):662-7.
- Snell GI, Levvey B, Oto T, McEgan R, Mennan M, Eriksson L, Williams T, Rosenfeldt F.** Effect of multiorgan donation after cardiac death retrieval on lung performance. *ANZ J Surg* 2008;78(4):262-5.
- Snell GI, Levvey BJ, Oto T, McEgan R, Pilcher D, Davies A, Marasco S, Rosenfeldt F.** Early lung transplantation success utilizing controlled donation after cardiac death donors. *Am J Transplant* 2008;8(6):1282-9.
- Snooks MJ, Bhat P, Mackenzie J, Counihan NA, Vaughan N, Anderson DA.** Vectorial entry and release of hepatitis A virus in polarized human hepatocytes. *J Virol* 2008;82(17):8733-42.
- Soldatos G, Cooper ME.** Diabetic nephropathy: important pathophysiologic mechanisms. *Diabetes Res Clin Pract* 2008;82(Suppl 1):S75-9. Review.
- Sonneveld P, Hajek R, Nagler A, Spencer A, Blade J, Robak T, Zhuang SH, Harousseau JL, Orlowski RZ; DOXIL-MMY-3001 Study Investigators.** Combined pegylated liposomal doxorubicin and bortezomib is highly effective in patients with recurrent or refractory multiple myeloma who received prior thalidomide/lenalidomide therapy. *Cancer* 2008;112(7):1529-37.
- Soon PS, Libe R, Benn DE, Gill A, Shaw J, Sywak MS, Groussin L, Bertagna X, Gicquel C, Bertherat J, McDonald KL, Sidhu SB, Robinson BG.** Loss of heterozygosity of 17p13, with possible involvement of ACADVL and ALOX15B, in the pathogenesis of adrenocortical tumors. *Ann Surg* 2008;247(1):157-64.
- Soro-Paavonen A, Watson AM, Li J, Paavonen K, Koitka A, Calkin AC, Barit D, Coughlan MT, Drew BG, Lancaster GI, Thomas M, Forbes JM, Nawroth PP, Bierhaus A, Cooper ME, Jandeleit-Dahm KA.** Receptor for advanced glycation end products (RAGE) deficiency attenuates the development of atherosclerosis in diabetes. *Diabetes* 2008;57(9):2461-9.
- Sourris KC, Forbes JM, Cooper ME.** Therapeutic interruption of advanced glycation in diabetic nephropathy: do all roads lead to Rome? *Ann N Y Acad Sci* 2008;1126:101-6. Review.
- Spelman D.** Endemic MRSA management: is screening useful? *Microbiol Aust* 2008;29(3):145-6.
- Spelman D, Buttery J, Daley A, Isaacs D, Jennens I, Kakakios A, Lawrence R, Roberts S, Torda A, Watson DA, Woolley I, Anderson T, Street A; Australasian Society for Infectious Diseases.** Guidelines for the prevention of sepsis in asplenic and hyposplenic patients. *Intern Med J* 2008;38(5):349-56. Review.
- Spencer A, Roberts A, Kennedy N, Ravera C, Cremers S, Bilic S, Neeman T, Copeman M, Schran H, Lynch K.** Renal safety of zoledronic acid with thalidomide in patients with myeloma: a pharmacokinetic and safety sub-study. *BMC Clin Pharmacol* 2008;8:2.
- Spinks A, Wasiak J, Cleland H, Beben N, Macpherson AK.** Ten-year epidemiological study of pediatric burns in Canada. *J Burn Care Res* 2008;29(3):482-8.
- Spronk D, Arns M, Bootsma A, van Ruth R, Fitzgerald PB.** Long-term effects of left frontal rTMS on EEG and ERPs in patients with depression. *Clin EEG Neurosci* 2008;39(3):118-24.
- Spry N, Harvey J, Macleod C, Borg M, Ngan SY, Millar JL, Graham P, Zissiadis Y, Kneebone A, Carroll S, Davies T, Reece WH, Iacopetta B, Goldstein D.** 3D radiotherapy can be safely combined with sandwich systemic gemcitabine chemotherapy in the management of pancreatic cancer: factors influencing outcome. *Int J Radiat Oncol Biol Phys* 2008;70(5):1438-46.
- Sriram S, Robertson MS.** Critically ill obstetric patients in Australia: a retrospective audit of 8 years' experience in a tertiary intensive care unit. *Crit Care Resusc* 2008;10(2):124.
- Srivastava PM, Calafiore P, Macisaac RJ, Patel SK, Thomas MC, Jerums G, Burrell LM.** Prevalence and predictors of cardiac hypertrophy and dysfunction in patients with Type 2 diabetes. *Clin Sci* 2008;114(4):313-20.
- Stadhouder A, Oner FC, Wilson KW, Vaccaro AR, Williamson OD, Verbout AJ, Verhaar JA, de Klerk LW, Buskens E.** Surgeon equipoise as an inclusion criterion for the evaluation of nonoperative versus operative treatment of thoracolumbar spinal injuries. *Spine J* 2008;8(6):975-81.
- Stafrace S, Lilly A.** Turnaround in an aged persons' mental health service in crisis: a case study of organisational renewal. *Aust Health Rev* 2008;32(3):577-82.
- Staples MP, Forbes A, Ptaszniak R, Gordon J, Buchbinder R.** A randomized controlled trial of extracorporeal shock wave therapy for lateral epicondylitis (tennis elbow). *J Rheumatol* 2008;35(10):2038-46.
- Stark RJ.** Topiramate for migraine prevention. *Medicine Today* 2008;9(7):79-80.
- Stark RJ, Stark CD.** Migraine prophylaxis. *Med J Aust* 2008;189(5):283-8. Review.
- Steel S, Coutsouvelis J, McKendrick J.** Single dose rasburicase in tumour lysis: one hospitals' experience. *Asia-Pacific J Clin Oncol* 2008;4(1):18-20.
- Stell R, Dooley M, Bonollo M, Fiddes K.** Successful integration of a clinical pharmacist into a disease management unit. *J Pharm Pract Res* 2008;38(2):132-6.
- Stephens DP, Thomas JH, Higgins A, Bailey M, Anstey NM, Currie BJ, Cheng AC.** Randomized, double-blind, placebo-controlled trial of granulocyte colony-stimulating factor in patients with septic shock. *Crit Care Med* 2008;36(2):448-54.
- Stevens MP, Tan SE, Horvath L, Fairley CK, Garland SM, Tabrizi SN.** Absence of a *Chlamydia trachomatis* variant, harbouring a deletion in the cryptic plasmid, in clients of a sexually transmissible infection clinic and antenatal patients in Melbourne. *Commun Dis Intell* 2008;32(1):77-81.
- Stevens W, Gelman R, Glencross DK, Scott LE, Crowe SM, Spira T.** Evaluating new CD4 enumeration technologies for resource-constrained countries. *Nature Rev Microbiol* 2008;4(11):S29-S38.
- Stewart DC, George J, Bond CM, Cunningham IT, Diack HL, McCaig DJ.** Exploring patients' perspectives of pharmacist supplementary prescribing in Scotland. *Pharm World Sci* 2008;30(6):892-7.
- Stewart RA, North FM, Sharples KJ, Simes RJ, Tonkin AM, White HD; Long-term Intervention with Pravastatin in Ischaemic Disease Study Investigators.** Differences in cardiovascular mortality between Australia and New Zealand according to socioeconomic status: findings from the Long-Term Intervention with Pravastatin in Ischaemic Disease (LIPID) Study. *N Z Med J* 2008;121(1269):11-23.
- Stewart S.** Beyond the numbers: the individual challenges of combating consistently poor survival in heart failure. *Am Heart J* 2008;155(2):195-6. Editorial.
- Stewart S, Wilkinson D, Hansen C, Vaghela V, Mvungi R, McMurray J, Sliwa K.** Predominance of heart failure in the Heart of Soweto Study Cohort. Emerging challenges for urban African communities. *Circulation* 2008;118(23):2360-7.
- Stirling R.** Airway inflammation: an important marker of control for asthma guidelines? *J Allergy Clin Immunol* 2008;121(5):1293; author reply 1293-4
- Stoove M, Dietze P, Aitken C, Jolley D.** Mortality among injecting drug users in Melbourne: a 16-year follow-up of the Victorian Injecting Cohort Study (VICS). *Drug Alcohol Depend* 2008;96(3):281-5.
- Stoove M, Fry C, Lintzeris N.** Quantifying hepatitis C transmission risk using a new weighted scoring system for the Blood-Borne Virus Transmission Risk Assessment Questionnaire (BBV-TRAQ): applications for community-based HCV surveillance, education and prevention. *Harm Reduct J* 2008;5:12.
- Strange G, Keogh AM, Williams TJ, Wlodarczyk J, McNeil KD, Gabbay E.** Bosentan therapy in patients with pulmonary arterial hypertension: the relationship between improvements in 6 minute walk distance and quality of life. *Respirology* 2008;13(5):674-82.

- Stratov I, Chung A, Kent SJ.** Robust NK cell-mediated human immunodeficiency virus (HIV)-specific antibody-dependent responses in HIV-infected subjects. *J Virol* 2008;82(11):5450-9.
- Straub A, Wendel HP, Dietz K, Schiebold D, Peter K, Schoenwaelder SM, Ziemer G.** Selective inhibition of the platelet phosphoinositide 3-kinase p110 β as promising new strategy for platelet protection during extracorporeal circulation. *Thromb Haemost* 2008;99(3):609-15.
- Straznicki NE, Eikelis N, Lambert EA, Esler MD.** Mediators of sympathetic activation in metabolic syndrome obesity. *Curr Hypertens Rep* 2008;10(6):440-7. Review.
- Strobel K, Dummer R, Steinert HC, Conzett KB, Schad K, Lago MP, Soyka JD, Veit-Haibach P, Seifert B, Kalff V.** Chemotherapy response assessment in stage IV melanoma patients-comparison of 18F-FDG-PET/CT, CT, brain MRI, and tumormarker S-100B. *Eur J Nucl Med Mol Imaging* 2008;35(10):1786-95.
- Struthers A, Krum H, Williams GH.** A comparison of the aldosterone-blocking agents eplerenone and spironolactone. *Clin Cardiol* 2008;31(4):153-8.
- Stuchbery P, Kong DC, DeSantis G, Lo SK.** Determining clinical pharmacy workload by patient disease classification in medical and surgical patient. *J Pharm Pract Res* 2008;38(2):126-31.
- Sudhakaran S, Rayner CR, Li J, Kong DC, Gude NM, Nation RL.** Inhibition of placental P-glycoprotein: impact on indinavir transfer to the foetus. *Br J Clin Pharmacol* 2008;65(5):667-73.
- Sugiyama T, Healy GN, Dunstan DW, Salmon J, Owen N.** Is television viewing time a marker of a broader pattern of sedentary behavior? *Ann Behav Med* 2008;35(2):245-50.
- Sugiyama T, Healy GN, Dunstan DW, Salmon J, Owen N.** Joint associations of multiple leisure-time sedentary behaviours and physical activity with obesity in Australian adults. *Int J Behav Nutr Phys Act* 2008;5:35.
- Sutherland JS, Spyroglou L, Muirhead JL, Heng TS, Prieto-Hinojosa A, Prince HM, Chidgey AP, Schwarzer AP, Boyd RL.** Enhanced immune system regeneration in humans following allogeneic or autologous hemopoietic stem cell transplantation by temporary sex steroid blockade. *Clin Cancer Res* 2008;14(4):1138-49.
- Sviridov D, Hoang A, Ooi E, Watts G, Barrett PH, Nestel P.** Indices of reverse cholesterol transport in subjects with metabolic syndrome after treatment with rosuvastatin. *Atherosclerosis* 2008;197(2):732-9.
- Sviridov D, Mukhamedova N, Remaley AT, Chin-Dusting J, Nestel P.** Antiatherogenic functionality of high density lipoprotein: how much versus how good. *J Atheroscler Thromb* 2008;15(2):52-62.
- Sviridov D, Nestel P, Watts G.** Statins and metabolism of high density lipoprotein. *Cardiovasc Hematol Agents Med Chem* 2008;5(3):215-21. Review.
- Symons JA, Palmer GM.** Neuropathic pain and foot drop related to nerve injury after short duration surgery and caudal anal. *Clin J Pain* 2008;24(7):647-9.
- Szoekce CE, Cicuttini FM, Guthrie JR, Dennerstein L.** The relationship of reports of aches and joint pains to the menopausal transition: a longitudinal study. *Climacteric* 2008;11(1):55-62.
- Szoekce CE, Dennerstein L, Wluka AE, Guthrie JR, Taffe J, Clark MS, Cicuttini FM.** Physician diagnosed arthritis, reported arthritis and radiological non-axial osteoarthritis. *Osteoarthritis Cartilage* 2008.
- Szollosi I, Thompson BR, Krum H, Kaye DM, Naughton MT.** Impaired pulmonary diffusing capacity and hypoxia in heart failure correlates with central sleep apnea severity. *Chest* 2008;134(1):67-72.
- Sztal-Mazer S, Topliss DJ, Simpson RW, Hamblin PS, Rosenfeld JV, McLean CA.** Gonadotroph adenoma in multiple endocrine neoplasia type 1. *Endocr Pract* 2008;14(5):592-4.
- Taguchi H, Planque S, Nishiyama Y, Symersky J, Boivin S, Szabo P, Friedland RP, Ramsland PA, Edmundson AB, Paul S.** Autoantibody catalyzed hydrolysis of amyloid peptide. *J Biol Chem* 2008;283(8):4714-22.
- Tan G, Goonasekera C, Curran S.** Emergency medicine in Sri Lanka: the inevitable evolution to a new specialty. *Emerg Med Australas* 2008;20(1):81-4.
- Tan MA, Dean CJ, Hopwood JJ, Meikle PJ.** Diagnosis of metachromatic leukodystrophy by immune quantification of arylsulphatase A protein and activity in dried blood spots. *Clin Chem* 2008;54(11):1925-7.
- Tang CK, Katsara M, Apostolopoulos V.** Strategies used for MUC1 immunotherapy: human clinical studies. *Expert Rev Vaccines* 2008;7(7):963-75. Review.
- Tang CK, Sheng KC, Pouniotis D, Esparon S, Son HY, Kim CW, Pietersz GA, Apostolopoulos V.** Oxidized and reduced mannan mediated MUC1 DNA immunization induce effective anti-tumor responses. *Vaccine* 2008;26(31):3827-34.
- Tapp RJ, Tikellis G, Wong TY, Harper CA, Zimmet PZ, Shaw JE; Australian Diabetes Obesity and Lifestyle Study Group.** Longitudinal association of glucose metabolism with retinopathy: results from the Australian Diabetes Obesity and Lifestyle (AusDiab) study. *Diabetes Care* 2008;31(7):1349-54.
- Taylor ML, Franich RD, Trapp JV, Johnston PN.** The effective atomic number of dosimetric gels. *Australas Phys Eng Sci Med* 2008;31(2):131-8.
- Tay-Teo K, Moodie M, Bernhardt J, Thrift AG, Collier J, Donnan G, Dewey H.** Economic evaluation alongside a phase II, multi-centre, randomised controlled trial of very early rehabilitation after stroke (AVERT). *Cerebrovasc Dis* 2008;26(5):457-81.
- Tchoua U, D'Souza W, Mukhamedova N, Blum D, Niesor E, Mizrahi J, Maugeais C, Sviridov D.** The effect of cholesteryl ester transport protein overexpression and inhibition on reverse cholesterol transport. *Cardiovasc Res* 2008;77(4):732-9.
- Teague R, Fairley CK, Newton D, Bradshaw C, Donovan B, Bowden F, Cummings R, Chen MY.** How men with non-chlamydial, non-gonococcal urethritis are managed in Australasia. *Int J STD AIDS* 2008;19(9):581-5.
- Teague R, Mijch A, Fairley CK, Sidat M, Watson K, Boyd K, Chen MY.** Testing rates for sexually transmitted infections among HIV-infected men who have sex with men attending two different HIV services. *Int J STD AIDS* 2008;19(3):200-2.
- Teichtahl AJ, Wang Y, Wluka AE, Cicuttini FM.** Obesity and knee osteoarthritis: new insights provided by body composition studies. *Obesity* 2008;16(2):232-40. Review.
- Teichtahl AJ, Wang Y, Wluka AE, Szramka M, English DR, Giles GG, O'Sullivan R, Cicuttini FM.** The longitudinal relationship between body composition and patella cartilage in healthy adults. *Obesity* 2008;16(2):421-7.
- Teichtahl AJ, Wluka AE, Cicuttini FM.** Frontal plane knee alignment is associated with a longitudinal reduction in patella cartilage volume in people with knee osteoarthritis. *Osteoarthritis Cartilage* 2008;16(7):851-4.
- Teichtahl AJ, Wluka AE, Davies-Tuck ML, Cicuttini FM.** Imaging of knee osteoarthritis. *Best Pract Res Clin Rheumatol* 2008;22(6):1061-74.
- Tejero ME, Voruganti VS, Proffitt JM, Curran JE, Göring HH, Johnson MP, Dyer TD, Jowett JB, Collier GR, Moses EK, MacCluer JW, Mahaney MC, Blangero J, Comuzzie AG, Cole SA.** Cross-species replication of a resistin mRNA QTL, but not QTLs for circulating levels of resistin, in human and baboon. *Heredity* 2008;101(1):60-6.
- Tershakovec AM, Keane WF, Zhang Z, Lyle PA, Appel GB, McGill JB, Parving HH, Cooper ME, Shahinfar S, Brenner BM.** Effect of LDL cholesterol and treatment with losartan on end-stage renal disease in the RENAAL study. *Diabetes Care* 2008;31(3):445-7.
- Thallas-Bonke V, Thorpe SR, Coughlan MT, Fukami K, Yap FY, Sourris K, Penfold S, Bach LA, Cooper ME, Forbes JM.** Inhibition of NADPH oxidase prevents advanced glycation end product-mediated damage in diabetic nephropathy through a protein kinase C-alpha-dependent pathway. *Diabetes* 2008;57(2):460-9.
- Thammanichanon D, Yotnda P, Aitken C, Earnest-Silveira L, Jackson D, Hellard M, McCluskey J, Torresi J, Bharadwaj M.** Fiber-modified recombinant adenoviral constructs encoding hepatitis C virus proteins induce potent HCV-specific T cell response. *Clin Immunol* 2008;128(3):329-39.
- The Malaria Genomic Epidemiology Network (2008).** A global network for investigating the genomic epidemiology of malaria. *Nature* 2008;456(7223):732-8.
- Thien F, Friese M, Cowin G, Maillet D, Wang D, Galloway G, Brereton I, Robinson PJ, Heil W, Thompson B.** Feasibility of functional magnetic resonance lung imaging in Australia with long distance transport of hyperpolarized helium from Germany. *Respirology* 2008;13(4):599-602.
- Thomas CJ, McAllen RM, Salo LM, Woods RL.** Restorative effect of atrial natriuretic peptide or chronic neutral endopeptidase inhibition on blunted cardiopulmonary vagal reflexes in aged rats. *Hypertension* 2008;52(4):696-701.

- Thomas MC.** The assessment and management of albuminuria in primary care. *Diabetes Res Clin Pract* 2008;80(1):83-8.
- Thomas MC, Viberti G, Groop PH.** Screening for chronic kidney disease in patients with diabetes: are we missing the point? *Nat Clin Pract Nephrol* 2008;4(1):2-3. Review.
- Thompson BR, Johns DP, Bailey M, Raven J, Walters EH, Abramson MJ.** Prediction equations for single breath diffusing capacity (Tlco) in a middle aged caucasian population. *Thorax* 2008;63(10):889-93.
- Thompson DR, Stewart S.** Chronic cardiovascular disease management: how can it be improved? *Eur J Cardiovasc Prev Rehabil* 2008;15(1):1-2. Editorial.
- Thriff AG, Srikanth VK.** Risk factors for dementia. *Neuroepidemiology* 2008;31(1):68.
- Tikellis C, Bialkowski K, Pete J, Sheehy K, Su Q, Johnston C, Cooper ME, Thomas MC.** ACE2 deficiency modifies renoprotection afforded by ACE inhibition in experimental diabetes. *Diabetes* 2008;57(4):1018-25.
- Tikellis C, Jandeleit-Dahm KA, Sheehy K, Murphy A, Chin-Dusting J, Kling D, Sebokova E, Cooper ME, Mizrahi J, Woollard KJ.** Reduced plaque formation induced by rosiglitazone in an STZ-diabetes mouse model of atherosclerosis is associated with downregulation of adhesion molecules. *Atherosclerosis* 2008;199(1):55-64.
- Tikellis C, Thomas MC, Harcourt BE, Coughlan MT, Pete J, Bialkowski K, Tan A, Bierhaus A, Cooper ME, Forbes JM.** Cardiac inflammation associated with a Western diet is mediated via activation of RAGE by AGEs. *Am J Physiol Endocrinol Metab* 2008;295(2):E323-30.
- Tilbrook AJ, Rivalland EA, Turner AI, Lambert GW, Clarke IJ.** Responses of the hypothalamopituitary adrenal axis and the sympathoadrenal system to isolation/restraint stress in sheep of different adiposity. *Neuroendocrinology* 2008;87(4):193-205.
- Timperio A, Ball K, Roberts R, Campbell K, Andrianopoulos N, Crawford D.** Children's fruit and vegetable intake: associations with the neighbourhood food environment. *Prev Med* 2008;46(4):331-5.
- To TP, Ellis AG, Ching MS, Shilson AD, Kong DC and Garrett K.** Stability of a formulated N-acetylcysteine capsule for the prevention of contrast-induced nephropathy. *J Pharm Pract Res* 2008;38(3):219-22.
- Tobing D, French J, Varigos J, Meehan A, Billah B, Krum H; Post-MI Audit Group.** Do patients with heart failure appropriately undergo invasive procedures post-myocardial infarction? Results from a prospective multicentre study. *Intern Med J* 2008;38(11):845-51.
- Todryk SM, Bejon P, Mwangi T, Plebanski M, Urban B, Marsh K, Hill AV, Flanagan KL.** Correlation of memory T cell responses against TRAP with protection from clinical malaria, and CD4 CD25 high T cells with susceptibility in Kenyans. *PLoS ONE* 2008;3(4):e2027.
- Topliss DJ.** Diabetes and cystic fibrosis. *DMJ* 2008;25:10.
- Torok ME, Kambugu A, Wright E.** Immune reconstitution disease of the central nervous system. *Curr Opin HIV AIDS* 2008;3(4):438-45.
- Tothill RW, Tinker AV, George J, Brown R, Fox SB, Lade S, Johnson DS, Trivett MK, Etemadmoghadam D, Locandro B, Traficante N, Fereday S, Hung JA, Chiew YE, Haviv I; Australian Ovarian Cancer Study Group, Gertig D, DeFazio A, Bowtell DD.** Novel molecular subtypes of serous and endometrioid ovarian cancer linked to clinical outcome. *Clin Cancer Res* 2008;14(16):5198-208.
- Trauer JM, Wrobel JP, Young AC.** The syndrome of inappropriate anti-diuretic hormone secretion concurrent with an acute exacerbation of cystic fibrosis. *J Cyst Fibros* 2008;7(6):573-5.
- Tropea J, Slee JA, Brand CA, Gray L, Snell T.** Clinical practice guidelines for the management of delirium in older people in Australia. *Australas J Ageing* 2008;27(3):150-6.
- Tsui M, Wilson DI, Merry H, Phulwani K, Dooley MJ.** Implementing a hospital vendor-managed inventory system. *J Pharm Pract Res* 2008;38(1):40-3.
- Tugwell P, Maxwell L, Welch V, Kristjansson E, Petticrew M, Wells G, Buchbinder R, Suarez-Almazor ME, Nowlan MA, Ueffing E, Khan M, Shea B, Tsikata S.** Is health equity considered in systematic reviews of the Cochrane Musculoskeletal Group? *Arthritis Rheum* 2008;59(11):1603-10.
- Ukoumunne OC, Forbes AB, Carlin JB, Gulliford MC.** Comparison of the risk difference, risk ratio and odds ratio scales for quantifying the unadjusted intervention effect in cluster randomized trials. *Stat Med* 2008;27(25):5143-55.
- Urquhart DM, Bell RJ, Cicuttini FM, Cui J, Forbes A, Davis SR.** Negative beliefs about low back pain are associated with high pain intensity and high level disability in community-based women. *BMC Musculoskelet Disord* 2008;9:148.
- Urquhart DM, Hanna F, Graves S, Wang Y, Cameron P, Hannaford A, Cicuttini FM.** In-hospital outcomes and hospital resource utilization of hip replacement procedures. *ANZ J Surg* 2008;78(10):875-80.
- Urquhart DM, Soufan C, Teichtahl AJ, Wluka AE, Hanna F, Cicuttini FM.** Factors that may mediate the relationship between physical activity and the risk for developing knee osteoarthritis. *Arthritis Res Ther* 2008;10(1):203. Review.
- Van de Vreede M, Wilson SG, Dooley MJ.** Intravenous potassium chloride use in hospitals: current practice. *J Pharm Pract Res* 2008;38(1):19-22.
- Van de Vreede MA, McRae A, Wiseman M, Dooley MJ.** Successful introduction of tallman letters to reduce medication selection errors in a hospital network. *J Pharm Pract Res* 2008;38(4):263-6.
- Van de Vreede MA, Wilson SG, Dooley MJ.** Intravenous potassium chloride prescribing and administration practices in Victoria: an observational study. *Med J Aust* 2008;189(10):575-7.
- van der Meijden PE, Schoenwaelder SM, Feijge MA, Cosemans JM, Munnix IC, Wetzker R, Heller R, Jackson SP, Heemskerk JW.** Dual P2Y₁₂ receptor signaling in thrombin-stimulated platelets--involvement of phosphoinositide 3-kinase beta but not gamma isoform in Ca²⁺ mobilization and procoagulant activity. *FEBS J* 2008;275(2):371-85.
- Vasar M, Houle PA, Douglass JA, Meltzer EO, Silvey M, Wu W, Caldwell M, Philpot E.** Fluticasone furoate nasal spray: effective monotherapy for symptoms of perennial allergic rhinitis in adults/adolescents. *Allergy Asthma Proc* 2008;29(3):313-21.
- Vasilevski O, Grubb DR, Filtz TM, Yang S, McLeod-Dryden TJ, Luo J, Karna D, Chen J, Woodcock EA.** Ins(1,4,5)P₃ regulates phospholipase Cβ1 expression in cardiomyocytes. *J Mol Cell Cardiol* 2008;45(5):679-84.
- Verbanck S, Schuermans D, Van Malderen S, Vincken W, Thompson B.** The effect of conductive ventilation heterogeneity on diffusing capacity measurement. *J Appl Physiol* 2008;104(4):1094-100.
- Viale G, Regan MM, Maiorano E, Mastropasqua MG, Golouh R, Perin T, Brown RW, Kovacs A, Pillay K, Ohlschlegel C, Braye S, Grigolato P, Rusca T, Gelber RD, Castiglione-Gertsch M, Price KN, Goldhirsch A, Gusterson BA, Coates AS.** Chemoendocrine compared with endocrine adjuvant therapies for node-negative breast cancer: predictive value of centrally reviewed expression of estrogen and progesterone receptors – International Breast Cancer Study Group. *J Clin Oncol* 2008;26(9):1404-10.
- Viale G, Regan MM, Mastropasqua MG, Maffini F, Maiorano E, et al.; International Breast Cancer Study Group.** Predictive value of tumor Ki-67 expression in two randomized trials of adjuvant chemoendocrine therapy for node-negative breast cancer. *J Natl Cancer Inst* 2008;100(3):207-12.
- Vinh A, Gaspari TA, Liu HB, Dousha LF, Widdop RE, Dear AE.** A novel histone deacetylase inhibitor reduces abdominal aortic aneurysm formation in angiotensin II-infused apolipoprotein E-deficient mice. *J Vasc Res* 2008;45(2):143-52.
- Vitetta L, Cicuttini F, Sali A.** Alternative therapies for musculoskeletal conditions. *Best Pract Res Clin Rheumatol* 2008;22(3):499-522.
- von Itzstein M, Plebanski M, Cooke BM, Coppel RL.** Hot, sweet and sticky: the glycobiology of *Plasmodium falciparum*. *Trends Parasitol* 2008;24(5):210-8.
- von Zur Muhlen C, Sibson NR, Peter K, Campbell SJ, Wilainam P, Grau GE, Bode C, Choudhury RP, Anthony DC.** A contrast agent recognizing activated platelets reveals murine cerebral malaria pathology undetectable by conventional MRI. *J Clin Invest* 2008;118(3):1198-207.
- von Zur Muhlen C, von Elverfeldt D, Choudhury RP, Ender J, Ahrens I, Schwarz M, Hennig J, Bode C, Peter K.** Functionalized magnetic resonance contrast agent selectively binds to glycoprotein IIb/IIIa on activated human platelets under flow conditions and is detectable at clinically relevant field strengths. *Mol Imaging* 2008;7(2):59-67.

- von zur Muhlen C, von Elverfeldt D, Moeller JA, Choudhury RP, Paul D, Hagemeyer CE, Olschewski M, Becker A, Neudorfer I, Bassler N, Schwarz M, Bode C, Peter K.** Magnetic resonance imaging contrast agent targeted toward activated platelets allows *in vivo* detection of thrombosis and monitoring of thrombolysis. *Circulation* 2008;118(3):258-67.
- Vuong T, Marriott J, Kong DCM, Siderov J.** Implementation of a community liaison pharmacy service: a randomised controlled trial. *Int J Pharm Pract* 2008;16(3):127-35.
- Walker F, Zhang HH, Matthews V, Weinstock J, Nice EC, Ernst M, Rose-John S, Burgess AW.** IL6/sIL6R complex contributes to emergency granulopoietic responses in G-CSF- and GM-CSF-deficient mice. *Blood* 2008;111(8):3978-85.
- Walker KZ, Woods JL, Rickard CA, Wong CK.** Product variety in Australian snacks and drinks: how can the consumer make a healthy choice? *Public Health Nutr* 2008;11(10):1046-53.
- Wallace RH, Freeman JL, Shouri MR, Izzillo PA, Rosenfeld JV, Mulley JC, Harvey AS, Berkovic SF.** Somatic mutations in GLI3 can cause hypothalamic hamartoma and gelastic seizures. *Neurology* 2008;70(8):653-5.
- Walsh N, Gibbie TM, Higgs P.** The development of peer educator-based harm reduction programmes in Northern Vietnam. *Drug Alcohol Rev* 2008;27(2):200-3.
- Walsh N, Lim M, Hellard M.** Using a surveillance system to identify and treat newly acquired hepatitis C infection. *J Gastroenterol Hepatol* 2008;23(12):1891-4.
- Walsh W, Brown A, Carapetis J; RF/RHD Guideline Development Working Group; National Heart Foundation of Australia; Cardiac Society of Australia and New Zealand.** The diagnosis and management of chronic rheumatic heart disease--an Australian guideline. *Heart Lung Circ* 2008;17(4):271-89. Review.
- Wand AP, Eades SJ.** Navigating the process of developing a research project in Aboriginal health. *Med J Aust* 2008;188(10):584-7. Review.
- Wang M, Dimopoulos MA, Chen C, Cibeira MT, Attal M, Spencer A, Rajkumar SV, Yu Z, Olesnyckyj M, Zeldis JB, Knight RD, Weber DM.** Lenalidomide plus dexamethasone is more effective than dexamethasone alone in patients with relapsed or refractory multiple myeloma regardless of prior thalidomide exposure. *Blood* 2008;112(12):4445-51.
- Wang Y, Tao ZZ, Chen SM, Xiao BK, Zhou XH, Liu JP.** Application of combination of short hairpin RNA segments for silencing VEGF, TERT and Bcl-xl expression in laryngeal squamous carcinoma. *Cancer Biol Ther* 2008;7(6):896-901.
- Wang Y, Wluka AE, Hodge AM, English DR, Giles GG, O'Sullivan R, Cicuttini FM.** Effect of fatty acids on bone marrow lesions and knee cartilage in healthy, middle-aged subjects without clinical knee osteoarthritis. *Osteoarthritis Cartilage* 2008;16(5):579-83.
- Wang YY, Rosenfeld JV, Lyon SM, O'Brien BJ.** Rapid development of a *de novo* intracranial aneurysm following carotid occlusion. *J Clin Neurosci* 2008;15(3):324-30.
- Wang Z, Hoy WE, Nicol JL, Wang Z, Su Q, Atkins RC, Polkinghorne KR.** Predictive value of nephelometric and high-performance liquid chromatography assays of urine albumin for mortality in a high-risk Aboriginal population. *Am J Kidney Dis* 2008;52(4):672-82.
- Watt MJ, van Denderen BJ, Castelli LA, Bruce CR, Hoy AJ, Kraegen EW, Macaulay L, Kemp BE.** Adipose triglyceride lipase regulation of skeletal muscle lipid metabolism and insulin responsiveness. *Mol Endocrinol* 2008;22(5):1200-12.
- Webb TE, Poulter M, Beck J, Uphill J, Adamson G, Campbell T, Linehan J, Powell C, Brandner S, Pal S, Siddique D, Wadsworth JD, Joiner S, Alner K, Petersen C, Hampson S, Rhymes C, Treacy C, Storey E, Geschwind MD, Nemeth AH, Wroe S, Collinge J, Mead S.** Phenotypic heterogeneity and genetic modification of P102L inherited prion disease in an international series. *Brain* 2008;131(Pt 10):2632-46.
- Wei A, Alison J, Goldstein J, Tippett C, Coughlan PB.** Prosthetic pulmonary valve thrombosis in pregnancy successfully treated with thrombolysis. *Intern Med J* 2008;38(2):142-3.
- Wei A, Jackson SP.** Boosting platelet production. *Nat Med* 2008;14(9):917-8.
- Wei AH, Roberts AW.** Bortezomib: putting mantle cell lymphoma on death row. *Leuk Lymphoma* 2008;49(4):657-8.
- West E, Cameron P, O'Reilly G, Drummer OH, Bystrzycki A.** Accuracy of current clinical diagnosis in recreational drug-related attendance to the emergency department. *Emerg Med Australas* 2008;20(4):333-8.
- West MJ, Nestel PJ, Kirby AC, Schnabel R, Sullivan D, Simes RJ, Pollicino C, Lubos E, Münzel TF, White HD, Tonkin AM, Bickel C, Tiret L, Blankenberg S; LIPID Study Investigators.** The value of N-terminal fragment of brain natriuretic peptide and tissue inhibitor of metalloproteinase-1 levels as predictors of cardiovascular outcome in the LIPID study. *Eur Heart J* 2008;29(7):923-31.
- Westall GP, Komesaroff P, Gorton MW, Snell GI.** Ethics of organ donation and transplantation involving prisoners: the debate extends beyond our borders. *Intern Med J* 2008;38(1):56-9.
- Westall GP, Mifsud NA, Kotsimbos T.** Linking CMV serostatus to episodes of CMV reactivation following lung transplantation by measuring CMV-specific CD8+ T-cell immunity. *Am J Transplant* 2008;8(8):1749-54.
- Westall GP, Snell GI, McLean C, Kotsimbos T, Williams T, Magro C.** C3d and C4d deposition early after lung transplantation. *J Heart Lung Transplant* 2008;27(7):722-8.
- White SL, Polkinghorne KR, Cass A, Shaw J, Atkins RC, Chadban SJ.** Limited knowledge of kidney disease in a survey of AusDiab study participants. *Med J Aust* 2008;188(4):204-8.
- Wijayaratne SP, Teichtahl AJ, Wluka AE, Hanna F, Bell R, Davis SR, Adams J, Cicuttini FM.** The determinants of change in patella cartilage volume -- a cohort study of healthy middle-aged women. *Rheumatology* 2008;47(9):1426-9.
- Wilder-Smith A, Leder K, Tambyah PA.** Importation of poliomyelitis by travellers. *Emerg Infect Dis* 2008;14(2):351-2.
- Wilkinson-Berka JL.** Prorenin and the (pro)renin receptor in ocular pathology. *Am J Pathol* 2008;173(6):1591-4.
- Wilkinson-Berka JL, Miller AG.** Update on the treatment of diabetic retinopathy. *ScientificWorldJournal* 2008;8:98-120.
- Williams DR, Cowey M, Tuck K, Day B.** Psychogenic propriospinal myoclonus. *Mov Disord* 2008;23(9):1312-3.
- Williams DR, Doyle LM, Lees AJ, Brown P.** The auditory startle response in parkinsonism may reveal the extent but not type of pathology. *J Neurol* 2008;255(5):628-32.
- Williams DR, Lees AJ, Wherrett JR, Steele JC.** J. Clifford Richardson and 50 years of progressive supranuclear palsy. *Neurology* 2008;70(7):566-73.
- Williams DR, Warren JD, Lees AJ.** Using the presence of visual hallucinations to differentiate Parkinson's disease from atypical parkinsonism. *J Neurol Neurosurg Psychiatry* 2008;79(6):652-5.
- Williams TJ, Keating DT.** Endobronchial ultrasound: real progress or just a new toy? *Intern Med J* 2008;38(2):75-6. Editorial.
- Williams TJ, Wilson JW.** Challenges in pulmonary fibrosis: 7--Novel therapies and lung transplantation. *Thorax* 2008;63(3):277-84.
- Willis CD, Stoelwinder JU, Cameron PA.** Interpreting process indicators in trauma care: construct validity versus confounding by indication. *Int J Qual Health Care* 2008;20(5):331-8.
- Wilson JW, du Bois RM, King TE Jr.** Challenges in pulmonary fibrosis: 8--The need for an international registry for idiopathic pulmonary fibrosis. *Thorax* 2008;63(3):285-7.
- Wilson K, Cameron P, Jennings N.** Emergency nurse practitioners: an underestimated addition to the emergency care team. *Emerg Med Australas* 2008;20(6):453-5.
- Winn RD, Robinson DR, Farmer KC, Bell SW.** Deficiencies in pathological reporting of colorectal cancer in Victoria. *ANZ J Surg* 2008;78(9):796-9.
- Winograd-Gurvich C, Fitzgerald PB, Georgiou-Karistianis N, Millist L, White O.** Inhibitory control and spatial working memory: a saccadic eye movement study of negative symptoms in schizophrenia. *Psychiatry Res* 2008;157(1-3):9-19.
- Winter R, Nguyen O, Higgs P, Armstrong S, Duong D, Thach M, Aitken C, Hellard M.** Integrating enhanced hepatitis C testing and counseling in research. *Int J Drug Policy* 2008;19(1):66-70.
- Wluka AE, Wang Y, Davies-Tuck M, English DR, Giles GG, Cicuttini FM.** Bone marrow lesions predict progression of cartilage defects and loss of cartilage volume in healthy middle-aged adults without knee pain over 2 yrs. *Rheumatology* 2008;47(9):1392-6.

- Wong MX, Hayball JD, Jackson DE.** PECAM-1-regulated signaling thresholds control tolerance in anergic transgenic B cells. *Mol Immunol* 2008;45(6):1767-81.
- Wong TY, Liew G, Tapp RJ, Schmidt MI, Wang JJ, Mitchell P, Klein R, Klein BE, Zimmet P, Shaw J.** Relation between fasting glucose and retinopathy for diagnosis of diabetes: three population-based cross-sectional studies. *Lancet* 2008;371(9614):736-43.
- Wood L, France K, Hunt K, Eades S, Slack-Smith L.** Indigenous women and smoking during pregnancy: knowledge, cultural contexts and barriers to cessation. *Soc Sci Med* 2008;66(11):2378-89.
- Woodberry T, Minigo G, Piera KA, Hanley JC, de Silva HD, Salwati E, Kenangalem E, Tjitra E, Coppel RL, Price RN, Anstey NM, Plebanski M.** Antibodies to *Plasmodium falciparum* and *Plasmodium vivax* merozoite surface protein 5 in Indonesia: species-specific and cross-reactive responses. *J Infect Dis* 2008;198(1):134-42.
- Woodcock EA, Du XJ, Reichelt ME, Graham RM.** Cardiac α_1 -adrenergic drive in pathological remodelling. *Cardiovasc Res* 2008;77(3):452-62.
- Woodman OL, Malakul W, Cao AH, Xu Q, Ritchie RH.** Atrial natriuretic peptide prevents diabetes-induced endothelial dysfunction. *Life Sci* 2008;82(15-16):847-54.
- Woollard DJ, Haqshenas G, Dong X, Pratt BF, Kent SJ, Gowans EJ.** Virus-specific T-cell immunity correlates with control of GB virus B infection in marmosets. *J Virol* 2008;82(6):3054-60.
- Woollard KJ, Suhartoyo A, Harris EE, Eisenhardt SU, Jackson SP, Peter K, Dart AM, Hickey MJ, Chin-Dusting JP.** Pathophysiological levels of soluble P-selectin mediate adhesion of leukocytes to the endothelium through Mac-1 activation. *Circ Res* 2008;103(10):1128-38.
- Woollard KJ, Suhartoyo A, Harris EE, Eisenhardt SU, Jackson SP, Peter K, Dart AM, Hickey MJ, Chin-Dusting JP.** Pathophysiological levels of soluble P-selectin mediate adhesion of leukocytes to the endothelium through Mac-1 activation. *Circ Res* 2008;103(10):1128-38.
- Woon DT, Serpell JW.** Preoperative core biopsy of soft tissue tumours facilitates their surgical management: a 10-year update. *ANZ J Surg* 2008;78(11):977-81.
- Worth LJ, Blyth CC, Booth DL, Kong DC, Marriott D, Cassumbhoy M, Ray J, Slavin MA, Wilkes JR.** Optimizing antifungal drug dosing and monitoring to avoid toxicity and improve outcomes in patients with haematological disorders. *Intern Med J* 2008;38(6b):521-37.
- Wright E, Brew B, Arayawichanon A, Robertson K, Saminthanarany K, et al.** Neurologic disorders are prevalent in HIV-positive outpatients in the Asia-Pacific region. *Neurology* 2008;71(1):50-6.
- Wright E, Brew BJ, Lal L, Ali ST, Arayawichanon A, Imran D, Kamarulzaman A, Kongsangdao S, Krui L, Merati TP, Saminthanarany K, Sarim C, Tau G, Thangsing C, Vin-Samngang C, Wesselingh SL.** Response to Birbeck *et al.* *Epilepsia* 2008;49(3):541-3. Letter.
- Wright EJ, Brew BJ, Wesselingh SL.** Pathogenesis and diagnosis of viral infections of the nervous system. *Neurol Clin* 2008;26(3):617-33, vii.
- Wright EJ, Nunn M, Joseph J, Robertson K, Lal L, Brew BJ.** NeuroAIDS in the Asia Pacific Region. *J Neurovirol* 2008;14:1-9.
- Wrobel JP, O'Hehir RE, Douglass JA.** Food allergy in adults. *Aust Fam Physician* 2008;37(4):222-6.
- Xiang SD, Scalzo-Inguanti K, Minigo G, Park A, Hardy CL, Plebanski M.** Promising particle-based vaccines in cancer therapy. *Expert Rev Vaccines* 2008;7(7):1103-19.
- Xu D, Dwyer J, Li H, Duan W, Liu JP.** Ets2 maintains hTERT gene expression and breast cancer cell proliferation by interacting with c-Myc. *J Biol Chem* 2008;283(35):23567-80.
- Xu Q, Lekgabe ED, Gao XM, Ming Z, Tregear GW, Dart AM, Bathgate RA, Samuel CS, Du XJ.** Endogenous relaxin does not affect chronic pressure overload-induced cardiac hypertrophy and fibrosis. *Endocrinology* 2008;149(2):476-82.
- Yan BP, Ajani AE, New G, Duffy SJ, Farouque O, Shaw J, Sebastian M, Lew R, Brennan A, Andrianopoulos N, Reid C, Clark DJ; Melbourne Interventional Group Investigators.** Are drug-eluting stents indicated in large coronary arteries? Insights from a multi-centre percutaneous coronary intervention registry. *Int J Cardiol* 2008;130(3):374-9.
- Yan BP, Duffy SJ, Clark DJ, Lefkovits J, Warren R, Gurvitch R, Lew R, Sebastian M, Brennan A, Andrianopoulos N, Reid CM, Ajani AE; Melbourne Interventional Group.** Rates of stent thrombosis in bare-metal versus drug-eluting stents (from a large Australian multicenter registry). *Am J Cardiol* 2008;101(12):1716-22.
- Yan BP, Kiernan TJ, Gupta V, Ajani AE, Schainfeld RM.** Combined pharmacomechanical thrombectomy for acute inferior vena cava filter thrombosis. *Cardiovasc Revasc Med* 2008;9(1):36-40.
- Yancy CW, Krum H, Massie BM, Silver MA, Stevenson LW, Cheng M, Kim SS, Evans R for the FUSION II Investigators.** Safety and efficacy of outpatient nesiritide in patients with advanced heart failure. Results of the second follow-up serial infusions of nesiritide (FUSION II) trial. *Circ Heart Fail* 2008;1:9-16.
- Yang Y, Ma Y, Han W, Li J, Xiang Y, Liu F, Ma X, Zhang J, Fu Z, Su YD, Du XJ, Gao XM.** Age-related differences in postinfarct left ventricular rupture and remodeling. *Am J Physiol Heart Circ Physiol* 2008;294(4):H1815-22.
- Yeung MJ, Serpell JW.** Management of the solitary thyroid nodule. *Oncologist* 2008;13(2):105-12. Review.
- Young AC, Wilson JW, Kotsimbos TC, Naughton MT.** Randomised placebo controlled trial of non-invasive ventilation for hypercapnia in cystic fibrosis. *Thorax* 2008;63(1):72-7.
- Yuriev E, Sandrin MS, Ramsland PA.** Antibody-ligand docking: insights into peptide-carbohydrate mimicry. *Mol Simulation* 2008;34(4):461-8.
- Zalstein S, Pearce A, Scott DM, Rosenfeld JV.** Damage control resuscitation: a paradigm shift in the management of haemorrhagic shock. *Emerg Med Australas* 2008;20(4):291-3.
- Zang H, Davis SR.** Androgen replacement therapy in androgen-deficient women with hypopituitarism. *Drugs* 2008;68(15):2085-93.
- Zazryn TR, McCrory PR, Cameron PA.** Neurologic injuries in boxing and other combat sports. *Neurol Clin* 2008;26(1):257-70:xi. Review.
- Zhan Y, Gerondakis S, Coghill E, Bourges D, Xu Y, Brady JL, Lew AM.** Glucocorticoid-induced TNF receptor expression by T cells is reciprocally regulated by NF- κ B and NFAT. *J Immunol* 2008;181(8):5405-13.
- Zhang WZ, Venardos K, Finch S, Kaye DM.** Detrimental effect of oxidized LDL on endothelial arginine metabolism and transportation. *Int J Biochem Cell Biol* 2008;40(5):920-8.
- Zimmerli LU, Schiffer E, Züribig P, Good DM, Kellmann M, Mouls L, Pitt AR, Coon JJ, Schmieder RE, Peter K, Mischak H, Kolch W, Delles C, Dominiczak AF.** Urinary proteomic biomarkers in coronary artery disease. *Mol Cell Proteomics* 2008;7(2):290-8.
- Zimmet H, Krum H.** Using adult stem cells to treat heart failure – fact or fiction? *Heart Lung Circ* 2008;17(Suppl 4):S48-54. Review.
- Zimmet P, Alberti G.** The metabolic syndrome: progress towards one definition for an epidemic of our time. *Nat Clin Pract Endocrinol Metab* 2008;4(5):239. Editorial.
- Zomer E, de Ridder I, Kompa A, Komesaroff P, Gilbert R, Krum H.** Effect of uterine II on skin microvessel tone in diabetic patients without heart failure or essential hypertension. *Clin Exp Pharmacol Physiol* 2008;35(10):1147-50.
- Zwahlen DR, Martin JM, Millar JL, Schneider U.** Effect of radiotherapy volume and dose on secondary cancer risk in stage I testicular seminoma. *Int J Radiat Oncol Biol Phys* 2008;70(3):853-8.

BOOKS

- Bradford D, Hoy J, Matthews G.** *HIV, viral hepatitis and STIs: a guide for primary care.* 2008. ISBN 978-1-920773-50-2. Australasian Society for HIV Medicine, NSW.
- Button BM, Holland AE.** *Physiotherapy for cystic fibrosis in Australia: a consensus statement.* 2008. International Physiotherapy Group for Cystic Fibrosis, Australian Chapter. Endorsed by the Thoracic Society of Australia and New Zealand.
- Mauro MA, Thomson K, Murphy K, Zollikofer CL, Venbrux A (eds).** *Image-Guided Intervention.* 2008 ISBN-13: 9781416029649. Elsevier Inc., Australia.

BOOK CHAPTERS

- Anderson DA, Shrestha IL.** Hepatitis E virus. In: *Richman DD, Whitley RJ, Hayden FG (eds) Clinical Virology, 4th edition*. 2008; pp1127-43.
- Apostolopoulos V, Lazoura E, Yu M.** MHC and MHC-like molecules: structural perspectives for the design of molecular vaccines. In: *Sigalov A, Schamel W (eds) Multichain Immune Recognition Receptor Signaling: from Spatiotemporal Organisation to Human Disease, volume 640*. 2008; pp252-67.
- Barr ELM, Zimmet P, Shaw JE.** Mortality and life expectancy associated with diabetes. In: *Ekoe J-M, Rewers M, Williams R, Zimmet P (eds) The Epidemiology of Diabetes Mellitus, 2nd edition*, John Wiley & Sons Ltd, Chichester. 2008; Chapter 36: pp603-25.
- Brownlee M, Aiello LP, Cooper ME, Vinik AI, Nesto R, Boulton AJM.** Complications of diabetes mellitus. In: *Kronenberg HM, Melmed S, Polonsky KS, Larsen PR (eds) Williams Textbook of Endocrinology, 11th edition*, WB Saunders, Philadelphia. 2008; Chapter 32.
- Caine T, Steele C.** Managing risk. In: *Crowther C (ed) Nurse Managers: a Guide to Practice, 2nd edition*, Ausmed Publications. 2008; pp101-12.
- Caine T, Steele C.** Maximising the quality factor. In: *Crowther C (ed) Nurse Managers: a Guide to Practice, 2nd edition*, Ausmed Publications. 2008; pp131-44.
- Cooper ME, Brownlee M.** Reducing the burden of diabetic vascular complications. In: *Greenbaum CJ, Harrison LC (eds) Diabetes: Translating Research into Practice, Informa Health Care, New York*. 2008; Chapter 9: pp159-73.
- Davies AR, Pilcher D.** Pulmonary embolism. In: *Bersten A, Soni N (eds) Oh's Intensive Care Manual, 6th edition*, Butterworth Heinemann, UK. 2008; Chapter 30.
- Dawood T, Lambert GW.** Depression as a risk factor for the development of heart disease. In: *Sher L (ed) Psychological Factors and Cardiovascular Disorders: the Role of Psychiatric Pathology and Maladaptive Personality Features*, Nova Science Publishers, New York. 2008; Chapter 3: pp31-44.
- Ekoe J-M, Zimmet PZ.** Diagnosis and classification. In: *Ekoe J-M, Rewers M, Williams R, Zimmet P (eds) The Epidemiology of Diabetes Mellitus, 2nd edition*, John Wiley & Sons Ltd, Chichester. 2008; Chapter 3: pp11-30.
- Ekoe J-M, Zimmet PZ, Yale J-F.** The clinical syndrome and the biochemical definition. In: *Ekoe J-M, Rewers M, Williams R, Zimmet P (eds) The Epidemiology of Diabetes Mellitus, 2nd edition*, John Wiley & Sons Ltd, Chichester. 2008; Chapter 2: pp5-9.
- Federman D, Kavanagh EC, Morrison WB, Koulouris G.** Role of advanced imaging in distal radial fractures. In: *Slutsky D, Osterman A (eds) Fractures and Injuries of the Distal Radius and Carpus*, Elsevier, Australia. 2008; Chapter 3, DVD-1.
- Given MF, Lyon SM, Thomson KR.** Arterial occlusive disease of the upper extremity. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention*. Elsevier, Australia. 2008; Chapter 39.
- Given MF, Thomson KT, Lyon SM.** Percutaneous biopsy of the lung mediastinum and pleura. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention*. Elsevier, Australia. 2008; Chapter 128.
- Gross DW, Andermann E, Reutens DC, Seneviratne U, Dubeau F, Andermann F.** An unusual cause of nocturnal attacks. In: *Schmidst D, Schachter SC, (eds) Puzzling Cases of Epilepsy, 2nd edition*, Elsevier, New York. 2008; pp73-5.
- Holland AE.** Non-invasive ventilation to assist airway clearance in cystic fibrosis. In: *Esquinas A, Scala R (eds) Yearbook of Noninvasive Mechanical Ventilation*. 2008; Chapter 55.
- Kalantaridou SN, Davis SR, Calis KA.** Hormone therapy in women. In: *Dipiro JT, Talbert RL, Yee GC, Matzke GR, Wells BG, Posey LM (eds) Pharmacotherapy: a Pathophysiologic Approach, 7th edition*, McGraw Medical, New York. 2008; pp1351-61.
- Katsara M, Ramsland PA, Tselios T, Matsoukas J, Apostolopoulos V.** A structural perspective of peptides from myelin basic protein. In: *Boggs JM (ed) Myelin Basic Protein*. 2008; pp87-102.
- Komesaroff PA.** Bringing diverse voices into conversation. In: *Rothfield P, Fleming C, Komesaroff P (eds) Pathways to Reconciliation: Between Theory and Practice*. Ashgate Publishing Group. 2008; Introduction.
- Krum H, Schlaich M, Sobotka P.** Hypertension at the limits: novel therapeutic approaches to the management of systemic hypertension. In: *Opie LH, Yellon DM (eds) Cardiology at the Limits X*. University of Cape Town Press, South Africa. 2008; pp63-83.
- Kupersmidt M, Thomson KT.** Treatment of high-flow priapism. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention*, Elsevier, Australia. 2008; Chapter 81.
- Lyon SM, Given MF, Thomson KT.** Acute lower extremity ischaemia. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention*, Elsevier, Australia. 2008; Chapter 40.
- Magliano DJ, Cameron J, Shaw JE, Zimmet PZ.** Epidemiology of metabolic syndrome. In: *Ekoe J-M, Rewers M, Williams R, Zimmet P (eds) The Epidemiology of Diabetes Mellitus, 2nd edition*, John Wiley & Sons Ltd, Chichester. 2008; Chapter 4: pp31-55.
- Masuo K, Lambert GW, Esler MD.** Does epinephrine cause hypertension? Epinephrine hypothesis. In: *Lawson AG, Gorman RI (eds) Research Progress on Epinephrine*, Nova Science Publishers, New York. 2008; Chapter 5: pp95-114.
- Masuo K, Straznicky N, Esler MD.** Obesity and obesity-related hypertension: role of the sympathetic nervous system and beta-adrenoreceptor polymorphisms. In: *Kaneko M (ed) Sympathetic Nervous System Research Developments*, Nova Science Publishers, USA. 2008; Chapter 2: pp67-92.
- Munro PE, Hayes KJ, Aurora P.** Thoracic organ transplantation. In: *Pryor J, Prasad A (eds) Physiotherapy for Respiratory and Cardiac Problems – Adults and Paediatrics*, Elsevier, New York. 2008; pp495-514.
- Naughton MT, Tuxen DV.** Acute respiratory failure in chronic obstructive pulmonary disease. In: *Bersten A, Soni N (eds) Oh's Intensive Care Manual, 6th edition*, Butterworth Heinemann, UK. 2008; Chapter 26.
- O'Donnell ML, Creamer M.** Psychological conditions associated with motor vehicle collisions. In: *Duckworth M, Iezzi T, O'Donohue W (eds) Motor Vehicle Collisions: Medical, Psychosocial, and Legal Consequences*, Academic Press. 2008; Chapter 15.
- O'Hehir RE, Sutherland MF, Drew AC, Rolland JM.** Latex allergy. In: *Kay AB, Kaplan A, Bousquet J, Holt P (eds) Allergy and Allergic Disease, 2nd edition*, Blackwell Publishing. 2008; Chapter 53.
- Pattenden LK, Thomas WG.** Amylose affinity chromatography of maltose-binding protein: purification by both native and novel matrix-assisted dialysis-refolding methods. In: *Zachariou M (ed) Methods in Molecular Biology, volume 421, Affinity Chromatography: Methods and Protocols, 2nd edition*, Humana Press, USA. 2008; Chapter 12: pp169-89.
- Paul SL, Thrift AG.** The epidemiology of stroke in women. In: *Cadolotti JT, Burnside JE (eds) Women and Stroke Research*, Nova Science Publishers, New York. 2008; Chapter 2: pp25-56.
- Poole SG, Dooley MJ.** Prescribing. In: *Foley KM, Caraceni AT, Fainsinger R, Goh C, Glare P, Lloyd-Williams M, Olarte JN, Walsh D, Radbrucet L (eds) Palliative Medicine*, Elsevier, St Louis. 2008; pp687-91.
- Rosenfeld JV.** Neurosurgical injuries related to terror. In: *Shapira S, Hammond J, Cole LA (eds) Essentials of Terror Medicine*, Springer Verlag, New York. 2008; Chapter 19: pp331-6.
- Shaw JE, Dabelea DM.** Epidemiology of Type 2 diabetes in children and adolescents. In: *Ekoe J-M, Rewers M, Williams R, Zimmet P (eds) The Epidemiology of Diabetes Mellitus, 2nd edition*, John Wiley & Sons Ltd, Chichester. 2008; pp339-53.
- Shaw JE, Sicree R.** Epidemiology of Type 2 diabetes. In: *Feinglos MN, Bethel MA (eds) Type 2 Diabetes Mellitus: an Evidence-Based Approach to Practical Management*, Humana Press, New Jersey. 2008; Chapter 1: pp1-16.
- Straznicky NE, Nestel PJ, Esler MD.** Autonomic nervous control of metabolic function. In: *Squire LR (ed) Encyclopaedia of Neuroscience*, Elsevier, Academic Press. 2008.
- Sturm JW, Mackay MT, Thrift AG.** Stroke among women, ethnic groups, young adults, and children. In: *Fisher M (ed) Handbook of Clinical Neurology, volume 92, Stroke Part I: Basic and Epidemiological Aspects*, Elsevier. 2008; Chapter 92: pp337-53.
- Thomson KT, Lyon SM, Given MF, Burnes JP.** Endovascular treatment of peripheral aneurysms. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention*, Elsevier, Australia. 2008; Chapter 48.

Thomson KT. Interventional anatomy of the lower limb. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention, Elsevier, Australia.* 2008; Chapter 38.

Thomson KT, Lyon SM, Given MF. Peripheral arterial intervention. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention, Elsevier, Australia.* 2008; Chapter 38A: Section 7.

Thomson KT, Lyon SM, Given MF. Adrenal venous sampling. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention, Elsevier, Australia.* 2008; Chapter 108.

Thomson KT, Lyon SM, Given MF. Parathyroid venous sampling. In: *Mauro M, Murphy K, Thomson K, Venbrux A, Zollikofer C (eds) Image-Guided Intervention, Elsevier, Australia.* 2008; Chapter 109.

Tuxen DV, Naughton MT. Mechanical ventilation in asthma and chronic obstructive pulmonary disease. In: *Mckenzie I (ed) Core Topics in Mechanical Ventilation, Cambridge University Press.* 2008; pp196-209.

Tuxen DV, Naughton MT. Severe acute asthma. In: *Bersten A, Soni N (eds) Oh's Intensive Care Manual, 6th edition, Butterworth Heinemann.* 2008; Chapter 31.

Watts R, Botti M, Gardner H. Accommodating new technology: robotics in prostate cancer surgery. In: *Barraclough S, Gardner H (eds) Analysing Australian Health Policy: a Problem Orientated Approach, Elsevier, Australia.* 2008; pp240-9.

Zimmet P, Kerr-Bayles L, Walder K, Jowett J. Diabetes and cardiovascular medicine: epidemiological environmental and molecular contributions. In: *Opie LH, Yellon DM (eds) Cardiology at the Limits X, University of Cape Town Press, South Africa.* 2008; CATLx: pp89-102.

COCHRANE REVIEWS

Buchbinder R, Green S, Youd JM, Johnston RV, Cumpston M. Arthrographic distension for adhesive capsulitis (frozen shoulder). *Cochrane Database Syst Rev* 2008;Jan 23;(1):CD007005.

Coghlan JA, Buchbinder R, Green S, Johnston RV, Bell SN. Surgery for rotator cuff disease. *Cochrane Database Syst Rev* 2008;Jan 23;(1):CD005619.

de Courten B, Barber M, Johnston R, Liew D, de Courten M, van Doornum S, Reid C, Buchbinder R. Hypolipidemic and antihypertensive drugs for prevention of cardiovascular complications in patients with rheumatoid arthritis (Protocol). *Cochrane Database Syst Rev* 2008;July16 (3):CD007326.

Holland A, Hill C. Physical training for interstitial lung disease. *Cochrane Database Syst Rev* 2008;Oct 8(4):CD006322.

Massy-Westropp N, Johnston RV, Hill C. Post-operative therapy for metacarpophalangeal arthroplasty. *Cochrane Database Syst Rev* 2008;Jan 23;(1):CD003522.

Urquhart DM, Hoving JL, Assendelft WW, Roland M, van Tulder MW. Antidepressants for non-specific low back pain. *Cochrane Database Syst Rev* 2008;Jan 23;(1):CD001703.

Wasiak J, Cleland H, Campbell F. Dressings for superficial and partial thickness burns. *Cochrane Database Syst Rev* 2008;Oct 8;(4):CD002106.